



Rustler® VXL (Model 37076-74) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607 Ball bearings (5x11x4mm) (8)
- 2728 Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 3934 Body clips, heavy duty (12)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)**
- 1834 Body clips (12) (standard size)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614 Body mounts (front & rear)**
- 1815 Body washers (8)
- 6716 Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)**
- 3714 Body, Rustler® (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware**
- 3719 Body, Rustler® VXL, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application)/decal sheet/ wing and aluminum hardware**
- 2514 Decal sheet, racing sponsors
- 3713R Decal sheets, Rustler® VXL

Chassis & Attachments

- 9463X Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463 Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463G Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463A Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463P Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463R Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 3725X Battery expansion kit (allows for installation of taller multi-cell battery packs)**
- 3727 Battery hold-down plate (black)/ metal posts (2)/body clips (2)**
- 3727A Battery hold-down plate (gray)/ metal posts (2) / body clips (2)
- 3628 Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P Bumper (front) (pink)**
- 3728 Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)**
- 3722X Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)**
- 3728A Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)
- 3722R Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)**
- 3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit® or Rustler®)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 9465 Side plates, wheelie bar (plastic) (2)**
- 9462X Side plates, wheelie bar, blue (aluminum) (2)**
- 9462 Side plates, wheelie bar, charcoal gray (aluminum) (2)**
- 9462G Side plates, wheelie bar, green (aluminum) (2)**
- 9462A Side plates, wheelie bar, orange (aluminum) (2)**
- 9462P Side plates, wheelie bar, pink (aluminum) (2)**
- 9462R Side plates, wheelie bar, red (aluminum) (2)**
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 3723 Upper chassis (black)**
- 3729 Upper chassis (black)**
- 3723A Upper chassis (gray)**
- 3729A Upper chassis (gray)
- 4974 Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 9464 Wheelie bar mount (heavy duty)**
- 3678 Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®, Stampede® series)**

- 3678X Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678A Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678T Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678P Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678R Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 9460 Wheelie bar, black (assembled)/ wheelie bar mount**
- 9460X Wheelie bar, black chrome (assembled)/ wheelie bar mount**
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 9461X Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461G Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461A Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461P Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461R Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461 Wheels, wheelie bar, black (26mm (2), 18mm (2))**

Differential Components

- 9480A Differential assembly (complete) (fits Pro Series Magnum 272R™ Transmission)
- 9482 Differential gasket/ x-rings (2)
- 9481 Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
- 2380 Differential, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)**
- 9492 Idler gear, 30-tooth/ idler gear shaft (steel)
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
- 9483 Output gears, differential (2)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

Driveline Components

- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)**
- 1951R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)**
- 1953 Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
- 6752 Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)**
- 6751 Half shaft, internal splined (steel-spline constant-velocity) (1)**
- 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)**
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652T Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)**
- 3652P Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)

- 6753 Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)
- 2753X Stub axles, rear (2)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

- 3637 Axles (front) (2)
- 2728 Ball bearings (5x8x2.5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2530 Bulkhead (front) (black)
- 2530A Bulkhead (front) (gray)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632G Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632T Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)
- 5347 Rod ends, Rev o® (large) with hollow balls (12)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 3744 Servo saver w/adapters
- 3639 Shock tower (front)
- 3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
- 3636A Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3636G Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3636T Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3636P Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3636X Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 3631 Suspension arms (front) (2)
- 3631X Suspension arms, black, front, heavy duty (2)
- 3631A Suspension arms, blue, front, heavy duty (2)
- 3631G Suspension arms, green, front, heavy duty (2)
- 3631T Suspension arms, orange, front, heavy duty (2)
- 3631R Suspension arms, red, front, heavy duty (2)
- 2640 Suspension pins, 44mm (2) w/ e-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
- 2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
- 2532 Tie bar, fiberglass
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (fits Rustler) (requires 5mm aluminum wrench #5477)
- 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 1589 Double-sided adhesive tape (25mm x 25mm) (2)
- 1633 E-clips/ C-rings
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Rev o® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 4859 Screws, 3x10mm flat-head machine (hex drive) (4)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2583 Screws, 3x18mm button-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 2546 Screws, 4x15mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 2754 Stub axle pins (4)
- 2746 Washers, 3x6mm metal (12)
- 3685 White plastic washers (5x8x1.0mm) (6)

LED Lights

- 3791 LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)
- 3795 LED light harness, rear (requires #2477 wheelie bar mount)
- 3794 LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)
- 2263 Y-harness, BEC to LED light set

Motors & Electronics

- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 3342 Bullet connectors, male, 3.5mm (3)/ heat shrink
- 3340 Cooling fan, Velineon® VXL-3s ESC
- 3790 Gear adapter, fixed
- 2072A Gear set (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 3354R Motor cover, endbell (Velineon® 3500)
- 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
- 3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit® or Rustler®)
- 3352R Rebuild kit, Velineon® 3500 and 540XL (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
- 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof

Page 3 Rustler® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 37076-74) Parts List

| | |
|-------|---|
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 3350R | Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R)) |
| 3355R | Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |
| 3343 | Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) |

Radio System, Batteries & Chargers

| | |
|-------|---|
| 2849X | 4000mAh 11.1v 3-Cell 25C LiPo Battery |
| 2872X | 5000mAh 11.1v 3-Cell 25C LiPo Battery |
| 2842X | 5000mAh 7.4v 2-Cell 25C LiPo Battery |
| 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 2857X | 6400mAh 11.1v 3-Cell 25C LiPo Battery |
| 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC converter, 40W |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) |
| 2943 | Battery charge indicators (green (4), blue (4), gray (4)) |
| 6548 | Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) |
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2922X | Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 2926X | Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) |
| 2942X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2941X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) |
| 2952X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2951X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 2961X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) |
| 2963X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V) |
| 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2984 | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2992 | Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2994 | Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1)) |
| 2260 | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) |
| 2975 | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2973 | Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification |
| 2971 | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 2970 | Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 6525 | Communication link, telemetry expander |
| 6512 | Cover plate, Traxxas Link™ Wireless Module |
| 2978 | Fuse, charger, 5A (2) (for #2974, 2975, 2977) |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |
| 6554X | Mount, telemetry expander (fits Rustler®, Bandit®, Slash 2WD) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) |
| 6552 | Seal kit, expander box (includes o-ring, seals, and silicone grease) |
| 6526 | Sensor, auto-detectable, temperature |
| 6527 | Sensor, auto-detectable, voltage |
| 6520 | Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) |
| 6521 | Sensor, temperature and voltage (long) |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |

| | |
|-------|---|
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 6553X | Telemetry expander 2.0 and GPS module 2.0, TQi radio system |
| 6550X | Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) |
| 6551X | Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) |
| 6538 | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) |
| 6540 | Telemetry trigger magnet, 5X2mm (1) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) |
| 6528 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) |
| 6529 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) |
| 6530 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas Link™ Wireless Module |
| 3355R | Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |
| 6537 | Wire retainers, gear cover/ 3x4mm BCS (2) |

Ready-To-Race Model

| | |
|----------|--|
| 37076-74 | Rustler® VXL: 1/10 Scale Stadium Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)® |
|----------|--|

Rear Suspension

| | |
|-------|--|
| 3638 | Shock tower (rear) |
| 3752 | Stub axle carriers (2) (requires 5x11x4mm bearings) |
| 3652A | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3652G | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3652T | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) |
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3652X | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 2753X | Stub axles, rear (2) |
| 3655P | Suspension arms, blue, front/rear (left & right), heavy duty (2) |
| 3655R | Suspension arms, front/rear (left & right), heavy duty (2) |
| 3655G | Suspension arms, green, front/rear (left & right), heavy duty (2) |
| 3655X | Suspension arms, left & right |
| 3655T | Suspension arms, orange, front/rear (left & right), heavy duty (2) |
| 3655L | Suspension arms, red, front/rear (left & right), heavy duty (2) |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®) |
| 3741A | Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench |
| 3741X | Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |

Shock Oil

| | |
|-------|---|
| 5031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) |
| 5032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) |
| 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) |
| 5034 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) |
| 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) |
| 5036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) |
| 5037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) |
| 5029 | Shock oil bottle (60cc) (for mixing shock oil) |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) |
| 5038 | Spinning carousel rack |

Shocks (Pro-level Aluminum)

| | |
|-------|---|
| 2664 | Big Bore shock cylinder (long) (1) |
| 5862 | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) |
| 2660 | Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) |
| 2662 | Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) |
| 2669 | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 2667 | Shock caps, aluminum (2) (Big Bore Shocks) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| 5860 | Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) |
| 5859 | Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) |

Shocks (Ultra Shocks)

| | |
|-------|---|
| 3642 | Attachment screws, shock (3x12mm shoulder screws) (6) |
| 3765A | Body, Ultra Shock(s) (long) (gray) (2) |
| 3766A | Body, Ultra Shock(s) (XXL) (gray) (2) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3767 | Shock caps (2)/ shock bottoms (2) |
| 8361 | Shock caps (black) (4) (assembled with hollow balls) |
| 3767A | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) |
| 3767G | Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) |
| 3767T | Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks) |
| 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) |
| 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 3769 | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) |
| 3768 | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2)) |
| 2458 | Springs, front (black) (2) |
| 3758 | Springs, front (black) (2) |
| 3758T | Springs, front (blue) (2) |
| 3758A | Springs, front (green) (2) |
| 2458P | Springs, front (pink) (2) |
| 3758R | Springs, front (red) (2) |
| 2458A | Springs, front (white) (2) |
| 3758X | Springs, front (white) (2) |
| 3757 | Springs, rear (black) (2) |
| 3757T | Springs, rear (blue) (2) |
| 3757A | Springs, rear (green) (2) |
| 3757P | Springs, rear (pink) (2) |
| 3757R | Springs, rear (red) (2.9 rate) (2) |
| 3757X | Springs, rear (white) (2) |
| 4957 | Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) |
| 3760 | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) |
| 3762 | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 3760A | Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2) |
| 3762A | Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |

Slipper Clutch Components

| | |
|-------|--|
| 3793 | Input shaft (slipper shaft) / spring pin |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |

| | |
|------|--|
| 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |

Spur Gears & Pinion Gears

| | |
|------|--|
| 9491 | Gear adapter set, fixed (48-pitch) |
| 2416 | Gear, 16-T pinion (48-pitch) / set screw |
| 1918 | Gear, 18-T pinion (48-pitch) / set screw |
| 2419 | Gear, 19-T pinion (48-pitch) / set screw |
| 2422 | Gear, 22-T pinion (48-pitch) (fits 3mm shaft) / set screw |
| 2423 | Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw |
| 2426 | Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw |
| 2429 | Gear, 29-T pinion (48-pitch) (fits 3mm shaft) / set screw |
| 2431 | Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw |
| 4725 | Gear, pinion (25-tooth) (48-pitch) / set screw |
| 4728 | Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft) / set screw |
| 4676 | Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4683 | Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4686 | Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4690 | Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) |

Steering Components

| | |
|-------|--|
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 2545 | Bellcrank bushings (plastic) (5x8x2.5mm) (4) |
| 5347 | Rod ends, Rev o® (large) with hollow balls (12) |
| 3744 | Servo saver w/adapters |
| 3743 | Steering bellcranks (l&r) / draglink |
| 3743A | Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum) 5x8mm ball bearings (4) / hardware (assembled) |
| 3743G | Steering bellcranks, drag link (green-anodized 6061-T6 aluminum) 5x8mm ball bearings (4) / hardware (assembled) |
| 3743T | Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum) 5x8mm ball bearings (4) / hardware (assembled) |
| 3743P | Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) 5x8mm ball bearings (4) / hardware (assembled) |
| 3743X | Steering bellcranks, drag link (red-anodized 6061-T6 aluminum) 5x8mm ball bearings (4) / hardware (assembled) |
| 6845X | Steering bellcranks/ servo saver/ servo spring/ servo spring retainer/servo horn, steering |
| 2537 | Threaded rods (20/25/44mm 1 ea.) (1) 12mm set screw |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |

Suspension Linkage

| | |
|-------|---|
| 5525 | Rod ends (12)/ hollow balls (12) |
| 5525R | Rod ends, heavy duty (Jato®/Slayer) (8) |
| 5347 | Rod ends, Rev o® (large) with hollow balls (12) |
| 3739 | Screw pin set (Rustler®, Bandit®, Stampede®) |
| 3744 | Servo saver w/adapters |
| 2640 | Suspension pins, 44mm (2) w/ e-clips |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®) |
| 2537 | Threaded rods (20/25/44mm 1 ea.) (1) 12mm set screw |
| 3737A | Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set) |
| 3738A | Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set) |
| 3737 | Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741X for complete camber link set) |
| 3738 | Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) |

Page 5 Rustler® VXL: TQI™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 37076-74) Parts List

| | | | |
|-------|--|-------|---|
| 3741A | Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench | 6773X | Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 6768 | Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda® tires, foam inserts) (2WD electric rear) (2) (TSM® rated) |
| 3741G | Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench | 6775 | Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated) |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 6774 | Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) |
| 3741T | Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench | 6773 | Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated) |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 6768G | Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda® tires, foam inserts) (2WD electric rear) (2) (TSM® rated) |
| 3741P | Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench | 6775G | Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated) |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 6774G | Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) |
| 3741X | Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench | 6768A | Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda® tires, foam inserts) (2WD electric rear) (2) (TSM® rated) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 6775A | Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) | 6774A | Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) | 6773A | Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) | 6774R | Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) |

Team Traxxas Items

| | |
|-------|--|
| 2514 | Decal sheet, racing sponsors |
| 6160X | DVD, Maxx® Power! Full Throttle Action (sleeve) |
| 9950 | Official Team Traxxas® racing decal set (flag logo/ 6-color) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) |

Tires & Wheels

| | | | |
|-------|---|-------|--|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) | 3773A | Tires & wheels, assembled, glued (AI Star black chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right) |
| 5114 | Ball bearings, blue rubber sealed (5x8x2.5mm) (2) | 3773 | Tires & wheels, assembled, glued (AI Star chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right) |
| 5854 | Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) | 3776A | Tires & wheels, assembled, glued (AI-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) | 5576R | Tires & wheels, assembled, glued (AI-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) | 6792 | Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated) |
| 1647 | Silicone grease | 3778 | Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated) |
| 2754 | Stub axle pins (4) | 5569 | Tires, Alias 2.8" (rear) (2)/ foam inserts (2) |
| 3770A | Tires & wheels, assembled, glued (2.8") (AI-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) | 5578 | Tires, Anaconda® 2.8" (2)/ foam inserts (2) |
| 3776 | Tires & wheels, assembled, glued (2.8") (AI-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated) | 4791 | Tires, Pro-Trax mini-spiked 2.2" (rear) (2) |
| 3771A | Tires & wheels, assembled, glued (2.8") (AI-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) | 4790R | Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2) |
| 3770 | Tires & wheels, assembled, glued (2.8") (AI-Star chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2) | 5563 | Tires, Ribbed 2.8" (front) (2)/ foam inserts (2) |
| 3771 | Tires & wheels, assembled, glued (2.8") (AI-Star chrome wheels, ribbed tires, foam inserts) (electric front) (2) | 1654 | Wheel hubs, hex (rear) (2)/ stub axle pins (2) |
| 6773G | Tires & wheels, assembled, glued (2.8") (RXT 4X4 green wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated) | 3654 | Wheel hubs, hex (front) (tall off set) (2)/ axle pins (2.5x12mm) (2) |
| 6768X | Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (2) (TSM® rated) | 5853X | Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm |
| 6775X | Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated) | 5353 | Wheel nuts, splined, 17mm (blue-anodized) (4) |
| 3772X | Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated) | 5480X | Wheel wrench, splined, 17mm |
| 3771X | Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, ribbed tires, foam inserts) (electric front) (2) | 3772A | Wheels, AI-Star 2.8" (black chrome) (2WD electric rear) |
| 3772R | Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated) | 5576A | Wheels, AI-Star 2.8" (black chrome) (nitro rear/ electric front) (2) |
| 3771R | Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, ribbed tires, foam inserts) (electric front) (2) | 3772 | Wheels, AI-Star 2.8" (chrome) (2WD electric rear) |
| 6774X | Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) | 5576 | Wheels, AI-Star 2.8" (chrome) (nitro rear/ electric front) (2) |
| | | 3673 | Wheels, chrome (2.2") (front) (2) |
| | | 3672 | Wheels, chrome (2.2") (rear) (2) |
| | | 3675 | Wheels, dyeable nylon 2.2 (front) (2) |
| | | 3674 | Wheels, dyeable nylon 2.2 (rear) (2) |
| | | 6772 | Wheels, RXT 2.8" (black) (2) |
| | | 3774 | Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) |
| | | 5572 | Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2) |

Transmission Components

| | |
|-------|--|
| 4607 | Ball bearings (5x11x4mm) (8) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 9489 | Cover, gear |
| 3792 | Cover, gear/ rubber gear cover plug/ 3x6 RM (2) |
| 9480A | Differential assembly (complete) (fits Pro Series Magnum 272R™ Transmission) |
| 9482 | Differential gasket/ x-rings (2) |
| 9481 | Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4) |
| 6783 | Gear set, differential (spider gears (4)/ spider gear shaft (2)) |
| 9493 | Gearbox halves, left & right/ differential cover (charcoal gray) |
| 5148 | Grease, white lithium |
| 9492 | Idler gear, 30-tooth/ idler gear shaft (steel) |
| 9494 | Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash 2WD) |
| 9483 | Output gears, differential (2) |
| 9490 | Plate, motor, blue (3.2mm thick) (aluminum) |
| 9490X | Plate, motor, blue (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2) |
| 9490G | Plate, motor, green (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2) |
| 9490A | Plate, motor, orange (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2) |
| 9490P | Plate, motor, pink (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2) |
| 9490R | Plate, motor, red (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2) |
| 9495 | Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash) |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 1647 | Silicone grease |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |
| 9464 | Wheelie bar mount (heavy duty) |

Traxxas Tools

| | |
|-------|--|
| 3433X | Body reamer (aluminum handle) |
| 3433 | Body reamer (plastic handle) |
| 3436 | Cap, body reamer |
| 3432 | Scissors, curved tip |
| 3431 | Scissors, straight tip |
| 8712 | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive |
| 8721 | Speed bit handle, medium (one piece) |
| 8720 | Speed bit handle, premium, large (rubber overmold) |
| 8722 | Speed bit handle, premium, medium (rubber overmold) |
| 8710 | Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), |
| 8711 | Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 8719 | Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| 8716 | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive |
| 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 8715 | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive |
| 8715X | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 2748R | Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) |
| 3415 | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle |

Turnbuckles & Threaded Rods

| | |
|-------|--|
| 5525 | Rod ends (12)/ hollow balls (12) |
| 5525R | Rod ends, heavy duty (Jato®/Slayer) (8) |
| 5347 | Rod ends, Rev o® (large) with hollow balls (12) |
| 2537 | Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw |
| 3737A | Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/ rod ends)/ hollow balls (2) (See part 3741A for complete camber link set) |
| 3738A | Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set) |
| 3737 | Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/ rod ends)/ hollow balls (2) (See part 3741X for complete camber link set) |
| 3738 | Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) |
| 3741A | Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/ wrench |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3741G | Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/ wrench |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3741T | Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/ wrench |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3741P | Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/ wrench |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3741X | Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM