



# Bigfoot® (Model 36084-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 4607** Ball bearings (5x11x4mm) (8)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926** Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 1914R** Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614** Body mounts (front & rear)
- 3619 Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
- 1815** Body washers (8)
- 6716** Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
- 3658 Body, Bigfoot® Firestone, Officially Licensed replica (painted, decals applied)
- 3676 Body, Bigfoot® Red, White, & Blue, Officially Licensed replica (painted, decals applied)
- 3659 Body, Bigfoot® Summit Racing Equipment®, Officially Licensed replica (painted, decals applied)
- 3657** Body, Bigfoot®, Officially Licensed replica (clear, requires painting)/ window masks/ decal sheet
- 3634X** Body, Craniac®, bone, heavy duty/ decals
- 3634R** Body, Craniac®, red, heavy duty/ decals
- 3633X** Body, Skully®, blue, heavy duty/ decals
- 3633G** Body, Skully®, green, heavy duty/ decals
- 3621 Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (black)
- 3621X** Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (blue)
- 3621A** Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (green)
- 3621P** Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (pink)
- 2514 Decal sheet, racing sponsors
- 9950** Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 5185** Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 4974** Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677A** Wheelie bar mount (1) / hardware (green)
- 3677P** Wheelie bar mount (1) / hardware (pink)
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X** Wheelie bar mount (1)/ hardware (blue)
- 3678** Wheelie bar, assembled (black) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678X** Wheelie bar, assembled (blue) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678A** Wheelie bar, assembled (green) (fits Stampede®, Rustler®, Bandit series)
- 3678P** Wheelie bar, assembled (pink) (fits Stampede®, Rustler®, Bandit series)
- 4976** Wheels (4)/ axles (2), for Maxx® wheelie bar
- 5186A** Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186** Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

## Chassis & Attachments

- 3725X** Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)
- 3627X Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2) / spacers (2) / body clips (2) / servo tape/ adhesive foam pad
- 3628 Box, receiver (sealed) / foam pad/2.5x8mm CS (4) / 3x10mm CS (2)
- 2735** Bumper (front)
- 2735P** Bumper (front) (pink)
- 3621 Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (black)
- 3621X** Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (blue)
- 3621A** Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (green)
- 3621P** Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (pink)

- 3622 Main chassis (black)
- 3622A** Main chassis (grey)
- 3626 Mounting plate, electronic speed control/ receiver box (for installation of XL-5/ XL-10/VXL and waterproof receiver box into Stampede)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 3623 Skid plates, front & rear (black)
- 3623X** Skid plates, front & rear (blue)
- 3623A** Skid plates, front & rear (green)
- 3623P** Skid plates, front & rear (pink)
- 5185** Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 4974** Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677A** Wheelie bar mount (1) / hardware (green)
- 3677P** Wheelie bar mount (1) / hardware (pink)
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X** Wheelie bar mount (1)/ hardware (blue)
- 3678** Wheelie bar, assembled (black) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678X** Wheelie bar, assembled (blue) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678A** Wheelie bar, assembled (green) (fits Stampede®, Rustler®, Bandit series)
- 3678P** Wheelie bar, assembled (pink) (fits Stampede®, Rustler®, Bandit series)
- 4976** Wheels (4)/ axles (2), for Maxx® wheelie bar
- 5186A** Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186** Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

## Differential Components

- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

## Driveline Components

- 5116** Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X** Differential output yokes, hardened steel (w/ U-joints) (2)
- 6828X** Differential output yokes, heavy duty (2)/ screw pin (2)
- 1951R** Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)
- 1953** Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)
- 6752** Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)
- 6751** Half shaft, internal splined (steel-spline constant-velocity) (1)
- 6850X** Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 6757** Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
- 3652A** Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G** Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652P** Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X** Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2754 Stub axle pins (4)
- 6753** Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)
- 2753X Stub axles, rear (2)
- 6853X** Stub axles, rear, heavy duty (2)/pins (2)

## Front Suspension & Steering

- 3637 Axles (front) (2)
- 2728** Ball bearings (5x8x2.5mm) (2)
- 5116** Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2530 Bulkhead (front) (black)

**Page 2 Bigfoot® Officially Licensed Replica: TQ 2.4 GHz Radio (Model 36084-1) Parts List**

2530A	<b>Bulkhead (front) (grey)</b>
1675	Bushings, self-lubricating (5x11x4mm) (14)
3632	Caster blocks (l&r) (30-degree)
3632A	<b>Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
3632G	<b>Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
3632P	<b>Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
3632X	<b>Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	<b>Rod ends, heavy duty (Jato®/Slayer) (8)</b>
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	<b>Rod ends, Revo® (large) with hollow balls (12)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
1844	Servo saver
3639	Shock tower (front)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)
3636A	<b>Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)</b>
3636G	<b>Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)</b>
3636P	<b>Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)</b>
3636X	<b>Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)</b>
3631	Suspension arms (front) (2)
3740	<b>Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)</b>
2640	<b>Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)</b>
3640	<b>Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)</b>
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
2532	<b>Tie bar, fiberglass (requires suspension pins, part# 2640)</b>
3737A	<b>Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)</b>
3737	<b>Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)</b>
3139	Turnbuckles (62mm) (front tie rods) (2)
3741A	<b>Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends &amp; hollow balls)/ wrench</b>
2336A	<b>Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends &amp; hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)</b>
3741X	<b>Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends &amp; hollow balls)/wrench</b>
2336X	<b>Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends &amp; hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)</b>
3644	<b>Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)</b>
3745	<b>Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)</b>
3645	<b>Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)</b>

**Hardware**

1926	<b>Antenna caps, vinyl (2)/ antenna spool</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3642	<b>Shoulder screws, Ultra Shocks (3x12) (6)</b>
1552	<b>Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench</b>
1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
1747G	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
1747P	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	<b>Rod ends, heavy duty (Jato®/Slayer) (8)</b>

5347	<b>Rod ends, Revo® (large) with hollow balls (12)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
2675	Screws, 3x10mm roundhead self-tapping (6)
2648	Screws, 3x12mm countersunk self-tapping (6)
3186	Screws, 3x12mm washerhead machine (6)
3286	Screws, 3x12mm washerhead self-tapping (6)
2563	Screws, 3x15mm roundhead machine (6)
3187	Screws, 3x15mm washerhead machine (6)
3288	Screws, 3x15mm washerhead self-tapping (6)
2566	Screws, 3x20mm roundhead machine (6)
2567	Screws, 3x23mm roundhead machine (6)
2572	Screws, 3x30mm roundhead machine (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
2558	Screws, 3x6mm roundhead machine (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
3290	Screws, 3x8mm washerhead self-tapping (6)
2548	Screws, 4x12mm countersunk machine (100-degree) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2573	Screws, 4x15mm roundhead machine (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2754	Stub axle pins (4)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2746	<b>Washers, 3x6mm metal (12)</b>

**Motors & Electronics**

1552	<b>Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench</b>
2260	<b>BEC assembly (complete)</b>
3790	Gear adapter, fixed
2072A	<b>Gear set (for 2070, 2075 servos)</b>
1275	<b>Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with factory installed spur gear on models originally equipped with the Titan 12T)</b>
3785	Motor, Titan® 12T (12-Turn, 550 size)
3351R	<b>Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)</b>
3626	Mounting plate, electronic speed control/ receiver box (for installation of XL-5/ XL-10/VXL and waterproof receiver box into Stampede)
3725	<b>Mounting plate, speed control (VXL-3s) (Bandit, Rustler®, Stampede®)</b>
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053	Servo gears (for 2055, 2056 servos)
2075	<b>Servo, digital high-torque (ball bearing), waterproof</b>
2056	Servo, high-torque, waterproof (blue case)
3350R	<b>Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))</b>
3355R	<b>Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)</b>
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

**Radio System, Batteries & Chargers**

2854X	<b>10000mAh 7.4v 2-Cell 25C LiPo Battery</b>
2842X	<b>5000mAh 7.4v 2-Cell 25C LiPo Battery</b>
2843X	<b>5800mAh 7.4v 2-Cell 25C LiPo Battery</b>
2976	<b>AC to DC converter, 40W</b>
2938X	<b>Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	<b>Battery charge indicators (green (4), blue (4), grey (4))</b>
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	<b>Battery, Power Cell AA Alkaline (4)</b>
2922X	<b>Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)</b>
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2942X	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)</b>
2941X	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)</b>
2952X	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)</b>
2951X	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)</b>
2961X	<b>Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)</b>
2984	<b>Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))</b>
2992	<b>Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))</b>
2260	<b>BEC assembly (complete)</b>

**Page 3 Bigfoot® Officially Licensed Replica: TQ 2.4 GHz Radio (Model 36084-1) Parts List**

2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6557	Mount, telemetry expander (fits Stampede® 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6518	Receiver, micro, TQi 2.4GHz with telemetry (5-channel)
6522	Sensor, RPM (short)/ 3x4mm BCS (2)
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053	Servo gears (for 2055, 2056 servos)
2075	Servo, digital high-torque (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6537	Wire retainers, gear cover/ 3x4mm BCS (2)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

**Ready-To-Race Model**

36084-1	Bigfoot®: 1/10 Scale Officially Licensed Replica Monster Truck with TQ 2.4GHz radio system
---------	--

**Rear Suspension**

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bushings and bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
3655X	Suspension arms, left & right
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

**Shocks (Aluminum)**

1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2760	Shock caps, aluminum (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T	Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2765	Shock shafts, steel, chrome finish (X-long) (2)
4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
1666	Silicone shock oil (30 wt)

**Shocks (Pro-level Aluminum)**

2664	Big Bore shock cylinder (long) (1)
2666	Big Bore shock cylinder (XX-long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

**Shocks (Ultra Shocks)**

3642	Shoulder screws, Ultra Shocks (3x12) (6)
3765A	Body, Ultra Shock(s) (long) (grey) (2)
3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3758	Springs, front (black) (2)
3758T	Springs, front (blue) (2)
3758A	Springs, front (green) (2)
3758P	Springs, front (pink) (2)
3758R	Springs, front (red) (2)
3758X	Springs, front (white) (2)
3757	Springs, rear (black) (2)
3757T	Springs, rear (blue) (2)
3757A	Springs, rear (green) (2)
3757P	Springs, rear (pink) (2)
3757R	Springs, rear (red) (2.9 rate) (2)
3757X	Springs, rear (white) (2)
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

**Spur Gears & Pinion Gears**

- 3790 Gear adapter, fixed
- 2427 Gear, 14-T pinion (48-pitch)/ set screw
- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2423 Gear, 23-T pinion (48-pitch) / set screw
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 4676 Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

**Steering Components**

- 2728 Ball bearings (5x8x2.5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 1844 Servo saver
- 2336 Turnbuckles, 78mm (2)
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

**Suspension Linkage**

- 3642 Shoulder screws, Ultra Shocks (3x12) (6)
- 3641A Camber link set (plastic / non-adjustable ) ( front & rear) (grey)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
- 3740 Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)
- 2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
- 2640 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 2336 Turnbuckles, 78mm (optional rear camber rods) (2)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

**Team Traxxas Items**

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

**Tires & Wheels**

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 2754 Stub axle pins (4)
- 3689 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated)
- 3668A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2) (TSM rated)
- 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2) (TSM rated)
- 3668 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2)
- 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2)
- 3663 Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (2WD electric rear) (2)
- 3665 Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
- 6771 Tires and wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)
- 6770 Tires, Maxx® 2.8" (2)/ foam inserts (2)
- 3671 Tires, Talon 2.8" (2)/ foam inserts (2)
- 3667 Tires, Terra Groove (dual profile 5.3"x2.7"- 2.0") (2)/ foam inserts (2)
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
- 5853X Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm
- 3772A Wheels, All-Star 2.8" (black chrome) (2WD electric rear)
- 5576A Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
- 3772 Wheels, All-Star 2.8" (chrome) (2WD electric rear)
- 5576 Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
- 3673 Wheels, chrome (2.2") (front) (2)
- 3672 Wheels, chrome (2.2") (rear) (2)
- 3675 Wheels, dyeable nylon 2.2 (front) (2)
- 3674 Wheels, dyeable nylon 2.2 (rear) (2)
- 3664 Wheels, satin chrome, dual profile (2.0" outer, 3.0" inner) (2WD electric rear) (2)
- 3666 Wheels, satin chrome, dual profile (2.0" outer, 3.0" inner) (nitro rear/ electric front) (2)
- 3774 Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)
- 5572 Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)

**Transmission Components**

- 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
- 4607 Ball bearings (5x11x4mm) (8)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2519 Differential gear (60-tooth) (for optional ball differential only)
- 3792 Dust cover/rubber plug (w/ screws) (telemetry ready)
- 5478 Flat wrench, 8mm (blue-anodized aluminum)
- 3790 Gear adapter, fixed
- 3691 Gearbox halves (l&r) (black) w/ idler gear shaft
- 3691A Gearbox halves (l&r) (grey) w/ idler gear shaft
- 5148 Grease, white lithium
- 1996 Idler gear (30-tooth)
- 3696 Idler gear, steel (30-tooth)
- 3793 Input shaft (slipper shaft) / spring pin
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)

**Page 5 Bigfoot® Officially Licensed Replica: TQ 2.4 GHz Radio (Model 36084-1) Parts List**

- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
- 1647 Silicone grease
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 3195 Top drive gear, steel (22-tooth)

**Traxxas Tools**

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8722 Speed bit handle, premium (rubber overmold)
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle)

**Turnbuckles & Threaded Rods**

- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 2336 Turnbuckles, 78mm (optional rear camber rods) (2)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**