

## Rustler (Model 37054-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3677A	Wheelie bar mount (1) / hardware (green)
4607	Ball bearings (5x11x4mm) (8)	3677P 3677	Wheelie bar mount (1) / hardware (pink) Wheelie bar mount (1)/ hardware (black)
4608	Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)	3677X	Wheelie bar mount (1)/ hardware (blue)
2728	Ball bearings (5x8x2.5mm) (2)	3678	Wheelie bar, assembled (black) (fits Slash, Stampede®,
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)		Rustler®, Bandit series)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede®, Rustler®,
2545 4675	Bellcrank bushings (plastic) (5x8x2.5mm) (4)		Bandit series)
1675	Bushings, self-lubricating (5x11x4mm) (14)	3678A	Wheelie bar, assembled (green) (fits Stampede®, Rustler®,
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	20700	Bandit series)
	Body & Accessories	3678P	Wheelie bar, assembled (pink) (fits Stampede®, Rustler®, Bandit series)
1926	Antenna caps, vinyl (2)/ antenna spool	4976	Wheels (4)/ axles (2), for Maxx® wheelie bar
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
1834	Body clips (12) (standard size)		axles (2)/ rubber tires (2)
3934	Body clips, heavy duty (12)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware		axles (2)/ rubber tires (2)
3614	Body mounts (front & rear)		Differential Components
1815	Body washers (8)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
6716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)		Stampede, Rustler)
3714	Body, Rustler® (clear, requires painting)/window, lights decal	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
	sheet/ wing and aluminum hardware	00001/	shaft (1) all hardened steel
3749	Body, Rustler®, Hawaiian graphics (painted, decals applied)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
3717	Body, Rustler®, ProGraphix® (replacement for the painted body.	5169	Stampede, Rustler) Screws, 2.6x8mm countersunk machine (6)
	Graphics are printed, requires paint & final color application)/window, lights, decal sheet/wing & aluminum	1647	Silicone grease
	hardware	1047	
3748	Body, Rustler®, Rock n' Roll (painted, decals applied)		Driveline Components
3617	Body, Stampede® (clear, requires painting) (requires #3614 to	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
	mount)	1675	Bushings, self-lubricating (5x11x4mm) (14)
3617R	Body, Stampede® VXL, ProGraphix® (replacement for the	4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
	painted body. Graphics are printed, requires paint & final color	4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
3617X	application)/ window, grille, lights decal sheet Body, Stampede®, ProGraphix® (replacement for the painted	6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
00177	body. Graphics are printed, requires paint & final color	1951R	Driveshafts, rear, steel-spline constant-velocity (complete
	application)/ window, grille, lights decal sheet		assembly) (2) (fits 2WD Rustler/Stampede)
2514	Decal sheet, racing sponsors	1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)
3716	Decal sheets, Rustler®		(plastic shafts only)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	6752	Half shaft, external splined (steel-spline constant-velocity) (1)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	6751	(fits 2WD Rustler/Stampede) Half shaft, internal splined (steel-spline constant-velocity) (1)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2)/
3677A 3677P	Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (pink)	000071	metal u-joints (4)
3677	Wheelie bar mount (1)/ hardware (black)	1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/
3677X	Wheelie bar mount (1)/ hardware (blue)		metal U-joints (4)
3678	Wheelie bar, assembled (black) (fits Slash, Stampede®,	6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes
	Rustler®, Bandit series)	2752	pins, dustboots, lube, and hardware)
3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede®, Rustler®,	3752 <b>3652A</b>	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)  Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	Bandit series)	3032A	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3678A	Wheelie bar, assembled (green) (fits Stampede®, Rustler®,	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
3678P	Bandit series) Wheelie bar, assembled (pink) (fits Stampede®, Rustler®, Bandit		aluminum (green-anodized)/ 5x11mm ball bearings (4)
3070F	series)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
4976	Wheels (4)/ axles (2), for Maxx® wheelie bar		aluminum (pink-anodized)/ 5x11mm ball bearings (4)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	axles (2)/ rubber tires (2)	3652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	3032X	aluminum (red-anodized)/ 5x11mm ball bearings (4)
	axles (2)/ rubber tires (2)	2754	Stub axle pins (4)
	Chassis & Attachments	6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft)
3725X	Battery expansion kit (allows for installation of taller multi-cell		(1)
	battery packs)	2753X	Stub axles, rear (2)
		6853X	Stub axles, rear, heavy duty (2)/pins (2)
3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)		
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)		Front Suspension & Steering
3727A 3628	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)	3637	Front Suspension & Steering Axles (front) (2)
3727A 3628 2735	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front)	3637 <b>2728</b>	
3727A 3628 2735 <b>2735P</b>	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink)	2728 5116	Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)
3727A 3628 2735 <b>2735P</b> <b>3722</b>	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Lower chassis (black)	<b>2728 5116</b> 2545	Axles (front) (2)  Ball bearings (5x8x2.5mm) (2)  Ball bearings, blue rubber sealed (5x11x4mm) (2)  Bellcrank bushings (plastic) (5x8x2.5mm) (4)
3727A 3628 2735 <b>2735P</b>	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink)	2728 5116 2545 2530	Axles (front) (2)  Ball bearings (5x8x2.5mm) (2)  Ball bearings, blue rubber sealed (5x11x4mm) (2)  Bellcrank bushings (plastic) (5x8x2.5mm) (4)  Bulkhead (front) (black)
3727A 3628 2735 <b>2735P</b> <b>3722</b> 3722A	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Lower chassis (black) Lower chassis (grey)	2728 5116 2545 2530 2530A	Axles (front) (2)  Ball bearings (5x8x2.5mm) (2)  Ball bearings, blue rubber sealed (5x11x4mm) (2)  Bellcrank bushings (plastic) (5x8x2.5mm) (4)  Bulkhead (front) (black)  Bulkhead (front) (grey)
3727A 3628 2735 <b>2735P</b> <b>3722</b> 3722A <b>3725</b>	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Lower chassis (black) Lower chassis (grey) Mounting plate, speed control (VXL-3s) (Bandit, Rustler®,	2728 5116 2545 2530 2530A 1675	Axles (front) (2)  Ball bearings (5x8x2.5mm) (2)  Ball bearings, blue rubber sealed (5x11x4mm) (2)  Bellcrank bushings (plastic) (5x8x2.5mm) (4)  Bulkhead (front) (black)  Bulkhead (front) (grey)  Bushings, self-lubricating (5x11x4mm) (14)
3727A 3628 2735 <b>2735P</b> <b>3722</b> 3722A <b>3725</b> 3625 3629	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Lower chassis (black) Lower chassis (grey) Mounting plate, speed control (VXL-3s) (Bandit, Rustler®, Stampede®) Mounting plate, electronic speed control (XL-5, XL-10) Seal kit, receiver box (includes o-ring, seals, and silicone grease)	2728 5116 2545 2530 2530A 1675 3632	Axles (front) (2)  Ball bearings (5x8x2.5mm) (2)  Ball bearings, blue rubber sealed (5x11x4mm) (2)  Bellcrank bushings (plastic) (5x8x2.5mm) (4)  Bulkhead (front) (black)  Bulkhead (front) (grey)  Bushings, self-lubricating (5x11x4mm) (14)  Caster blocks (l&r) (30-degree)
3727A 3628 2735 <b>2735P</b> <b>3722</b> 3722A <b>3725</b> 3625 3629 <b>5185</b>	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Lower chassis (black) Lower chassis (grey) Mounting plate, speed control (VXL-3s) (Bandit, Rustler®, Stampede®) Mounting plate, electronic speed control (XL-5, XL-10) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	2728 5116 2545 2530 2530A 1675	Axles (front) (2)  Ball bearings (5x8x2.5mm) (2)  Ball bearings, blue rubber sealed (5x11x4mm) (2)  Bellcrank bushings (plastic) (5x8x2.5mm) (4)  Bulkhead (front) (black)  Bulkhead (front) (grey)  Bushings, self-lubricating (5x11x4mm) (14)  Caster blocks (l&r) (30-degree)  Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left
3727A 3628 2735 <b>2735P</b> <b>3722</b> 3722A <b>3725</b> 3625 3629 <b>5185</b> <b>3723</b>	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Lower chassis (black) Lower chassis (grey) Mounting plate, speed control (VXL-3s) (Bandit, Rustler®, Stampede®) Mounting plate, electronic speed control (XL-5, XL-10) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Upper chassis (black)	2728 5116 2545 2530 2530A 1675 3632 3632A	Axles (front) (2)  Ball bearings (5x8x2.5mm) (2)  Ball bearings, blue rubber sealed (5x11x4mm) (2)  Bellcrank bushings (plastic) (5x8x2.5mm) (4)  Bulkhead (front) (black)  Bulkhead (front) (grey)  Bushings, self-lubricating (5x11x4mm) (14)  Caster blocks (l&r) (30-degree)  Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3727A 3628 2735 <b>2735P</b> <b>3722</b> 3722A <b>3725</b> 3625 3629 <b>5185</b>	Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper (front) Bumper (front) (pink) Lower chassis (black) Lower chassis (grey) Mounting plate, speed control (VXL-3s) (Bandit, Rustler®, Stampede®) Mounting plate, electronic speed control (XL-5, XL-10) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	2728 5116 2545 2530 2530A 1675 3632	Axles (front) (2)  Ball bearings (5x8x2.5mm) (2)  Ball bearings, blue rubber sealed (5x11x4mm) (2)  Bellcrank bushings (plastic) (5x8x2.5mm) (4)  Bulkhead (front) (black)  Bulkhead (front) (grey)  Bushings, self-lubricating (5x11x4mm) (14)  Caster blocks (l&r) (30-degree)  Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left

-	Rustler: TQ 2.4 GHz Radio (Model 37054-4) Parts L	ist	
3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left	3186	Screws, 3x12mm washerhead machine (6)
3632X	& right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &	2649 3187	Screws, 3x15mm countersunk self-tapping (6) Screws, 3x15mm washerhead machine (6)
1942	right)/ suspension screw pin (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
525R	(2) Rod ends, heavy duty (Jato®/Slayer) (8)	3290 2548	Screws, 3x8mm washerhead self-tapping (6)
742	Rod ends, long (6)/ hollow ball connectors (6)	25 <del>4</del> 6 3167	Screws, 4x12mm countersunk machine (100-degree) (6) Screws, 4x15mm countersunk machine (6)
347	Rod ends, Revo® (large) with hollow balls (12)	2743	Set (grub) screws, 3mm hardened (12)
742X	Rod ends, short (6)/ hollow balls (6)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
744	Servo saver w/adapters		captured (4)
639	Shock tower (front)	3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)
736	Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)	2754	(2)/ draglink shoulder screws (chrome) (2) Stub axle pins (4)
636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3740	Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks)
636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)	2537 <b>2746</b>	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Washers, 3x6mm metal (12)
636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6		Motors & Electronics
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	1726	
636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	1726 <b>1552</b>	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
631	Suspension arms (front) (2)	2260	BEC assembly (complete)
740	Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2)	3790	Gear adapter, fixed
	(strengthens caster blocks)	2072A	Gear set (for 2070, 2075 servos)
640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to	2252	Gear set, metal (for 2250, 2255 servos)
0.40	strengthen front bulkhead)	1275	Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with
640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®,		factory installed spur gear on models originally equipped with the Titan 12T)
E07	Bandit) Threaded rade (20/25/44mm 1 on )/ (1) 12mm act agrees	3785	Motor, Titan® 12T (12-Turn, 550 size)
537 <b>532</b>	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw  Tie bar, fiberglass (requires suspension pins, part# 2640)	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm	3725	Mounting plate, speed control (VXL-3s) (Bandit, Rustler®,
1017	(1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)	3625	Stampede®) Mounting plate, speed control (XL-5, XL-10)
737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
. •.	(1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
	complete camber link set)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (fo
139	Turnbuckles (62mm) (front tie rods) (2)		2250, 2255 servos)
741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2053	Servo gears (for 2055, 2056 servos)
139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	2075	Servo, digital high-torque (ball bearing), waterproof
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing waterproof
741X	Turnbuckles, aluminum (red-anodized), camber links, front,	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	2056	Servo, high-torque, waterproof (blue case)
120V	balls)/wrench	3350R	Velineon® VXL-3s Brushless Power System, waterproof
139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm		(includes VXL-3s waterproof ESC, Velineon 3500 motor, and
	aluminum wrench #5477)	22EED	speed control mounting plate (part #3725))
644	Turnbuckles, camber link, 39mm (69mm center to center)	3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
	(assembled with rod ends and hollow balls) (1 left, 1 right)	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	00.0.0	detection, fwd/rev/brake)
	Hardware		Radio System, Batteries & Chargers
026		2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
<b>926</b> 726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
642	Shoulder screws, Ultra Shocks (3x12) (6)	2976	AC to DC converter, 40W
552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batterie
545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	1726	to separate balance ports)  Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
834	Body clips (12) (standard size)	2943	Battery charge indicators (green (4), blue (4), grey (4))
934	Body clips, heavy duty (12)	6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,
589	Double-sided adhesive tape (25mm x 25mm) (2)		6530 transmitters)
647 747	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2914	Battery, Power Cell AA Alkaline (4)
747 747R	Nuts, 4mm nylon locking (10)  Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	2951X 2961X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	2984	Battery/charger completer pack (includes #2969 2-amp NiMH
985 942	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiN battery (1))
525R	(2) Rod ends, heavy duty (Jato®/Slayer) (8)	2992	Battery/charger completer pack (includes #2970 iD® charger (1)
742	Rod ends, leavy duty (Jatow/Slayer) (6)  Rod ends, long (6)/ hollow ball connectors (6)	2260	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
347	Rod ends, Revo® (large) with hollow balls (12)	2260 2975	BEC assembly (complete) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
742X	Rod ends, short (6)/ hollow balls (6)	2973	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Batte
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)		Identification
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto
			Dettem: Identification
3965 2587	Screws, 2.5x8mm cap-head machine (6) Screws, 3x10mm cap-head machine (6) (no washer)	2971	Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Batter

Page 3	Rustler: TQ 2.4 GHz Radio (Model 37054-4) Parts List
--------	--

rage 3	Nustier. 1 & 2.4 Gitz Nadio (model 5/054-4) Parts L		
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification		Shocks (Aluminum)
6525	Communication link, telemetry expander	1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
2978 2072A	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2072A 2252	Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)		(2)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	2742X	Rod ends, short (6)/ hollow balls (6)
-000/	Traxxas® iD® batteries)	2760	Shock caps, aluminum (2)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
	Traxxas® iD® batteries)	<b>2765T</b> 1664	Shock shafts, hardened steel, titanium nitride coated (X-long) (2
6554	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)	2765	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o
6519	pad Receiver, micro, TQ 2.4GHz (3-channel)		springs (front) (2)
6518	Receiver, micro, TQ 2.4GHz with telemetry (5-channel)	4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o
6552	Seal kit, expander box (includes o-ring, seals, and silicone		springs (rear) (2)
	grease)	1666	Silicone shock oil (30 wt)
6526	Sensor, auto-detectable, temperature		Shocks (Pro-level Aluminum)
6527	Sensor, auto-detectable, voltage	2664	Big Bore shock cylinder (long) (1)
6520 6524	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)	2666	Big Bore shock cylinder (XX-long) (1)
6521 2254	Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
2254 2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	0000	(assembled with TiN shafts and springs) (front & rear) (4)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
	2250, 2255 servos)	2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2053	Servo gears (for 2055, 2056 servos)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
2075	Servo, digital high-torque (ball bearing), waterproof		& washers (2) (Big Bore Shocks)
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	2362	Rebuild kit, Ultra shocks (for 2 shocks)
2255	waterproof	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	2742X	(2) Rod ends, short (6)/ hollow balls (6)
2056	Servo, high-torque, waterproof (blue case)	2667	Shock caps, aluminum (Big Bore Shocks) (2)
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
	with #6550X telemetry expander)		(2)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/	1664	Shock shafts, steel, chrome finish (long) (2)
6540	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1)	2656	Shock shafts, steel, chrome finish (xx-long) (2)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas	1765	Silicone diaphragms (4)
000011	Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)	1666 <b>2668</b>	Silicone shock oil (30 wt)  Spring retainers, upper & lower (2)/ spring pre-load spacers:
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas	2000	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
	Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro		Shocks)
0540	receiver)	5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum
6516 <b>6528</b>	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)  Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-		Big Bore shocks)
0320	channel (transmitter only)	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-		Big Bore shocks)
	channel (transmitter only)		Shocks (Ultra Shocks)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	3642	Shoulder screws, Ultra Shocks (3x12) (6)
0505	channel (transmitter only)	3765A	Body, Ultra Shock(s) (long) (grey) (2)
6537	Wire retainers, gear cover/ 3x4mm BCS (2)	3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)	<b>2362</b> 1942	Rebuild kit, Ultra shocks (for 2 shocks)  Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw:
		1342	(2)
07051	Ready-To-Race Model	2742X	Rod ends, short (6)/ hollow balls (6)
37054-4	Rustler®: 1/10 Scale Stadium Truck with TQ 2.4 GHz radio system	3767	Shock caps (2)/ shock bottoms (2)
	Rear Suspension	8361	Shock caps (black) (4) (assembled with hollow balls)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
1675	Bushings, self-lubricating (5x11x4mm) (14)	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3638	Shock tower (rear)	3767X 1664T	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2)
3752	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)	2656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	_5551	(2)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	1664	Shock shafts, steel, chrome finish (long) (2)
	aluminum (green-anodized)/ 5x11mm ball bearings (4)	2656	Shock shafts, steel, chrome finish (xx-long) (2)
		1765	Silicone diaphragms (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6		Ciliagna abaak ail (20 u.t)
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	1666	Silicone shock oil (30 wt)
	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3652P	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)		Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
3652P	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3769 3768	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3652P 3652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	3769 3768 <b>2458</b>	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hol (2)) Springs, front (black) (2)
<b>3652P</b> <b>3652X</b> 2753X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3769 3768	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hol (2)) Springs, front (black) (2) Springs, front (pink) (2)
3652P 3652P 3652X 2753X 3655X 3640	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2)	3769 3768 <b>2458</b> <b>2458P</b>	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2)) Springs, front (black) (2)
<b>3652P 3652X</b> 2753X 3655X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2) Suspension arms, left & right	3769 3768 <b>2458</b> <b>2458P</b> 2458A	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (white) (2)

Page 4	Rustler: TQ 2.4 GHz Radio (Model 37054-4) Parts L	ist	
3757P	Springs, rear (pink) (2)	2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to
3757X <b>4957</b> <b>3760</b>	Springs, rear (white) (2) Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers	3640	strengthen front bulkhead) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®,
3762	& springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load	2537 <b>3737A</b>	Bandit) Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm
3760A	spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)	3/3/A	(1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for
	Slipper Clutch Components	3737	complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm
3793 5552X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	0700	(1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
2554 5556	4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper procesure ploto 8 but (aluminum alloy)	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
5556	Slipper pressure plate & hub (aluminum alloy)  Spur Gears & Pinion Gears	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) (requires #2742 rod ends)
3790	Gear adapter, fixed	3139	Turnbuckles (62mm) (front tie rods) (2)
2416	Gear, 16-T pinion (48-pitch) / set screw	2336	Turnbuckles, 78mm (optional rear camber rods) (2)
1918	Gear, 18-T pinion (48-pitch) / set screw	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
2419	Gear, 19-T pinion (48-pitch) / set screw		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
2423	Gear, 23-T pinion (48-pitch) / set screw	04004	wrench
4725 4728	Gear, pinion (25-tooth) (48-pitch) / set screw Gear, pinion (28-tooth) (48-pitch)/ set screw	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)	3741X	wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front,
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)	3/4/2	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)	3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)	3644	aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
	Steering Components	3643	Turnbuckles, camber link, 49mm (82mm center to center)
2728	Ball bearings (5x8x2.5mm) (2)	0040	(assembled with rod ends and hollow balls) (1 left, 1 right)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)		(assembled with rod ends and hollow balls)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)		Team Traxxas Items
0=10		2514	Decel cheet vesion engages
2742	Rod ends, long (6)/ hollow ball connectors (6)		Decal sheet, racing sponsors
2742 <b>5347</b>	Rod ends, long (6)/ hollow ball connectors (6)  Rod ends, Revo® (large) with hollow balls (12)	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
<b>5347</b> 2742X	= · ·	6160X 9950	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color)
<b>5347</b> 2742X 3744	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)
<b>5347</b> 2742X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine)	6160X 9950	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color)
<b>5347</b> 2742X 3744 3742	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)	6160X 9950 9909 4608	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  1176S & Wilcels Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)
5347 2742X 3744 3742	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink	6160X 9950 9909 4608 5116	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITCS & WICCIS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2)
<b>5347</b> 2742X 3744 3742	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/	<b>6160X 9950 9909 4608</b> 5116 5114	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  Tires & Wines   Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5347 2742X 3744 3742	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink	6160X 9950 9909 4608 5116 5114 1675	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  Tires & Wines    Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14)
<b>5347</b> 2742X 3744 3742 3743 <b>3743A</b>	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	6160X 9950 9909 4608 5116 5114 1675 5854	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  Tires & Wines S  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
5347 2742X 3744 3742 3743 3743A 3743G 3743P	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	6160X 9950 9909 4608 5116 5114 1675 5854	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITGS & WIGGS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8)
5347 2742X 3744 3742 3743 3743A 3743G	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITGS & WIGGS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
5347 2742X 3744 3742 3743 3743A 3743G 3743P 3743X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747G	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITGS & WICCIS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
5347 2742X 3744 3742 3743 3743A 3743G 3743P	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITGS & WIGGS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
5347 2742X 3744 3742 3743 3743A 3743G 3743P 3743X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747G 1747P 1985	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  Tires & Wires  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5347 2742X 3744 3742 3743 3743A 3743A 3743G 3743P 3743X 6845X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747G 1747P 1747P 1985 1647	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITCS & WICCS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease
5347 2742X 3744 3742 3743 3743A 3743A 3743P 3743Y 6845X 2537	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747G 1747P 1747P 1985 1647 2754	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITGS & WIGGS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4)
5347 2742X 3744 3742 3743 3743A 3743G 3743P 3743X 6845X 2537 3139	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747G 1747P 1747P 1985 1647	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITCS & WICCS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome
5347 2742X 3744 3742 3743 3743A 3743G 3743P 3743X 6845X 2537 3139	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747G 1747P 1747P 1985 1647 2754	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  II (CS & Will CC)  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM
5347 2742X 3744 3742 3743 3743A 3743A 3743B 3743P 3743X 6845X 2537 3139 3139A	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747G 1747P 1985 1647 2754 3770A	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITGS & WICCIS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome
5347 2742X 3744 3742 3743 3743A 3743G 3743P 3743X 6845X 2537 3139 3139A	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747G 1747P 1747P 1985 1647 2754 3770A 3776	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITCS & WICCS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2)
5347 2742X 3744 3742 3743 3743A 3743G 3743P 3743X 6845X 2537 3139 3139A	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747G 1747P 1747P 1985 1647 2754 3770A	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITCS & WICCS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2)
5347 2742X 3744 3742 3743A 3743A 3743G 3743P 3743X 6845X 2537 3139 3139A 3139X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747G 1747P 1747P 1985 1647 2754 3770A 3776	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITCS & WICCS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2)
5347 2742X 3744 3742 3743 3743A 3743A 3743B 3743P 3743X 6845X 2537 3139 3139A 3139X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  SISTATS OF Link (216) Shoulder screws, Ultra Shocks (3x12) (6) Camber link set (plastic / non-adjustable) ( front & rear) (grey)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747P 1985 1647 2754 3770A 3776	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITGS & WIGGS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric front) (2)
5347 2742X 3744 3742 3743A 3743A 3743G 3743P 3743X 6845X 2537 3139 3139A 3139X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  SISTERS OF THE SHORE SAT2) Camber link set (plastic / non-adjustable) (front & rear) (grey) Camber link set (plastic / non-adjustable) (front & rear) (black) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747R 1747P 1985 1647 2754 3770A 3776	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  IICS & WICCS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2)
5347 2742X 3744 3742 3743 3743A 3743G 3743P 3743X 6845X 2537 3139 3139A 3139A 3145	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  Suspension Links Suspension Links Suspension Links Suspension Links Camber link set (plastic / non-adjustable) (front & rear) (grey) Camber link set (plastic / non-adjustable) (front & rear) (black) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747P 1747P 1985 1647 2754 3770A 3776 3771A	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  II (CS & Will CC)  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2)
5347 2742X 3744 3742 3743 3743A 3743G 3743P 3743X 6845X 2537 3139 3139A 3139A 3145	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  SISTERS OF THE SHORE SAT2) Camber link set (plastic / non-adjustable) (front & rear) (grey) Camber link set (plastic / non-adjustable) (front & rear) (black) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747P 1985 1647 2754 3770A 3776	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  IICS & WIICS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2)
5347 2742X 3744 3742 3743 3743A 3743A 3743B 3743P 3743X 6845X 2537 3139 3139A 3139X 3745 3641 1942 5525R	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  SISIBSIDS IN (EU) Shoulder screws, Ultra Shocks (3x12) (6) Camber link set (plastic / non-adjustable) (front & rear) (black) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747P 1985 1647 2754 3770A 3776 3771A 3770 3771 6774X	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  ITGS & WICCIS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
5347 2742X 3744 3742 3743 3743A 3743G 3743P 3743X 6845X 2537 3139 3139A 3139A 3139A 3145 3642 3641 1942 5525R 2742 5347 2742X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  SISICISION Link (1) Shoulder screws, Ultra Shocks (3x12) (6) Camber link set (plastic/ non-adjustable) (front & rear) (grey) Camber link set (plastic/ non-adjustable) (front & rear) (black) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, short (6)/ hollow balls (6)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747P 1747P 1985 1647 2754 3770A 3776 3771A	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  IICS & WIICS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
5347 2742X 3744 3742 3743 3743A 3743A 3743G 3743P 3743X 6845X 2537 3139 3139A 3139A 3139A 3145 3641 1942 5525R 2742 2742X 3739	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  SISICIS OF Link (18)/ (10)/ (	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747P 1985 1647 2754 3770A 3776 3771A 3770 3771 6774X	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  IICS & WIICS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (2WD electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (2WD electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (2WD electric rear) (2) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
5347 2742X 3744 3742 3743 3743A 3743G 3743P 3743X 6845X 2537 3139 3139A 3139A 3139A 3145 3642 3641 1942 5525R 2742 5347 2742X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  SISTERISTOR LITE Shoulder screws, Ultra Shocks (3x12) (6) Camber link set (plastic / non-adjustable) (front & rear) (grey) Camber link set (plastic / non-adjustable) (front & rear) (black) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow balls (6) Screw pin set (Rustler®/ Bandit/ Stampede®) Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2)	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747P 1985 1647 2754 3770A 3776 3771A 3770 3771 6774X	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  IICS & WIICS  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
5347 2742X 3744 3742 3743 3743A 3743A 3743G 3743P 3743X 6845X 2537 3139 3139A 3139A 3139A 3145 3641 1942 5525R 2742 2742X 3739	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Servo saver w/adapters Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, servo saver/ servo saver spring/ servo spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)  SISICIS OF Link (18)/ (10)/ (	6160X 9950 9909 4608 5116 5114 1675 5854 3647 1747R 1747P 1985 1647 2754 3770A 3776 3771A 3770 3771 6774X	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)  II CS & WileC S  Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8) Ball bearings, blue rubber sealed (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Silicone grease Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric rear) (2) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)

Page 5	Rustler: TQ 2.4 GHz Radio (Model 37054-4) Parts L	.ist	
6774A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
6774R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
3773A	(TSM rated) Tires & wheels, assembled, glued (All Star black chrome wheels,	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
3773	Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right) Tires & wheels, assembled, glued (All Star chrome wheels,	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
3776A	Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right) Tires & wheels, assembled, glued (All-Star black chrome wheels,	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
	Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)		drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
5569	Tires, Alias 2.8" (rear) (2)/ foam inserts (2)		Turnbuckles & Threaded Rods
5578	Tires, Anaconda® 2.8" (2)/ foam inserts (2)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
4791 4790R	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)	1012	(2)
4/90K	Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5563	Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)	2742	Rod ends, long (6)/ hollow ball connectors (6)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	<b>5347</b> 2742X	Rod ends, Revo® (large) with hollow balls (12)
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)	2537	Rod ends, short (6)/ hollow balls (6) Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/ hollow balls (2) (See part 3741A for
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)	07004	complete camber link set)
5480X	Wheel wrench, splined, 17mm	3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for
3772A	Wheels, All-Star 2.8" (black chrome) (2WD electric rear)		complete camber link set)
5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm
3772 5576	Wheels, All-Star 2.8" (chrome) (2WD electric rear) Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)		(1) (assembled w/rod ends)/ hollow balls (2)(See part 3741X for complete camber link set)
3673	Wheels, chrome (2.2") (front) (2)	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm
3672	Wheels, chrome (2.2") (rear) (2)	0.00	(1) (assembled with rod ends & hollow balls) (See part 3741X for
3675	Wheels, dyeable nylon 2.2 (front) (2)		complete camber link set)
3674	Wheels, dyeable nylon 2.2 (rear) (2)	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear
3774 5572	Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)	2420	camber links)
5572		3139 <b>2336</b>	Turnbuckles (62mm) (front tie rods) (2)  Turnbuckles, 78mm (optional rear camber rods) (2)
	Transmission Components	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	•	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
<b>4607</b>	Ball bearings (5x11x4mm) (8)		wrench
5116 <b>2519</b>	Ball bearings, blue rubber sealed (5x11x4mm) (2)  Differential gear (60-tooth) (for optional ball differential only)	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)
3792	Dust cover/rubber plug (w/ screws) (telemetry ready)		(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
5478	Flat wrench, 8mm (blue-anodized aluminum)	3741X	Turnbuckles, aluminum (red-anodized), camber links, front,
3790	Gear adapter, fixed	01417	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow
3691	Gearbox halves (I&r) (black) w/ idler gear shaft		balls)/wrench
3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft	3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
5148	Grease, white lithium		(assembled with rod ends & hollow balls) (requires 5mm
3696	Idler gear, steel (30-tooth)	3644	aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center)
3793	Input shaft (slipper shaft) / spring pin	3044	(assembled with rod ends and hollow balls) (1 left, 1 right)
2381X 2382	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment	3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
2002	shaft (1) all hardened steel	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2)
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)		(assembled with rod ends and hollow balls)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))		

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive

Speed bit handle, premium (rubber overmold)

Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive

Speed Bit Master Set, hex driver, 7-piece straight and ball end,

Screws, 3x6mm cap-head machine (hex drive) (6)

Slipper pressure plate & hub (aluminum alloy)

**Traxxas Tools** 

Top drive gear, steel (22-tooth)

Body reamer (plastic handle)

Body reamer (aluminum handle)

Screws, 3x8mm washerhead machine (large head for motor mount)

2554

1647

5556

3195

3433X

3433

3436

3432

3431

8712

8722

8711

Silicone grease

Cap, body reamer

Scissors, curved tip

Scissors, straight tip

3185X