



# Rustler VXL (Model 37076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 4607 Ball bearings (5x11x4mm) (8)
- 2728 Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 3934 Body clips, heavy duty (12)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)**
- 1834 Body clips (12) (standard size)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614 Body mounts (front & rear)**
- 1815 Body washers (8)
- 6716 Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
- 3714 Body, Rustler (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware**
- 3715 Body, Rustler VXL, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/window, lights decal sheet/ wing and aluminum hardware**
- 3615 Body, Stampede VXL, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grill, lights decal sheet**
- 3617R Body, Stampede VXL, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grill, lights decal sheet**
- 2514 Decal sheet, racing sponsors
- 3713R Decal sheets, Rustler VXL
- 5185 Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
- 4974 Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677A Wheelie bar mount (1) / hardware (green)**
- 3677P Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X Wheelie bar mount (1)/ hardware (blue)**
- 3678 Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)**
- 3678X Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)**
- 3678A Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)**
- 3678P Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)**
- 4976 Wheels (4)/ Axles (2), for Maxx wheelie bar
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

## Chassis & Attachments

- 3725X Battery expansion kit (allows for installation of taller multi-cell battery packs)**
- 3727 Battery hold-down plate (black)/ metal posts (2)/body clips (2)**
- 3727A Battery hold-down plate (grey) / metal posts (2) / body clips (2)
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P Bumper (front) (pink)**
- 3722 Lower chassis (black)**
- 3722A Lower chassis (grey)
- 3725 Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5185 Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
- 3723 Upper chassis (black)**
- 3723A Upper chassis (grey)
- 4974 Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677A Wheelie bar mount (1) / hardware (green)**
- 3677P Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X Wheelie bar mount (1)/ hardware (blue)**
- 3678 Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)**
- 3678X Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)**

- 3678A Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)**
- 3678P Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)**
- 4976 Wheels (4)/ Axles (2), for Maxx wheelie bar
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

## Differential Components

- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

## Driveline Components

- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)**
- 1951R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)**
- 1953 Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only))**
- 6752 Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)**
- 6751 Half shaft, internal splined (steel-spline constant-velocity) (1)**
- 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)**
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4))
- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652P Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)
- 6753 Stub axle, rear, steel-splined constant-velocity (1)**
- 2753X Stub axles, rear (2)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)**

## Front Suspension & Steering

- 3637 Axles (front) (2)
- 2728 Ball bearings (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2530 Bulkhead (front) (black)**
- 2530A Bulkhead (front) (grey)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632G Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 5525R Rod ends, heavy duty (Jato/Slayer) (8)**
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 3744 Servo saver w/adapters
- 3639 Shock tower (front)
- 3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
- 3636A Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3636G Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3636P Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**

<b>3636X</b>	<b>Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)</b>
3631	Suspension arms (front) (2)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
2532	Tie bar, fiberglass
<b>3741A</b>	<b>Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends &amp; hollow balls)/ wrench</b>
<b>3139A</b>	<b>Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends &amp; hollow balls) (fits Rustler) (requires 5mm aluminum wrench #5477)</b>
<b>3741X</b>	<b>Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends &amp; hollow balls)/wrench</b>
<b>3139X</b>	<b>Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends &amp; hollow balls) (requires 5mm aluminum wrench #5477)</b>
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

**Hardware**

<b>1926</b>	<b>Antenna caps, vinyl (2)/ antenna spool</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
1633	E-clips/ C-rings
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18mm button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
<b>3642X</b>	<b>Shoulder screws, Ultra Shocks (3x12 hex drive) (6)</b>
2754	Stub axle pins (4)
<b>2746</b>	<b>Washers, 3x6mm metal (12)</b>
3685	White plastic washers (5x8x1.0mm) (6)

**Motors & Electronics**

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3342	Bullet connectors, male, 3.5mm (3) / heat shrink
<b>3340</b>	<b>Cooling fan, Velineon VXL-3s ESC</b>
3790	Gear adapter, fixed
2072	Gear set (for 2070, 2075 servos)
3354R	Motor cover, endbell (Velineon 3500)
3351R	Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3725	Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)
3352R	Rebuild kit, Velineon 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)

2075	Servo, digital high-torque (ball bearing), waterproof
3350R	Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3343	Wire, 12-gauge, silicone (Maxx Cable) (650mm or 26 inches)

**Radio System, Batteries & Chargers**

<b>2854X</b>	<b>1000mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2849X</b>	<b>4000mAh 11.1v 3-Cell 25C LiPo Battery</b>
<b>2843X</b>	<b>5800mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2857X</b>	<b>6400mAh 11.1v 3-Cell 25C LiPo Battery</b>
<b>2976</b>	<b>AC to DC converter, 40W</b>
<b>2938X</b>	<b>Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)</b>
6546	Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)
<b>2914</b>	<b>Battery, Power Cell AA Alkaline (4)</b>
<b>2922X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2926X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2942X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2941X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2952X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2951X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2961X</b>	<b>Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2963X</b>	<b>Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)</b>
<b>2975</b>	<b>Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)</b>
<b>2972</b>	<b>Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2971</b>	<b>Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2970</b>	<b>Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification</b>
<b>6525</b>	<b>Communication link, telemetry expander</b>
6512	Cover plate, Traxxas Link Wireless Module
<b>2978</b>	<b>Fuse, charger, 5A (2) (for #2974, 2975, 2977)</b>
2072	Gear set (for 2070, 2075 servos)
<b>6554</b>	<b>Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD)</b>
<b>6535</b>	<b>Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</b>
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
<b>6552</b>	<b>Seal kit, expander box (includes o-ring, seals, and silicone grease)</b>
<b>6526</b>	<b>Sensor, auto-detectable, temperature</b>
<b>6527</b>	<b>Sensor, auto-detectable, voltage</b>
<b>6520</b>	<b>Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)</b>
<b>6521</b>	<b>Sensor, temperature and voltage (long)</b>
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
<b>6550</b>	<b>Telemetry expander, TQi radio system</b>
<b>6551</b>	<b>Telemetry GPS module, TQi radio system</b>
<b>6538</b>	<b>Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)</b>
<b>6540</b>	<b>Telemetry trigger magnet, 5X2mm (1)</b>
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
<b>6507R</b>	<b>TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</b>
6528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
<b>6529</b>	<b>Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)</b>
<b>6530</b>	<b>Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)</b>
<b>6511</b>	<b>Traxxas Link Wireless Module</b>
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
<b>6537</b>	<b>Wire retainers, gear cover/ 3x4mm BCS (2)</b>

**Ready-To-Race Model**

37076-4	Rustler VXL: 1/10 Scale Stadium Truck with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)
---------	--

**Rear Suspension**

3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
<b>3652A</b>	<b>Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)</b>
<b>3652G</b>	<b>Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)</b>

- 3652P **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2753X Stub axles, rear (2)
- 3655X Suspension arms, left & right
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
- 3741A **Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3741X **Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench**
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)

**Shocks (Aluminum)**

- 1965 **Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)**
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2760 **Shock caps, aluminum (2)**
- 1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
- 2765T **Shock shafts, hardened steel, titanium nitride coated (X-long) (2)**
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2765 **Shock shafts, steel, chrome finish (X-long) (2)**
- 4760 **Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)**
- 4761 **Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)**
- 1666 Silicone shock oil (30 wt)

**Shocks (Pro-level Aluminum)**

- 2664 **Big Bore shock cylinder (long) (1)**
- 2666 **Big Bore shock cylinder (XX-long) (1)**
- 5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
- 2660 **Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)**
- 2662 **Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
- 2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
- 2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 **Shock caps, aluminum (2)/ (Big Bore Shocks)**
- 1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
- 2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
- 5860 **Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**
- 5859 **Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**

**Shocks (Ultra Shocks)**

- 3642 **Attachment screws, shock (3x12mm shoulder screws) (6)**
- 3765A Body, Ultra Shock(s) (long) (grey) (2)
- 3766A Body, Ultra Shock(s) (XXL) (grey) (2)
- 2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 **Shock caps (2)/ shock bottoms (2)**
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
- 3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
- 3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
- 3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
- 1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
- 2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
- 1664 **Shock shafts, steel, chrome finish (long) (2)**

- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 2458 **Springs, front (black) (2)**
- 2458P **Springs, front (pink) (2)**
- 2458A Springs, front (white) (2)
- 3757 **Springs, rear (black) (2)**
- 3757T **Springs, rear (blue) (2)**
- 3757A **Springs, rear (green) (2)**
- 3757P **Springs, rear (pink) (2)**
- 3757R **Springs, rear (red) (2.9 rate) (2)**
- 3757X Springs, rear (white) (2)
- 4957 **Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)**
- 3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
- 3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

- 3793 Input shaft (slipper shaft) / spring pin
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

**Spur Gears & Pinion Gears**

- 3790 Gear adapter, fixed
- 2416 **Gear, 16-T pinion (48-pitch) / set screw**
- 1918 **Gear, 18-T pinion (48-pitch) / set screw**
- 2419 **Gear, 19-T pinion (48-pitch) / set screw**
- 2423 **Gear, 23-T pinion (48-pitch) / set screw**
- 2426 **Gear, 26-T pinion (48-pitch)/set screw**
- 2431 **Gear, 31-T pinion (48-pitch) / set screw**
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 4728 **Gear, pinion (28-tooth) (48-pitch)/ set screw**
- 4676 **Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4686 **Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)**
- 4690 **Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)**

**Steering Components**

- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 3744 Servo saver w/adapters
- 3743 Steering bellcranks (l&r)/ draglink
- 3743A **Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 3743X **Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
- 6845X **Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering**
- 2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
- 3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

**Suspension Linkage**

- 5525 Rod ends (12)/ hollow balls (12)
- 5525R **Rod ends, heavy duty (Jato/Slayer) (8)**
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 3739 Screw pin set (Rustler/ Bandit/ Stampede)
- 3744 Servo saver w/adapters
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)

- 2537 Threaded rods (20/25/44mm 1 ea.)/(1) 12mm set screw
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls)(See part 3741X for complete camber link set)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

**Team Traxxas Items**

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
- 9909 Traxxas racing banner, red & black (3x7 feet)

**Tires & Wheels**

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 2754 Stub axle pins (4)
- 3770A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias tires, foam inserts) (rear) (2) (TSM rated)
- 3776 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (rear) (2) (TSM rated)
- 3770 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias tires, foam inserts) (electric rear) (2)
- 3771A Tires & wheels, assembled, glued (2.8")(All-Star black chrome wheels, Ribbed tires, foam inserts) (electric front) (2)
- 3771 Tires & wheels, assembled, glued (2.8")(All-Star chrome wheels, Ribbed tires, foam inserts) (electric front) (2)
- 3773A Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda tires, foam inserts) (electric rear) (1 left, 1 right)
- 3773 Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda tires, foam inserts) (electric rear) (1 left, 1 right)
- 3776A Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
- 5576R Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
- 5569 Tires, Alias 2.8" (rear) (2)/ foam inserts (2)
- 5578 Tires, Anaconda 2.8" (2)/ foam inserts (2)
- 4791 Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
- 4790R Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)
- 5563 Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
- 5853X Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm
- 3772A Wheels, All-Star 2.8" (black chrome) (electric rear)
- 5576A Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
- 3772 Wheels, All-Star 2.8" (chrome) (electric rear)
- 5576 Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2)

- 3673 Wheels, chrome (2.2") (front) (2)
- 3672 Wheels, chrome (2.2") (rear) (2)
- 3675 Wheels, dyeable nylon 2.2 (front) (2)
- 3674 Wheels, dyeable nylon 2.2 (rear) (2)
- 3774 Wheels, Twin-Spoke 2.8" (chrome) (electric rear) (2)
- 5572 Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)

**Transmission Components**

- 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
- 4607 Ball bearings (5x11x4mm) (8)
- 3792 Dust cover/rubber plug (w/ screws) (telemetry ready)
- 5478 Flat wrench, 8mm (blue-anodized aluminum)
- 3790 Gear adapter, fixed
- 3691 Gearbox halves (l&r) (black) w/ idler gear shaft
- 3691A Gearbox halves (l&r) (grey) w/ idler gear shaft
- 5148 Grease, white lithium
- 3696 Idler gear, steel (30-tooth)
- 3793 Input shaft (slipper shaft) / spring pin
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
- 1647 Silicone grease
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 3195 Top drive gear, steel (22-tooth)

**Turnbuckles & Threaded Rods**

- 5525 Rod ends (12)/ hollow balls (12)
- 5525R Rod ends, heavy duty (Jato/Slayer) (8)
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 2537 Threaded rods (20/25/44mm 1 ea.)/(1) 12mm set screw
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls)(See part 3741X for complete camber link set)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**