

Nitro Slash (Model 44056-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Air Filters		Driveline Components
262	Air filter and pre-filter inserts, foam (high-volume) (3) (pre-oiled,	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
	assembled) (TRX 2.5, 2.5R, 3.3)	1952X	Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2)
268	Air filter body (high volume)/ filter support/ cap/ foam filter, pre-filter/	1952	Carriers, stub axle (rear) (2)
	air filter base/ wire mount/ hardware (1 each)	1952A	Carriers, stub axle (red-anodized 6061-T6 aluminum)(rear)(2)
263	Oil, air filter	6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
	Bearings & Bushings	6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully
607	Ball bearings (5x11x4mm) (8)		assembled, ready to install)/ screw pin (1)
609	Ball bearings (5x10x4mm) (2)	6852R	Driveshafts, rear, steel-spline constant-velocity (complete
611	Ball bearings (5x11x4mm) (2)		assembly) (2)
608	Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/
728	Ball bearings (5x11x411111) (0)/ 5x6x2.511111 (0)		metal u-joints (4)
116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	2754	Stub axle pins (4)
114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	6853X	Stub axles, rear, heavy duty (2)/pins (2)
545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)		Engine Components
675	Bushings, self-lubricating (5x11x4mm) (14)	5238R	Cooling head, PowerTune (machined aluminum, blue-anodized) (TR
685	PTFE-coated washers (5x11x.5mm) (use with self-lubricating	020011	3.3), head protector (1), 3x6mm CCS (5)
000	bushings)	3980	Glow plug wrench (universal wrench)
985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	3232X	Glow plug, super-duty (long-medium)/gasket
300		5228	Head protector, cooling head (1)/3x6mm CCS (5) (TRX 3.3)
	Body & Accessories	5290	Piston/sleeve (matched set), wrist pin clips(2) (TRX 3.3)
926	Antenna caps, vinyl (2)/ antenna spool	5211R	Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5
935	Body clip (mounting clip), angled, 90-degrees (10)	021111	2.5R, 3.3)
934	Body clips, heavy duty (12)	5277	Shaft, starter (TRX 2.5, 2.5R, 3.3)
914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),	5170	Starter, recoil (complete with screws) (TRX 2.5, 2.5R, 3.3)
	25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	0110	
815	Body washers (8)		Exhaust
414X	Body, Nitro Slash, #25 Mark Jenkins (painted, decals applied)	3155	Cable ties, medium (black) (6)
418	Body, Nitro Slash, #47 Mike Jenkins (painted, decals applied)	4453	Exhaust pipe hanger, metal (N. Rustler/4-Tec) (side exhaust engines
416	Body, Nitro Slash, Chad Hord (painted, decals applied)		only)
514	Decal sheet, racing sponsors	5296	Fitting, inlet for pipe pressure (90-degree)(1)
950	Official Team Traxxas racing decal set (flag logo/ 6-color)	5287	Header, blue-anodized aluminum (for rear exhaust engines only)
			(TRX 2.5, 2.5R, 3.3)
	Brake Components	5246	Pipe coupler, molded (for use with pipes 5152 (T-Maxx) & 4452R)
184	Brake brackets (inner & outer)		(TRX 2.5, 2.5R, 3.3)
464	Brake disc, composite/ brake adapter	5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat
1483	Brake lever		washers) (6)
484	Throttle & brake rods/ hardware (for slide carb)	4452R	Tuned pipe, assembled (N. Rustler, N. 4-Tec, N. Sport style) (TRX
	Chassis & Attachments		2.5, 2.5R) (replaces 4452)
2735	Bumper (front)	5485	Tuned pipe, Resonator, R.O.A.R. legal (dual-chamber, enhances
735P	Bumper (front) (pink)		mid to high-rpm power) (for Jato, N. Rustler, N. 4-Tec with TRX
1429	Bumper (rear)/ battery box/ battery box cover/ switch cover/ body clip/	E 402	Racing Engines)
1723	3x15mm RM (2)/ 3x12mm CM (2)	5483	Tuned pipe, Resonator, R.O.A.R. legal (single-chamber, enhances low to mid-rpm power) (for Jato, N. Rustler, N. 4-Tec
1422	Chassis, lower (blue-anodized, T6 aluminum)		with TRX Racing Engines)
1423	Chassis, upper (composite)	5541X	Tuned pipe, Resonator, R.O.A.R. legal, blue-anodized (aluminun
460	Engine mount, 2 piece, aluminum (w/ screws) (N. Rustler/Sport)	3341X	single chamber) (fits Jato, N. Rustler, N. 4-Tec, with TRX Racing
428	EZ-Start mount/ clamp/ 2.6x10mm RST (4)		Engines)
435	Fuel tank box (holder)/ throttle servo mount		
434	,		EZ Start 2 & Related parts
434A	Gearbox brace/ clutch guard Gearbox brace/ clutch guard (grey)	4579	Connector, wiring harness (EZ-Start and EZ-Start 2)
404/1		5280	Control box (complete) (EZ-Start 2)
	Clutch & Related Parts	5281	Control box battery cover w/ belt clip (EZ-Start 2)
609	Ball bearings (5x10x4mm) (2)	5273	Cush-drive elements (4) (EZ-Start 2)
611	Ball bearings (5x11x4mm) (2)	5270R	EZ-Start 2, complete system with controller, drive unit, wiring harnes
728	Ball bearings (5x8x2.5mm) (2)	5276	Gear set (complete) (EZ-Start 2)
118	Clutch bell, (18-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip	5148	Grease, white lithium
	(requires #4609 - ball bearings, 5x10x4mm (2))	5275	Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor
4120	Clutch bell, (20-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip		bushing (EZ-Start 2)
		4581	Lead wire, glow plug (blue) (EZ-Start and EZ-Start 2)
0	(requires #4611-ball bearings, 5x11x4mm (2)	4581X	Lead wire, glow plug (blue) (EZ-Start and EZ-Start 2)/ molex pin
	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip		
			extractor (use where glow plug wire does not have bullet
122	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip		connector)
122 146	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))	5279	
1 122 146 1281	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede)	5279 5211R	connector) Motor/ pinion gear/ motor bushing (EZ-Start 2) Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5)
1122 1146 3281 633	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede) Cone, split beveled		connector) Motor/ pinion gear/ motor bushing (EZ-Start 2)
146 281 633 542X	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede) Cone, split beveled E-clips/ C-rings	5211R 5169	connector) Motor/ pinion gear/ motor bushing (EZ-Start 2) Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 3.3) Screws, 2.6x8mm countersunk machine (6)
1122 1146 1281 1633 1542X 1244	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede) Cone, split beveled E-clips/ C-rings Flywheel (large, knurled for use with starter boxes)	5211R	connector) Motor/ pinion gear/ motor bushing (EZ-Start 2) Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 3.3) Screws, 2.6x8mm countersunk machine (6)
1122 1146 3281 633 3 542X 3244 3542	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede) Cone, split beveled E-clips/ C-rings Flywheel (large, knurled for use with starter boxes) Flywheel nut (TRX 2.5, 2.5R, 3.3) Flywheel with magnet (35mm)	5211R 5169	connector) Motor/ pinion gear/ motor bushing (EZ-Start 2) Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5R, 3.3)
1122 1146 3281 633 3 542X 3244 3542	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede) Cone, split beveled E-clips/ C-rings Flywheel (large, knurled for use with starter boxes) Flywheel nut (TRX 2.5, 2.5R, 3.3) Flywheel with magnet (35mm) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	5211R 5169	connector) Motor/ pinion gear/ motor bushing (EZ-Start 2) Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 3.3) Screws, 2.6x8mm countersunk machine (6) Screws, 3x12mm button-head machine (6) (starter attachment screw
1122 1146 1281 1633 1542X 1244 1542	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede) Cone, split beveled E-clips/ C-rings Flywheel (large, knurled for use with starter boxes) Flywheel nut (TRX 2.5, 2.5R, 3.3) Flywheel with magnet (35mm) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Differential Components	5211R 5169 5282	connector) Motor/ pinion gear/ motor bushing (EZ-Start 2) Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.52.5R, 3.3) Screws, 2.6x8mm countersunk machine (6) Screws, 3x12mm button-head machine (6) (starter attachment screw with Threadlock)
146 281 633 5 42X 244 542 985	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede) Cone, split beveled E-clips/ C-rings Flywheel (large, knurled for use with starter boxes) Flywheel nut (TRX 2.5, 2.5R, 3.3) Flywheel with magnet (35mm) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	5211R 5169 5282 2578	connector) Motor/ pinion gear/ motor bushing (EZ-Start 2) Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.: 2.5R, 3.3) Screws, 2.6x8mm countersunk machine (6) Screws, 3x12mm button-head machine (6) (starter attachment screw with Threadlock) Screws, 3x12mm button-head machine (hex drive) (6) Shaft, starter (TRX 2.5, 2.5R, 3.3)
.146 .281 .633 .542X .244 .542 .985	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede) Cone, split beveled E-clips/ C-rings Flywheel (large, knurled for use with starter boxes) Flywheel nut (TRX 2.5, 2.5R, 3.3) Flywheel with magnet (35mm) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Differential Components Differential gear (45-tooth)/ side cover plate & screws Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment	5211R 5169 5282 2578 5277	connector) Motor/ pinion gear/ motor bushing (EZ-Start 2) Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3) Screws, 2.6x8mm countersunk machine (6) Screws, 3x12mm button-head machine (6) (starter attachment screw with Threadlock) Screws, 3x12mm button-head machine (hex drive) (6) Shaft, starter (TRX 2.5, 2.5R, 3.3) Front Suspension & Steering
.146 .281 .633 .542X .244 .542 .985	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede) Cone, split beveled E-clips/ C-rings Flywheel (large, knurled for use with starter boxes) Flywheel nut (TRX 2.5, 2.5R, 3.3) Flywheel with magnet (35mm) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Differential Components Differential gear (45-tooth)/ side cover plate & screws	5211R 5169 5282 2578 5277 3637	connector) Motor/ pinion gear/ motor bushing (EZ-Start 2) Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3) Screws, 2.6x8mm countersunk machine (6) Screws, 3x12mm button-head machine (6) (starter attachment screw with Threadlock) Screws, 3x12mm button-head machine (hex drive) (6) Shaft, starter (TRX 2.5, 2.5R, 3.3) Front Suspension & Steering Axles (front) (2)
1146 63281 1633 5542X 5244 5542 1985	Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2)) Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede) Cone, split beveled E-clips/ C-rings Flywheel (large, knurled for use with starter boxes) Flywheel nut (TRX 2.5, 2.5R, 3.3) Flywheel with magnet (35mm) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Differential Components Differential gear (45-tooth)/ side cover plate & screws Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment	5211R 5169 5282 2578 5277	connector) Motor/ pinion gear/ motor bushing (EZ-Start 2) Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX 2.5, 2.5R, 3.3) Screws, 2.6x8mm countersunk machine (6) Screws, 3x12mm button-head machine (6) (starter attachment screw with Threadlock) Screws, 3x12mm button-head machine (hex drive) (6) Shaft, starter (TRX 2.5, 2.5R, 3.3) Front Suspension & Steering

Page 2	Nitro Slash: TRX 3.3, TQi Traxxas Link Enabled 2.4	IGHz Rad	dio, & TSM (Model 44056-3) Parts List
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	5010	Top Fuel, 10% nitro (quart)
2530	Bulkhead (front) (black)	5070	Top Fuel, 20% nitro (gallon)
2530A	Bulkhead (front) (grey)	5020	Top Fuel, 20% nitro (quart)
3632	Caster blocks (l&r) (30-degree)	5080	Top Fuel, 33% nitro (gallon)
3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left	5030	Top Fuel, 33% nitro (quart)
26226	& right)/ suspension screw pin (2)		Hardware
3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left	3935	Body clip (mounting clip), angled, 90-degrees (10)
	& right)/ suspension screw pin (2)	3934	Body clips, heavy duty (12)
3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &	2734	Cable ties (small) (10)
	right)/ suspension screw pin (2)	3155	Cable ties, medium (black) (6)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	1633	E-clips/ C-rings
2742	Rod ends, long (6)/ hollow ball connectors (6)	5477 5478	Flat wrench, 5mm (blue-anodized aluminum) Flat wrench, 8mm (blue-anodized aluminum)
5347 3193	Rod ends, Revo (large) with hollow balls (12) Screws, 3x10mm washerhead machine (6)	3980	Glow plug wrench (universal wrench)
3744	Servo saver w/adapters	5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
2070	Servo, digital high-torque (ball bearing)	3185	Motor screws (3x8mm washerhead machine) (6)
2075	Servo, digital high-torque (ball bearing), waterproof	5475	Multi-tool (plastic)
2055	Servo, high-torque	2745	Nuts, 3mm nylon locking (12)
2056	Servo, high-torque, waterproof (blue case)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	1747	Nuts, 4mm nylon locking (10)
4420	captured (4)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
4439 3743	Shock tower (front) Steering bellcranks (l&r)/ draglink	1747G 1747P	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
3743A	Steering belicranks, drag link (blue-anodized 6061-T6 aluminum)/	3982	PTFE-coated 6x8x0.5 (10)
51 1 5A	5x8mm ball bearings (4)/ hardware (assembled)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/	5525	Rod ends (12)/ hollow balls (12)
	5x8mm ball bearings (4)/ hardware (assembled)	2742	Rod ends, long (6)/ hollow ball connectors (6)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/	3739	Screw pin set (Rustler/ Bandit/ Stampede)
0700	5x8mm ball bearings (4)/ hardware (assembled)	2673	Screws, 2.6x10mm roundhead self-tapping (6)
3736 3636A	Steering blocks, left & right (2) (requires 5x11x4mm bearings)	5169	Screws, 2.6x8mm countersunk machine (6)
3030A	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3159	Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/
3636G	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum	3177	hex wrench Screws, 3x10mm countersunk machine (6)
	(green-anodized)/ 5x11mm ball bearings (4)	2675	Screws, 3x10mm roundhead self-tapping (6)
3636P	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum	3193	Screws, 3x10mm washerhead machine (6)
	(pink-anodized)/ 5x11mm ball bearings (4)	5282	Screws, 3x12mm button-head machine (6) (starter attachment screws
3636X	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum		with Threadlock)
3631	(red-anodized)/ 5x11mm ball bearings (4) Suspension arms (front) (2)	3178	Screws, 3x12mm countersunk machine (6)
2640	Suspension pins, 44mm (2) w/ E-clips	2561	Screws, 3x12mm roundhead machine (6)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	3186	Screws, 3x12mm washerhead machine (6)
	complete suspension pin set) (Rustler, Stampede, Bandit)	5142	Screws, 3x15mm cap-head machine (hex drive) (with split and flat washers) (6)
2532	Tie bar, fiberglass	3179	Screws, 3x15mm countersunk machine (6)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm	2563	Screws, 3x15mm roundhead machine (6)
	(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)	2565	Screws, 3x18mm roundhead machine (6)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm	2590	Screws, 3x20mm countersunk machine screws (6)
	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	2566	Screws, 3x20mm roundhead machine (6)
	complete camber link set)	2569	Screws, 3x25mm roundhead machine (6)
1935	Turnbuckles, 36mm (2)	3964 2554	Screws, 3x32mm cap-head machine (hex drive) (6)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	2558	Screws, 3x6mm cap-head machine (hex drive) (6) Screws, 3x6mm roundhead machine (6)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	2682	Screws, 3x8mm roundhead self-tapping (6)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	3290	Screws, 3x8mm washerhead self-tapping (6)
0.0021	(assembled with rod ends & hollow balls) (requires 5mm	2535	Screws, 4x10mm countersunk machine (hex drive) (6)
	aluminum wrench #5477)	2542	Screws, 4x12mm countersunk machine (hex drive) (6)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled	2568	Screws, 4x12mm roundhead machine (6)
2745	with rod ends and hollow balls) (1 left, 1 right)	3167	Screws, 4x15mm countersunk machine (6)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	4897	Screws, set (grub) 4mm (6) (with threadlock)
3654	Wheel hubs, hex (tall offset, Rustler/Stampede front) (2)/ axle pins	2743	Set (grub) screws, 3mm hardened (12) Shoulder sersive steering hallernoke (3x30mm can bead machine)
	(2.5x10mm) (2)	3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
	Fuel Tank & Line	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
21.47		2754	Stub axle pins (4)
3147 3147X	Fuel line (1 foot) Fuel line (610mm or 2ft)	2640	Suspension pins, 44mm (2) w/ E-clips
4446	Fuel tank (150cc)/ rubber vibration cushion	3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a
4449	Fuel tank rebuild kit (contains cap, foam seal, screw, spring, and	07.40	complete suspension pin set) (Rustler, Stampede, Bandit)
	screw pin. Replaces old style with primer bulb.)	2746	Washers, 3x6mm metal (12)
4445	Fuel tank vibration cushion, rubber		Manuals
3149A	Heat shield tubing, fiberglass (2) (black)	5299R	Engine Manual, TRX 2.5, 2.5R, 3.3
	Fuel, Lubricants & Supplies	4498	Owner's manual, Nitro Slash
5001	Bottle, fuel filler (500cc)		Radio System, Batteries & Chargers
3232X	Glow plug, super-duty (long-medium)/gasket	3062X	Adapter, Traxxas iD Connector Female to Molex Male (Note:
5148	Grease, white lithium		Molex connector not suitable for high current use)
5263	Oil, air filter	6546	Battery door, TQi transmitter (replacement for #6528, 6529, 6530
5001R	Rebuild kit, fuel filler bottle (includes bottle lid (1) and	04701/	transmitters)
	dispensing tube caps, rubber (2) (fits 8mm or 5/16" dispensing tube))	3170X	Battery holder, 4-cell/ on-off switch
5060	Top Fuel, 10% nitro (gallon)	2914 2919	Battery, Power Cell AA Alkaline (4) Battery, Series 1 Power Cell 1800mAh (NiMH, 6-C flat, 7.2V, Sub-C)
-	,	2010	Salery, Series in the Sell recommit (Minimal, 0-0 liat, 1.27, Sub-C)

Charger, EZ-Pack Live, 1000, MMRL/EPs with 10 Auto Battery Charger, EZ-Pack Live, 1000, MMRL/EPs with 10 Auto Battery Charger, EZ-Pack Live, 1000, MMRL/EPs with 10 Auto Battery Charger, EZ-Pack Live, 1000, MMRL/EPs with 10 Auto Battery Charger, EZ-Pack Live, 1000, MMRL/EPs with 10 Auto Battery Charger, EZ-Pack Live, 1000, MMRL/EPs with 10 Auto Battery Heinfication Charger, EZ-Pack Live, 1000, MMRL/EPs with 10 Auto Battery Heinfication Mounts, RPM sensor (rithr origines) 3 x16mm CS with spill and fist wathers (7) (12 45 (19 fer EZR), 2975, 2977) And the fer Ex-Pack Pack, 2014, 2014 and 10 street fist wathers (7) (12 45 (19 fer EZR), 2975, 2977) And the fer Ex-Pack Pack, 2014, 2014 and 10 street fist wathers (7) (12 45 (19 fer EZR), 2975, 2977) And the fer Ex-Pack Pack, 2014, 2014 and 2015 watherproof servos) Sensor, (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long) and 2015 waterproof servos) Sensor (separature and voltage (long)	Page 3	Nitro Slash: TRX 3.3, TQi Traxxas Link Enabled 2.4	4GHz Ra	dio, & TSM (Model 44056-3) Parts List
Charger, E2-Peak Live, 1004, NiMikiLi-De with iD Auto Battery		Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery		aluminum) (assembled with TiN shafts) w/o springs (front) (2)
Chargier, EZ-Peak Live, 100W, NiBHHLPo with ID Auto Battery decification Control of the Cont	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
Charger, (Ez-Pear Plus, 4 amp, NAMIALPo with ID Auto Battery 1942 7472	2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery		& washers (2) (Big Bore Shocks)
Fuse, charger, 5.4 (2) (or 2274, 2975, 2977) 2772A Service (or 2070, 2975 errors) 3x10mm CS with spiral and control (2015) 1964 1965 1966 1	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery		Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
Mounts, RPM sansor (nitro enginesy) 2x16mm CS with spirit and spirit spirit and spirit spir				Rod ends, short (6)/ hollow balls (6)
flat washers (2) Sensor, temperature and voltage (long) Sensor, degrated line of the sensor se		· · · · · · · · · · · · · · · · · · ·		
Receiver, micio, Tiol 2.4GHz with telementy & TSM (5-channel) Servic Remperature and voltage (long) Servic Case (for 2015 servic) Servic, digital high-torque (ball bearing), waterproof Servic, digital high-torque (ball bearing), waterproof Servic, high-torque waterproof (but ease) Servic, digital high-torque (ball bearing), waterproof Servic, high-torque, waterproof (but ease) Servic, high-torque, waterproof (but ease) Servic, high-torque (ball bearing), waterproof Servic, high-torque, waterproof (but ease) Servic, All this produce (but ease) Servic, high-torque, waterproof (but ease) Servic, All this produce (but ease) Transmitter, Toll Traxase Link water (but ease) Transmitter, Toll Traxase Link enabled 2.4GHz high output, 4- Traxase Link Wireless Module Traxase Link Wireless Module Transmitter, Toll Traxase Link enabled 2.4G	6536			•
25024 Servic case (fair 2056 and 2075 waterproof services) 2505 Service alegalastes (for 2056 and 2075 waterproof services) 1765 Silicone shock on (20 w) 2003 Servic gates (for 2056 and 2075 waterproof services) 1765 Silicone shock on (20 w) 2004 Services (glish high-storage (bulk bearing) 2506 Services (glish print bearing) 2506 Services (glish pearing) 2506 Servi	6533	· ·	20301	, , ,
Servo, digital high-rouge (ball bearing) 1665 1666 1686		• • •		
2070 Servo, digital high-roque (ball bearing), waterproof Servo, digital high-roque Servo		,		
Servo, digital high-rorque (ball bearing) Servo, high-torque, waterproof (blue case) TO 224 CH Servo, high-torque, waterproof (blue case) Servo, high-torque, waterproof (blue case) TO 224 CH Servo, high-torque, waterproof (blue case) Servo, high-torque, waterproof (blue case) Servo, high-torque, waterproof (blue case) TO 224 CH Servo, high-torque, waterproof (blue case) Servo, digital high-rorque (blue case) TO 225 CH Servo, high-torque, waterproof (blue case) Servo, Land Servo, high-torque (blue case) Servo, Land Se				,
Servo, digital high-torque, vaterproof bible saring), waterproof Servo, high-torque waterproof (blue case) Servo, high-torque, vaterproof (blue case) Serv				
Servo, high-reforuse, waterproof (blue case) 6509R TOL 24 GHz High Output andio system, 2-channel, Traxcas Link enabled, TSM (2-ch transmitter, 6-ch micro feecked) 6509R TOL 24 GHz High Output radio system, 2-channel with Traxcas Link Wireless Module, TSM (2-ch transmitter, 6-ch micro feecked) 6508 Transmitter, TOL Traxcas Link enabled, 2.4GHz high output, 2-channel (transmitter only) 6529 Transmitter, TOL Traxcas Link enabled, 2.4GHz high output, 3-channel (transmitter only) 6530 Transmitter, TOL Traxcas Link enabled, 2.4GHz high output, 4-framel (transmitter only) 6540 Traxcas Link Wireless Module 6550 Transmitter, TOL Traxcas Link enabled, 2.4GHz high output, 4-framel (transmitter only) 6551 Traxcas Link Wireless Module 6561 Traxcas Link Wireless Module 6570 Traxcas Link Wireless Module 6581 Traxcas Link Wireless Module 6582 Traxcas Stability Management (TSM) 6582 Traxcas Link Link Tolk of the Module 6583 Traxcas Link Wireless Module 6584 Traxcas Link Wireless Module 6585 Traxcas Link Wireless Module 6585 Traxcas Link Wireless Module 6586 Traxcas Stability Management (TSM) 6586 Traxcas Link Wireless Module 6586 Traxcas Stability Management (TSM) 6587 Traxcas Link Wireless Module 6586 Traxcas Link Wireless Module 6587 Traxcas Link Wireless Module 6587 Traxcas Link Wireless Module 6588 Traxcas Link Wireless Module 6588 Traxcas Link Wireless Module 6589 Traxcas Link Wireless Module 6590 Traxcas Link Wireless Module 6591 Traxcas Link Wireless Module 6591 Traxcas Link Wireless Module 6592 Traxcas Link Wireless Module 6592 Traxcas Link Wireless Module 6593 Traxcas Link Wireless Module 6594 Traxcas Link Wireless Module 6595 Traxcas Link Wireless Module 6595 Traxcas Link Wireless Module 6595 Traxcas Link Wireless Module 6596 Traxcas Link Wireless Module 6597 Traxcas Link Wireless Module 6597 Traxcas Link Wireless Module 6597 Traxcas Link Wireless Mo				
Forward (rammitter of micro realized) 5822 Frammitter, Formaticer, Schmich (realized) 5822 Frammitter, Formaticer, Schmich (realized) 5823 Frammitter, Formaticer, Schmich (realized) 5824 Frammitter, Tol Traxcas Link (realized) 5826 5826 5827 Frammitter, Tol Traxcas Link (realized) 5828 5828 Frammitter, Tol Traxcas Link (realized) 5829 Frammitter, Tol Traxcas Link (realized) 5820 Frammitter, Tol Traxcas Link (realized) 5820 Frammitter, Tol Traxcas Link (realized) 5821 Frammitter, Tol Traxcas Link (realized) 5821 Frammitter, Tol Traxcas Link (realized) 5822 Frammitter, Tol Traxcas Link (realized) 5824 Frammitter, Tol Traxcas Link (realized) 5824 Frammitter, Tol Traxcas Link (realized) 5825 Frammitter, Tol Traxcas Link (realized) 5826 5826 Frammitter, Tol Traxcas Link (realized) 5827 Frammitter, Tol Traxcas Link (realized) 5828 Frammitter, Tol Traxcas Link (realized) 5829 Frammitter, Tol Traxcas Link (realized) 5821 Frammitter, Tol Traxcas Link (realized) 5821 Frammitter, Tol Traxcas Link (realized) 5821 Frammitter, Tol Traxcas Link (realized) 5822 Frammitter, Tol Traxcas Link (realized) 5823 Frammitter, Tol Traxcas Link (realized) 5824 Frammitter, Tol Traxcas Link (realized) 5826 Frammitter (realized) 5827 Frammitter, Tol Traxcas Link (realized) 5828 Frammitter (realized) 5829 Frammitter, Tol Traxcas Link (realized) 5829 Frammitter (realized) 5820 Frammitter, Tol Traxcas Link (realized) 5820 Frammitter, Tol Traxcas Link (realized) 5821 Frammitter, Tol Traxcas Link (realized) 5821 Frammitter, Tol Traxcas Link (realized) 5822 Frammitter, Tol Traxcas Link (realized) 5824 Frammitter, Tol Traxcas Link (realized) Frammitter, Tol Traxcas Link (realized) 5825 Frammitter, Tol Traxcas Link (realized) Fr			_	
enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TOL 2-64 kt kight output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro 6508 Transmitter, TOL Traxas Link enabled, 2.4GHz high output, 2- 6509 Crammel (transmitter only) 6510 Traxas Link Wireless Module 6511 Traxas Link Wireless Module 6511 Traxas Link Wireless Module 6512 Traxas Link Wireless Module 6512 Traxas Link Wireless Module 6513 Traxas Link Wireless Module 6514 Traxas Link Wireless Module 6515 Traxas Link Wireless Module 6516 Traxas Link Wireless Module 6517 Traxas Link Wireless Module 6518 Traxas Link Wireless Module 6519 Traxas Link Wireless Module 6520 Traximiter, TOL Traxas Link Renabled, 2.4GHz high output, 4- channel (transmitter only) 6510 Traxas Link Wireless Module 6521 Traxas Link Wireless Module 6522 Traximiter, TOL Traxas Link Wireless Module 6531 Traxas Link Wireless Module 6532 Traximiter, TOL Traxas Link Kenabled, 2.4GHz high output, 4- channel (transmitter only) 6542 Traxas Link Wireless Module 6553 Traximiter, TOL Traxas Link Wireless Module 6554 Traxas Link Wireless Module 6555 Traximiter, TOL Traxas Link Wireless Module 6555 Traximiter, TOL Traxas Link Wireless Module 6556 Traximiter, TOL Traxas Link Wireless Module 6567 Traximiter, TOL Traxas Link Wireless Module 6570 Traximiter, TOL Traxas Link Wireless Module 6571 Traxas Link Wireless Module 6572 Traximiter, TOL Traxas Link Wireless Module 6572 Traximiter, TOL Traxas Link Wireless Module 6573 Traximiter, TOL Traxas Link Wireless Module 6574 Traximiter, TOL Traxas Link Wireless Module 6574 Traximiter, TOL Traxas Link Wireless Module 6575 Traximiter, TOL Traxas Link Wireless Module 6575 Traximiter, TOL Traxas Link Wireless Module 6576 Shock Ashafts, hardened Steel, Wireless Module 6576 Shock Ashafts, hardened Steel, Wireless Module 6576 Shock Ashafts, hardened Steel, Wireless Module 6577 Traximiter, TOL Traxas Link Wireless Module 6776 Shock Ashafts, hardened Steel, Wireless Module 677		, , , , , ,		Shocks (Ultra Shocks)
Second Company of the Company of t	6509R		3642	Attachment screws, shock (3x12mm shoulder screws) (6)
Link Wiroless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, 17-micro 17-mi	6507R		5862	
Franciscopy Company			27654	
charmel (transmitter only) charmel (charmel (transmitter) charmel (transmitter only) charmel (charmel (transmitter) charmel (tr		•		
Transmitter, Toll Travasa Link enabled, 2.4GHz high output, 4- channel (transmitter only) Travasa Link Wireless Module Travasa Link Mireless Module Travasa Link Link Mireless Module Travasa Link Link Mireless Module Travasa Stability Management (TSM) Travasa Catality Management (TSM) Travasa Catality Management (TSM) Travasa Catality Management (TSM) Travasa Catality Managem	6528			
Channel (transmitter only) 2562 Rebuild ktt, Ultra Shocks (for 2 \$700-50) All connectors (18) ball screws (18) ball s	6529	•		
channel (transmitter only) Traxxas Link Wireless Module Ready-To-Race Model Truckwas Ty10-Scale Nitro-Powered 2/ND Short Course Racing Truckwas Stability Management (TSM) Reaf Suspension Re	0020			,
Traxxas Link Wireless Module Ready-Tio-Race Mode Ready-Tio-R	6530		1942	,
Ready To-Race Model 4406-3 Niro Slash: 1/10-Scale Niro-Powered 2WD Short Course Racing 71cw with Tol Traxas Link Enabled 2.4GHz Radio System and 71cmosa Stability Management (TSM) 8287 Suspension 8287 Suspension 16641 18641 18642 18643 18644 18645 18644 18644 18645 18645 18645 18646 18647 18647 18647 18647 18644 18647 18647 18644 18647 18644 18647 18644 18647 18644 18647 18644 18647 18644 18648 18648 18648 18648 18648 18648 18648 18648 18648 18648 18648 18648 18648 18648 18648 18648 18648 18648 18649 18644 18664 186	0544		2742X	
Address Addr	6511			
Truck with TO! Traxxas Link Enabled 2.4GHz Radio System and Traxas Stability Management (TSM) Traxas Stability Managemet (TSM) Traxas Stability Managemet (TSM) Traxas Stability Managemet (TSM) Traxas			3767A	,
Traxvas Stability Management (TSM) 3767X 1664T	44056-3			
Shock shafts, hardened steel, titanium nitride coated (long) (2)				
Aluminum spacers: 3x6x1.5mm (2) 3x6x2.5mm (1)/ 3x6x3.8mm (2) 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2) 5116 Ball bearings, blue rubber sealed (5x1x1x4mm) (2) 5116 Ball bearings, blue rubber sealed (
2015 2015	0.500			· · · · · · · · · · · · · · · · · · ·
H192A Bulkhead (rear) (grey) 1952A Carriers, stub axte (blue-anodized 6061-T6 aluminum)(rear)(2) 1952A Carriers, stub axte (pule-anodized 6061-T6 aluminum)(rear)(2) 1952A Carriers, stub axte (red-anodized 6061-T6 aluminum)(rear)(2) 1962 Mounts, suspension arm (rear) (4-1-degree) (l&r) 1973B Carriers, stub axte (red-anodized 6061-T6 aluminum)(rear)(2) 1974C Mounts, suspension arm (rear) (4-1-degree) (l&r) 1974 Mounts, suspension arm (rear) (4-1-degree) (l&r) 1975 Mounts, suspension arm (rear) (4-1-degree) (l&r) 1976 Shock waspension arm (rear) (4-1-degree) (l&r) 1978 Mounts, suspension arm (rear) (4-1-degree) (l&r) 1979 Stock in arm (rear) (4-1-degree) (l&r) 1979 Suspension arm (rear) (4-1-degree) (l&r) 1979 Suspension arm (rear) (4-1-degree) (l&r) 1979 Suspension arm (rear) (2) 1970 Suspension arm (rear) (4-1-degree) (l&r) 197				
4952X Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2) 1952 Carriers, stub axle (rear) (2) 1953 Carriers, stub axle (rear) (2) 1954 Mounts, suspension arm (rear) (rd-1-degree) (l&r) 1979 Carriers, stub axle (rear) (2) 1979 Mounts, suspension arm (rear) (rd-1-degree) (l&r) 1979 Screw pin set 1979 Screw pin set 1980 Screw pin set 1981 Screw pin set 1982 Suspension arms (rear) (rear) (2) 1993 Suspension arms (rear) (2) 1994 Suspension arms (rear) (2) 1994 Wedges, anti-squal (1.5 & 3.0 degree) (2 each) 1995 Piston head set, (2 sets of 3 types) shock collars (2) spring 1995 retainers (2) 1996 Piston head set, (2 sets of 3 types) shock collars (2) spring 1996 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw 1997 Shock shafts, statel, chrome finish (k-long) (2) 1994 Rod ends (16 long & 4 short)/ hollow balls (6) 1996 Shock shafts, statel, chrome finish (k-long) (2) 1997 Shock shafts, statel, chrome finish (k-long) (2) 1998 Shock shafts, statel, chrome finish (k-long) (2) 1999 Shock shafts, statel, chrome finish (k-long) (2) 1990 Shock shafts, statel		• , , ,		
Carriers, stub axie (rear) (2) 1952				, , ,
1952A Carriers, stub axie (red-anodized 6061-T6 aluminum)(rear)(2) 2798 Mounts, suspension arm (rear) (4-1-degree) (l&r) 2798 Screw pin set 379 Shock tower, rear 279 Shock tower, rear (12) Shock tower, rear 279 Shock tower, rear 279 Shock tower, rear (12) Shock tower, rear 279 Shock tower, rear 279 Shock tower, rear (12) Shock tower, rear (12) (191 Shock tower, rear (Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2)		
2798. Mounts, suspension arm (rear) (4-1-degree) (l&r) 2798. Mounts, suspension arm (rear) (4-1-degree) (l&r) 2798. Mounts, suspension arm (rear) (4-1-degree) (l&r) 2799. Mounts, suspension arm (rear) (4-1-degree) (l&r) 2791. Mounts, suspension arm (rear) (9-degree) (l&r) 2792. Screw pin set 2798. Screw pin set 2798. Screw pin set 2798. Mounts, suspension arm (rear) (9-degree) (l&r) 2799. Screw pin set 2798. Screw pin set 2798. Screw pin set 2798. Mounts, suspension arm (rear) (9-degree) (l&r) 2799. Screw pin set 2799. S				,
aluminm)(rear)(4-1-degree)(L&R) 2798 Mounts, suspension arm (rear) (4-1-degree) (l&r) 2798 Shock shaft, rear (heavy duty (2)/pins (2) 2790 Suspension arms, (rear) (2) 2790 Shock shafts, hardened steel, itianium nitride coated (long) (2) 270 Shock shafts, hardened steel, itianium nitride coated (long) (2) 270 Shock shafts, hardened steel, itianium nitride coated (long) (2) 270 Shock shafts, steel, chrome finish (long) (2) 271 Shocks (Pro-level Aluminum) 272 Shocks (Pro-level Aluminum) 273 Shocks (Pro-level Aluminum) 27		* * * * * * * * * * * * * * * * * * * *		` ,
Mounts, suspension arm (rear) (+/- 1-degree) (l&r) 4458 Springs (front) (2) 2458P Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs,	21301		3768	
2797 Mounts, suspension arm (rear) (0-degree) (l&r) (2458 2458	2798		4450	
Additional color of the color				
Shock tower, rear Shock tower Shock tower, rear Shock tower Shock tower Shock tower, rear Shock tower Shock tower Shock tower, rear Shock tower		, , , , , ,		
Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit) Sturb axion screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Shocks (Aluminum) Shocks (Aluminum) Shocks (Aluminum) Shocks (Aluminum) Shocks (2) Springs, rear (pink)		·	5857P	
Suspension arms, (rear) (2) Suspension arms, (rear) (2) Suspension serve pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit) Shocks (Aluminum) 1934 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 2742X Rod ends, short (6)/ hollow balls (6) Shock shafts, hardened steel, ittanium nitride coated (Iong) (2) Shock shafts, shardened steel, ittanium nitride coated (Iong) (2) Shock shafts, steel, chrome finish (Iong) (2) Shock shafts, steel, chrome finish (V-long) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) Shocks (Pro-level Aluminum) 5857 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (pink) (2) Springs, rear (pink) (2) Springs, rear (white) (2) Springs, rear (pink) (2) Springs, rear (white) (2) Springs, rear (white) (2) Springs, rear (pink) (2) Springs, rear (white) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (2) Springs, rear (white) (2) Springs, rear (white) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white				, , ,
Suspension Screw pin set, (Rustler, Stampede, Bandit) complete suspension pin set) (Rustler, Stampede, Bandit, Springs, rear (black) (2) complete suspension pin set (Rustler, Stampede, Bandit, Springs, rear (black) (2) complete suspension pin set (Rustler, Stampede, Bandit, Springs, rear (plack) complete suspension pin set (Bandit, Call) complete suspension pin set (Park Stampede, Bandit, Call) complete suspension pin set (Park Stampede, Ba				
Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 1934 Wedges, anti-squat (1.5 & 3.0 degree) (2 each) Shocks (Aluminum) 1965 Piston head set, (2 sets of 3 types) shock collars (2)/ spring retainers (2) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 2742X Rod ends, short (6)/ hollow balls (6) Shock shafts, hardened steel, titanium nitride coated (long) (2) 2765 Shock shafts, hardened steel, titanium nitride coated (long) (2) 2765 Shock shafts, steel, chrome finish (long) (2) 2765 Shock shafts, steel, chrome finish (long) (2) 2766 Shocks, Iong (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 4761 Shocks, Y-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (Pro-level Aluminum) 2764 Big Bore shock cylinder (long) (1) 2765 Big Bore shock cylinder (XX-long) (1) 2766 Big Bore shock cylinder (XX-long) (1) 2767 Shocks (Pro-level Aluminum) 3757 Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (3640		2000	
1934 Wedges, anti-squat (1.5 & 3.0 degree) (2 each) Shocks (Aluminum) 1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends, short (6)/ hollow balls (6) 2742X Rod ends, short (6)/ hollow balls (6) Shock safts, hardened steel, titanium nitride coated (long) (2) 2760 Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (Pro-level Aluminum) 1964 Big Bore shock cylinder (long) (1) Shock shock cylinder (XX-long) (1) Slipper tension spring/ spur gear bushing & locknut 4457 Springs, rear (black) (2) 3757 Springs, rear (white) (2) 3758 Springs, rear (white) (2) 3758 Springs, rear (white) (2) 3758 Springs, rear (white) (progressive rate) (2) 5758 Springs, rear (white) (2) 3760 Ultra Shocks (black) (xv-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear)	0044		3757	- ·
Shocks (Aluminum) 1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 2742X Rod ends, short (6)/ hollow balls (6) 2760 Shock caps, aluminum (2) 2765T Shock shafts, hardened steel, titanium nitride coated (long) (2) 2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2) 2765 Shock shafts, steel, chrome finish (long) (2) 2765 Shock shafts, steel, chrome finish (N-long) (2) 2765 Shock shafts, steel, chrome finish (N-long) (2) 2765 Shock shafts, steel, chrome finish (X-long) (2) 3760 Wiltra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 3760 Wiltra Shocks (grey) (iong	3644		4457	
Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 2742X Rod ends, short (6)/ hollow balls (6) 2760 Shock caps, aluminum (2) 1864 Shock shafts, hardened steel, titanium nitride coated (Iong) (2) 2765 Shock shafts, steel, chrome finish (long) (2) 2765 Shock shafts, steel, chrome finish (long) (2) 2760 Shocks, Iong (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) 2765 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 3760 Shocks (Pro-level Aluminum) 4761 Shocks (Pro-level Aluminum) 2864 Big Bore shock cylinder (long) (1) 2866 Big Bore shock cylinder (XX-long) (1) 2876 Silipper tension spring/ spur gear bushing & locknut	1934	, , , , , , , , , , , , , , , , , , , ,		
Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 2742X Rod ends, short (6)/ hollow balls (6) 2760 Shock caps, aluminum (2) 2761 Shock shafts, hardened steel, titanium nitride coated (long) (2) 2765 Shock shafts, hardened steel, titanium nitride coated (X-long) (2) 2765 Shock shafts, steel, chrome finish (long) (2) 2765 Shock shafts, steel, chrome finish (long) (2) 2765 Shock shafts, steel, chrome finish (X-long) (2) 2765 Shock shafts, steel, chrome finish (X-long) (2) 2765 Shock short (2) 2766 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) 3760 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 2765 Shocks, Long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) 3760 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 3760 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 3762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 3762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 3762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 3762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3763 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3764 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3765 Shocks, Along (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 3766 Silicone shock oil (30 wt) 3760 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 3761 Shocks, (grey) (long) (complete w/ spring pre-load spacers & springs				
retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 2742X Rod ends, short (6)/ hollow balls (6) 2760 Shock caps, aluminum (2) 2761 Shock shafts, hardened steel, titanium nitride coated (long) (2) 2765 Shock shafts, hardened steel, titanium nitride coated (X-long) (2) 2765 Shock shafts, steel, chrome finish (long) (2) 2765 Shock shafts, steel, chrome finish (X-long) (2) 2765 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) 4760 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 4762 Sliicone shock oil (30 wt) Shocks (Pro-level Aluminum) 2664 Big Bore shock cylinder (long) (1) Big Bore shocks) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks (black) (ordition (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Slipper Clutch Components Friction pegs, slipper (12) Pressure plate, slipper (1) Pressure rings, slipper (notched) (2) Slipper tension spring/ spur gear bushing & locknut	1965	, ,		
Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) 2742X Rod ends, short (6)/ hollow balls (6) 2760 Shock caps, aluminum (2) 1864T Shock shafts, hardened steel, titanium nitride coated (long) (2) 2765T Shock shafts, steel, chrome finish (long) (2) 2765 Shock shafts, steel, chrome finish (N-long) (2) 2765 Shock shafts, steel, chrome finish (X-long) (2) 2765 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) 3760 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 4761 Shocks (Pro-level Aluminum) 4762 Shocks (Pro-level Aluminum) 4685 Friction pegs, slipper (12) 5765 Shock shafts, steel, chrome finish (X-long) (2) 5762 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 5762 Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) 5762 Ultra Shocks (grey) (long) (c	1000			
2742X Rod ends, short (6)/ hollow balls (6) 2760 Shock caps, aluminum (2) 2761 Shock shafts, hardened steel, titanium nitride coated (long) (2) 2765 Shock shafts, steel, chrome finish (long) (2) 2765 Shock shafts, steel, chrome finish (X-long) (2) 2765 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 2766 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 2766 Shocks (pro-level Aluminum) 2760 Shocks (1942			
Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Shocks (Pro-level Aluminum) Shocks (Pro-level Aluminum) Big Bore shock cylinder (long) (1) Big Bore shock cylinder (XX-long) (1) Shocks (long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) Slipper Clutch Components Friction pegs, slipper (12) Pressure plate, slipper (1) Pressure rings, slipper (notched) (2) Slipper tension spring/ spur gear bushing & locknut			4957	
2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2) 2765 Shock shafts, steel, chrome finish (long) (2) 2765 Shock shafts, steel, chrome finish (X-long) (2) 2760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) 2761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 2762 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 2763 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 2764 Silicone shock oil (30 wt) 2765 Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2766 Silicone shock oil (30 wt) 2766 Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2) 2765 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2766 Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) 2762 Ultra Shocks (grey) (long) (long) (long		• • • • • • • • • • • • • • • • • • • •	3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers
Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) Shocks (Pro-level Alu			2762	
2765 Shock shafts, steel, chrome finish (X-long) (2) 4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) 4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 4762 Sliicone shock oil (30 wt) 4764 Shocks (Pro-level Aluminum) 4765 Shocks (Pro-level Aluminum) 4766 Big Bore shock cylinder (long) (1) 4767 Shocks (grey) (iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 4768 Slipper Clutch Components 4769 Slipper Clutch Components 4760 Shocks (Pro-level Aluminum) 4760 Slipper Shocks (Pro-level Aluminum) 4760 Slipper Shock cylinder (long) (1) 4760 Slipper Shock cylinder (Iong) (1) 4760 Slipper Shocks (grey) (Iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 4760 Slipper Clutch Components 4760 Slipper (12) 4761 Shocks (grey) (iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 4761 Slipper Clutch Components 4761 Shocks (grey) (iong) (complete w/ spring pre-load spacers & springs) (rear) (2) 4762 Slipper Clutch Components 4763 Friction pegs, slipper (12) 4764 Pressure plate, slipper (1) 4765 Pressure plate, slipper (1) 4766 Slipper (Ionder) (2) 4766 Slipper (Ionder) (2) 4766 Slipper (Ionder) (2) 4767 Slipper (Ionder) (2) 4768 Slipper (Ionder) (2) 4769 Slipper (Ionder) (2) 4769 Slipper (Ionder) (2) 4760 Slipper (Ionder) (2)		• • • • • • • • • • • • • • • • • • • •	3/02	
4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) 4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 1666 Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) 2664 Big Bore shock cylinder (long) (1) 2666 Big Bore shock cylinder (XX-long) (1) Shocks (PTFE-coated T6 aluminum) w/o springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Slipper Clutch Components Friction pegs, slipper (12) Pressure plate, slipper (1) Pressure rings, slipper (notched) (2) Slipper tension spring/ spur gear bushing & locknut		· · · · · · · · · · · · · · · · · · ·	3760A	
4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) 1666 Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) 2664 Big Bore shock cylinder (long) (1) 2666 Big Bore shock cylinder (XX-long) (1) Springs) (rear) (2) Slipper Clutch Components 4685 Friction pegs, slipper (12) Pressure plate, slipper (1) Pressure rings, slipper (notched) (2) Slipper tension spring/ spur gear bushing & locknut		Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o		springs) (2)
1666 Silicone shock oil (30 wt) Shocks (Pro-level Aluminum) 2664 Big Bore shock cylinder (long) (1) 2666 Big Bore shock cylinder (XX-long) (1) 267 Friction pegs, slipper (12) 4685 Pressure plate, slipper (1) 4682 Pressure rings, slipper (notched) (2) Slipper tension spring/ spur gear bushing & locknut	4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o		springs) (rear) (2)
Shocks (Pro-level Aluminum) 4625 Pressure plate, slipper (12) 4625 Pressure rings, slipper (notched) (2) 4626 Big Bore shock cylinder (XX-long) (1) 4622 Pressure rings, slipper (notched) (2) 4625 Slipper tension spring/ spur gear bushing & locknut	1666		4605	
2664 Big Bore shock cylinder (long) (1) 4622 Pressure rings, slipper (notched) (2) 2666 Big Bore shock cylinder (XX-long) (1) 1994 Slipper tension spring/ spur gear bushing & locknut				
2666 Big Bore shock cylinder (XX-long) (1) 1994 Slipper tension spring/ spur gear bushing & locknut	2664	· · · · · · · · · · · · · · · · · · ·		
3				
. • , , , ,				

Page 4 Nitro Slash: TRX 3.3, TQi Traxxas Link Enabled 2.4GHz Radio, & TSM (Model 44056-3) Parts List

045	Spur Gears	5440	Tires & Wheels
615	Slipper clutch set (complete)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
470	Spur gear (70-Tooth) (32-Pitch) w/bushing	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #685/ #6469)
472	Spur gear (72-Tooth) (32-pitch) w/bushing	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
	Steering Components	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
728	Ball bearings (5x8x2.5mm) (2)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
)72A	Gear set (for 2070, 2075 servos)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	1647	Silicone grease
742	Rod ends, long (6)/ hollow ball connectors (6)	2754	Stub axle pins (4)
744	Servo saver w/adapters	5864	Tire & wheel assy, glued (SCT black, orange beadlock wheels, SC
070	Servo, digital high-torque (ball bearing)		off-road racing tires, foam inserts) (2) (2WD front)
)75	Servo, digital high-torque (ball bearing), waterproof	5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlo
)55	Servo, high-torque		wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts
)56	Servo, high-torque, waterproof (blue case)		(2) (2WD Front)
742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)	5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlo
740	(2)/ draglink shoulder screws (chrome) (2)		wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (
'43 '43A	Steering belleranks (l&r)/ draglink	5880X	(4WD f/r, 2WD rear)
43A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	3000X	Tires & wheels, assembled, glued (SCT satin chrome, beadlo style wheels, Kumho tires, foam inserts) (2) (4WD front/rear,
43P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/		2WD rear only)
43F	5x8mm ball bearings (4)/ hardware (assembled)	5880	Tires & wheels, assembled, glued (SCT satin chrome, black
43X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/	5000	beadlock style wheels, Kumho tires, foam inserts) (2) (4WD
40X	5x8mm ball bearings (4)/ hardware (assembled)		front/rear, 2WD rear only)
35	Turnbuckles, 36mm (2)	5882	Tires & wheels, assembled, glued (SCT Split-Spoke satin
39A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)		chrome, black beadlock style wheels, Kumho tires, foam inse
•	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum		(2) (2WD front)
	wrench #5477)	6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racin
39X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)		compound) (SCT Split-Spoke satin chrome, black beadlock st
	(assembled with rod ends & hollow balls) (requires 5mm		wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/re
	aluminum wrench #5477)	FOOOD	2WD rear only)
45	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	5882R	Tires & wheels, assembled, glued (\$1 ultra-soft off-road racin
	with rod ends and hollow balls)		compound) (SCT Split-Spoke satin chrome, black beadlock st wheels, Kumho tires, foam inserts) (2) (2WD front)
46	Washers, 3x6mm metal (12)	6874R	Tires & wheels, assembled, glued (\$1 ultra-soft off-road racin
	Suspension Linkage	007-11	compound) (SCT Split-Spoke satin chrome, black beadlock st
42	Attachment screws, shock (3x12mm shoulder screws) (6)		wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD r
33	E-clips/ C-rings		only)
25	Rod ends (12)/ hollow balls (12)	5877R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racin
42	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)		compound) (SCT Split-Spoke chrome, red beadlock style whe
'39	Screw pin set (Rustler/ Bandit/ Stampede)		BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)
44	Servo saver w/adapters	6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racin
939	Suspension pin set, hard chrome (w/ E-clips)		compound) (SCT Split-Spoke chrome, red beadlock style whe
739	Suspension pin set, stainless steel (w/ E-clips)		BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2 (4WD f/r, 2WD rear)
640	Suspension pins, 44mm (2) w/ E-clips	5863	Tires & wheels, assembled, glued (SCT black, orange beadlock
640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	3003	wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire
	complete suspension pin set) (Rustler, Stampede, Bandit)		foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm	5869	Tires & wheels, assembled, glued (SCT chrome, red beadlock
	(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for		style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, fo
727	complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, front, 39mm		inserts) (2) (2WD front)
37	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock
	complete camber link set)		style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, fo
'41A	Turnbuckles, aluminum (blue-anodized), camber links, front,		inserts) (2)(4WD front/rear, 2WD rear only)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	5873R	Tires & wheels, assembled, glued (SCT satin chrome red
	wrench		beadlock wheels, ultra-soft S1 compound off-road racing tires
39A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	5891V	inserts) (2) (2WD rear, 4WD f/r) Tires & wheels, assembled, glued (SCT satin chrome, headler
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	5881X	Tires & wheels, assembled, glued (SCT satin chrome, beadloostyle wheels, Kumho tires, foam inserts) (2) (2WD front)
	wrench #5477)	5875	Tires & wheels, assembled, glued (SCT satin chrome, beadlog
741X	Turnbuckles, aluminum (red-anodized), camber links, front,	50.5	style wheels, SCT off-road racing tires, foam inserts) (2) (2WD
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow		front)
	balls)/wrench	5873	Tires & wheels, assembled, glued (SCT satin chrome, beadlog
139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)		style wheels, SCT off-road racing tires, foam inserts) (2) (4WD
	(assembled with rod ends & hollow balls) (requires 5mm		front/rear, 2WD rear only) (TSM rated)
644	aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled	5878	Tires & wheels, assembled, glued (SCT satin chrome, black
,	with rod ends and hollow balls) (1 left, 1 right)		beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KN
45	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled		tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
.0	with rod ends and hollow balls)	5881	Tires & wheels, assembled, glued (SCT satin chrome, black
	·		beadlock style wheels, Kumho tires, foam inserts) (2) (2WD
	Team Traxxas Items	EOZEV	front) Tires 8 wheels assembled gland (SCT setin abrome black
514	Decal sheet, racing sponsors	5875X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts
50	Official Team Traxxas racing decal set (flag logo/ 6-color)		(2) (2WD front)
909	Traxxas racing banner, red & black (3x7 feet)	5873X	Tires & wheels, assembled, glued (SCT satin chrome, black beadl
	Throttle & Brake Linkage	0010/	style wheels, SCT off-road racing tires, foam inserts) (2) (4WD
183	Brake lever		front/rear, 2WD rear only)
	Collars, screw (2)/ set screws, 3mm (2)	5873A	Tires & wheels, assembled, glued (SCT satin chrome, red-
87			beadlock style wheels, SCT off-road tires, foam inserts) (2) (4)
80	Rod guides (2)/ 3mm nylon locknuts (2) Serve horn, throttle-brake/ shift (1)		front/rear, 2WD rear only)
180 182	Servo horn, throttle-brake/ shift (1)	6873A	front/rear, 2WD rear only) Tires & wheels, assembled, glued (SCT Split-Spoke chrome, r
182 180 182 184 484		6873A	

6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin	5866	Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
	chrome, black beadlock style wheels, BFGoodrich® Mud- Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)	6875	outer, 3.0" inner) (2) (2WD front only) Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)
6874	Tires & wheels, assembled, glued (SCT Split-Spoke satin		Transmission Components
	chrome, black beadlock style wheels, Kumho tires, foam inserts)	4607	Ball bearings (5x11x4mm) (8)
385	(2) (4WD front/rear, 2WD rear only) Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
500	chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A®	4184	Brake brackets (inner & outer)
	KM2 tires, foam inserts) (2) (2WD Front)	4464	Brake disc, composite/ brake adapter
383	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A®	4192 4181	Bulkhead (rear) Differential gear (45-tooth)/ side cover plate & screws
	KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)	4434	Gearbox brace/ clutch guard
877A	Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red	4434A	Gearbox brace/ clutch guard (grey)
	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	4491A	Gearbox halves (grey) (left & right)
877	Tires & wheels, assembled, glued (SCT Split-Spoke, satin	4491 4496	Gearbox halves (I&r)
	chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™	2382	Idler gear, steel (20-tooth) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignmen
065	T/A® KM2 tires, foam inserts) (2) (2WD front)		shaft (1) all hardened steel
865	Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts)	1647	Silicone grease
	(2) (2WD front only)	4615	Slipper clutch set (complete)
876	Tires & wheels, assembled, glued (SCT, chrome, green beadlock	4484 4493	Throttle & brake rods/ hardware (for slide carb) Top drive gear (16-tooth)/ slipper shaft
	wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)	1100	Turnbuckles & Threaded Rods
871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-	5525	Rod ends (12)/ hollow balls (12)
	2.2/3.0") (2)/ foam inserts (2)	1942	Rod ends (12)/ Hollow balls (12) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball scre
871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2, ultra-soft (S1 off-		(2)
	road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	2742	Rod ends, long (6)/ hollow ball connectors (6)
870	Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	5347 2742X	Rod ends, Revo (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)
870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39m
871	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam		(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
071	inserts (2)	0707	complete camber link set)
871R	Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
654 654	Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler/Stampede front) (2)/ axle pins	1935	Turnbuckles, 36mm (2)
853X	(2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts,	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow ball wrench
	splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)
252	pin (4)/wrench, 5mm		(assembled w/ rod ends & hollow balls) (requires 5mm alumino
353 480X	Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm	07447	wrench #5477)
870X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)	3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
868X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer,	3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
870	3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)	3644	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assemb
868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)	3745	with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assemble
874 872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer,		with rod ends and hollow balls)
012	3.0" inner) (4WD front/rear, 2WD rear only)		
872X	Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)		
874X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)		If you have questions or need technical assistance, call Traxxas at:
874A 872A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2"		1-888-TRAXXAS (1-888-872-9927) (U.S. residents only)
6886A	outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile		For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
5884A	(2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile		TRAXXAS.COM
5886	(2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)		
5884	Wheels SCT Split-Spoke black satin chrome headlock style dual		

Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)

Wheels, SCT Split-Spoke, chrome, red beadlock style, dual

Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2) Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)

Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear

profile (2.2" outer, 3.0" inner) (2WD front) (2)

5884 **6872X 5876A**

6872A 5876 6872

only) (2)