



Slash (Model 58034-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1675 **Bushings, self-lubricating (5x11x4mm) (14)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 **Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
- 5815 **Body, Ford Raptor® (first generation) (clear, requires painting)**
- 5815A **Body, Ford Raptor®, blue (first generation) (painted, decals applied)**
- 5815X **Body, Ford Raptor®, white (first generation) (painted, decals applied)**
- 6811 **Body, Slash 4X4 (clear, requires painting)/ window masks/ decal sheet**
- 6817 **Body, Slash 4X4, Amsoil (painted, decals applied)**
- 6831 **Body, Slash 4X4, Chad Hord (painted, decals applied)**
- 6820 **Body, Slash 4X4, Jeff Kincaid (painted, decals applied)**
- 6825X **Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)**
- 6826R **Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals applied)**
- 6811X **Body, Slash 4X4, ProGraphix (Graphics are printed, requires paint & final color application)/ decal sheet**
- 6889 **Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals applied)**
- 6849 **Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)**
- 2514 **Decal sheet, racing sponsors**
- 5813 **Decal Sheet, Slash**
- 9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**

Chassis & Attachments

- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
- 5526R **Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools**
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
- 5835 Bumper, front/ bumper mount, front (black)
- 5835P **Bumper, front/ bumper mount, front (pink)**
- 5836 Bumper, rear/ bumper mount, rear (black)
- 5836P **Bumper, rear/ bumper mount, rear (pink)**
- 5830 **Chassis conversion kit, low CG (Slash)**
- 5832 **Chassis, low CG (black)**
- 5832A **Chassis, low CG (blue)**
- 5832G **Chassis, low CG (grey)**
- 5822 Chassis, Slash
- 5822A **Chassis, Slash (black)**
- 5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
- 5827X **Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)**
- 5831 **Lower chassis, low CG (black)**
- 5831A **Lower chassis, low CG (blue)**
- 5831G **Lower chassis, low CG (grey)**
- 5823 Nerf bars, chassis (black)
- 5833 **Nerf bars, low CG (black)**
- 5833A **Nerf bars, low CG (blue)**
- 5833G **Nerf bars, low CG (grey)**
- 5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5837 Skidplates, front & rear (black)
- 5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677A **Wheelie bar mount (1) / hardware (green)**
- 3677P **Wheelie bar mount (1) / hardware (pink)**
- 3677 **Wheelie bar mount (1) / hardware (black)**

- 3677X **Wheelie bar mount (1)/ hardware (blue)**
- 3678 **Wheelie bar, assembled (black) (fits Slash, Bandit, Rustler®, Stampede® series)**
- 3678X **Wheelie bar, assembled (blue) (fits Slash, Bandit, Rustler®, Stampede® series)**
- 3678A **Wheelie bar, assembled (green) (fits Slash, Bandit, Rustler®, Stampede® series)**
- 3678P **Wheelie bar, assembled (pink) (fits Slash, Bandit, Rustler®, Stampede® series)**
- 4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Differential Components

- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

Driveline Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X **Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X **Differential output yokes, heavy duty (2)/ screw pin (2)**
- 6852X **Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)**
- 6852R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 1953 **Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
- 6750 **Half shaft, external splined (steel-spline constant-velocity) (1)**
- 6751 **Half shaft, internal splined (steel-spline constant-velocity) (1)**
- 6850X **Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)**
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652P **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X **Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)
- 6753 **Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)**
- 2753X Stub axles, rear (2)
- 6853X **Stub axles, rear, heavy duty (2)/pins (2)**

Front Suspension & Steering

- 3637 Axles (front) (2)
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2530 **Bulkhead (front) (black)**
- 2530A Bulkhead (front) (grey)
- 3644X **Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)**
- 3644G **Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)**
- 3644R **Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)**
- 3632 Caster blocks (l&r) (30-degree)

Page 2 Slash: TQ 2.4GHz Radio (Model 58034-1) Parts List

| | |
|-------|--|
| 3632A | Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632G | Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632P | Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632X | Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 3744 | Servo saver w/adapters |
| 3639 | Shock tower (front) |
| 3743 | Steering bellcranks (l&r)/ draglink |
| 3743A | Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743G | Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743P | Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743X | Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 6845X | Steering bellcranks/ servo saver/ servo spring/ servo spring retainer/servo horn, steering |
| 3736 | Steering blocks, left & right (2) (requires 5x11x4mm bearings) |
| 3636A | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3636G | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3636P | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3636X | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 3631 | Suspension arms (front) (2) |
| 3631X | Suspension arms, black, front, heavy duty (2) |
| 3631A | Suspension arms, blue, front, heavy duty (2) |
| 3631G | Suspension arms, green, front, heavy duty (2) |
| 3631T | Suspension arms, orange, front, heavy duty (2) |
| 3631R | Suspension arms, red, front, heavy duty (2) |
| 3631L | Suspension arms, white, front, heavy duty (2) |
| 2640 | Suspension pins, 44mm (2) w/ e-clips |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) |
| 2532 | Tie bar, fiberglass |
| 1935 | Turnbuckles, 36mm (2) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |

Hardware

| | |
|-------|--|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 3935 | Body clip (mounting clip), angled, 90-degrees (10) |
| 3935A | Body clip (mounting clip), angled, 90-degrees (black) (10) |
| 3934 | Body clips, heavy duty (12) |
| 1589 | Double-sided adhesive tape (25mm x 25mm) (2) |
| 1633 | E-clips/ C-rings |
| 2586 | Screws, 3x15mm cap-head machine (hex drive) (6) |
| 2745 | Nuts, 3mm nylon locking (12) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1747 | Nuts, 4mm nylon locking (10) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) |
| 1747P | Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 5525 | Rod ends (12)/ hollow balls (12) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) |
| 4859 | Screws, 3x10mm flat-head machine (hex drive) (4) |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) |
| 2552 | Screws, 3x12mm countersunk machine (6) (hex drive) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |

| | |
|-------|---|
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 2583 | Screws, 3x18mm button-head machine (hex drive) (6) |
| 2580 | Screws, 3x20mm button-head machine (hex drive) (6) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) |
| 2592 | Screws, 3x40mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 3937 | Screws, 4x12mm button-head machine (hex drive) (6) |
| 2542 | Screws, 4x12mm countersunk machine (hex drive) (6) |
| 2546 | Screws, 4x15mm countersunk machine (hex drive) (6) |
| 2743 | Set (grub) screws, 3mm hardened (12) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 3742 | Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6) |
| 2754 | Stub axle pins (4) |
| 2746 | Washers, 3x6mm metal (12) |

Motors & Electronics

| | |
|-------|---|
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2260 | BEC assembly (complete) |
| 3790 | Gear adapter, fixed |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 3785 | Motor, Titan® 12T (12-Turn, 550 size) |
| 3351R | Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 3350R | Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R)) |
| 3355R | Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) |

Radio System, Batteries & Chargers

| | |
|-------|--|
| 2842X | 5000mAh 7.4v 2-Cell 25C LiPo Battery |
| 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC converter, 40W |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) |
| 5526 | Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools |
| 5526R | Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools |
| 2943 | Battery charge indicators (green (4), blue (4), grey (4)) |
| 6548 | Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) |
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 2926X | Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2941X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2951X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 2961X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) |
| 2983 | Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2992 | Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2995 | Battery/charger complete pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2260 | BEC assembly (complete) |
| 2975 | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |

Page 3 Slash: TQ 2.4GHz Radio (Model 58034-1) Parts List

| | |
|-------|---|
| 2972 | Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2973 | Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification |
| 2971 | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2970 | Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 6525 | Communication link, telemetry expander |
| 2978 | Fuse, charger, 5A (2) (for #2974, 2975, 2977) |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |
| 6554 | Mount, telemetry expander (fits Bandit, Rustler®, Slash 2WD) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 6519 | Receiver, micro, TQ 2.4GHz (3-channel) |
| 6518 | Receiver, micro, TQi 2.4GHz with telemetry (5-channel) |
| 6552 | Seal kit, expander box (includes o-ring, seals, and silicone grease) |
| 6526 | Sensor, auto-detectable, temperature |
| 6527 | Sensor, auto-detectable, voltage |
| 6520 | Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) |
| 6521 | Sensor, temperature and voltage (long) |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 6553X | Telemetry expander 2.0 and GPS module 2.0, TQi radio system |
| 6550X | Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) |
| 6550 | Telemetry expander, TQi radio system |
| 6551X | Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander) |
| 6540 | Telemetry trigger magnet, 5X2mm (1) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) |
| 6516 | Transmitter, TQ 2.4GHz, 2-channel (transmitter only) |
| 6528 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) |
| 6529 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) |
| 6530 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 3355R | Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |
| 6537 | Wire retainers, gear cover/ 3x4mm BCS (2) |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) |

Ready-To-Race Model

| | |
|---------|---|
| 58034-1 | Slash: 1/10-Scale 2WD Short Course Racing Truck with TQ 2.4GHz radio system |
|---------|---|

Rear Suspension

| | |
|-------|---|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 3644X | Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) |
| 3644G | Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) |
| 3644R | Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) |
| 1951 | Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4) |
| 3638 | Shock tower (rear) |
| 3752 | Stub axle carriers (2) (requires 5x11x4mm bearings) |

| | |
|-------|--|
| 3652A | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3652G | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3652X | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 2753X | Stub axles, rear (2) |
| 2555 | Suspension arms, (rear) (2) |
| 2555X | Suspension arms, black, rear, heavy duty (2) |
| 2555A | Suspension arms, blue, rear, heavy duty (2) |
| 2555G | Suspension arms, green, rear, heavy duty (2) |
| 2555T | Suspension arms, orange, rear, heavy duty (2) |
| 2555R | Suspension arms, red, rear, heavy duty (2) |
| 2555L | Suspension arms, white, rear, heavy duty (2) |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |

Shocks (Pro-level Aluminum)

| | |
|-------|---|
| 2664 | Big Bore shock cylinder (long) (1) |
| 2666 | Big Bore shock cylinder (XX-long) (1) |
| 5862 | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) |
| 2660 | Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) |
| 2662 | Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) |
| 2669 | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 2667 | Shock caps, aluminum (Big Bore Shocks) (2) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 1666 | Silicone shock oil (30 wt) |
| 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| 5860 | Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) |
| 5859 | Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) |

Shocks (Ultra Shocks)

| | |
|-------|---|
| 3765A | Body, Ultra Shock(s) (long) (grey) (2) |
| 3766A | Body, Ultra Shock(s) (XXL) (grey) (2) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3767 | Shock caps (2)/ shock bottoms (2) |
| 8361 | Shock caps (black) (4) (assembled with hollow balls) |
| 3767A | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) |
| 3767G | Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) |
| 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) |
| 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6) |
| 1765 | Silicone diaphragms (4) |
| 1666 | Silicone shock oil (30 wt) |
| 3769 | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) |
| 3768 | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2)) |
| 2458 | Springs, front (black) (2) |
| 2458P | Springs, front (pink) (2) |
| 5857P | Springs, front (pink) (progressive rate) (2) |
| 2458A | Springs, front (white) (2) |

Page 4 Slash: TQ 2.4GHz Radio (Model 58034-1) Parts List

| | |
|-------|--|
| 5857 | Springs, front (white) (progressive rate) (2) |
| 3757 | Springs, rear (black) (2) |
| 3757T | Springs, rear (blue) (2) |
| 3757A | Springs, rear (green) (2) |
| 3757P | Springs, rear (pink) (2) |
| 5858P | Springs, rear (pink) (progressive rate) (2) |
| 3757X | Springs, rear (white) (2) |
| 5858 | Springs, rear (white) (progressive rate) (2) |
| 4957 | Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) |
| 3760 | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) |
| 3762 | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 3760A | Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) |
| 3762A | Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |

Slipper Clutch Components

| | |
|-------|--|
| 3793 | Input shaft (slipper shaft) / spring pin |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |

Spur Gears & Pinion Gears

| | |
|------|---|
| 3790 | Gear adapter, fixed |
| 2416 | Gear, 16-T pinion (48-pitch) / set screw |
| 1918 | Gear, 18-T pinion (48-pitch) / set screw |
| 2419 | Gear, 19-T pinion (48-pitch) / set screw |
| 2423 | Gear, 23-T pinion (48-pitch) / set screw |
| 2426 | Gear, 26-T pinion (48-pitch)/set screw |
| 2431 | Gear, 31-T pinion (48-pitch) / set screw |
| 4725 | Gear, pinion (25-tooth) (48-pitch) / set screw |
| 4728 | Gear, pinion (28-tooth) (48-pitch)/ set screw |
| 4683 | Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4686 | Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4690 | Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) |

Steering Components

| | |
|-------|--|
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 2545 | Bellcrank bushings (plastic) (5x8x2.5mm) (4) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 3744 | Servo saver w/adapters |
| 3742 | Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) |
| 3743 | Steering bellcranks (l&r) draglink |
| 3743A | Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743G | Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743P | Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743X | Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 1935 | Turnbuckles, 36mm (2) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |
| 2746 | Washers, 3x6mm metal (12) |

Suspension Linkage

| | |
|-------|--|
| 3644X | Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) |
| 3644G | Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) |
| 3644R | Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) |
| 5525 | Rod ends (12)/ hollow balls (12) |

| | |
|-------|--|
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 3739 | Screw pin set (Rustler®/ Bandit/ Stampede®) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 2640 | Suspension pins, 44mm (2) w/ e-clips |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit, Rustler®, Stampede®) |
| 3737A | Turnbuckle, aluminum (blue-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) |
| 3737 | Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) |
| 3741A | Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3741X | Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |

Team Traxxas Items

| | |
|-------|--|
| 2514 | Decal sheet, racing sponsors |
| 6160X | DVD, Maxx® Power! Full Throttle Action (sleeve) |
| 9950 | Official Team Traxxas® racing decal set (flag logo/ 6-color) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|-------|---|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5854 | Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) |
| 1747P | Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 1647 | Silicone grease |
| 2754 | Stub axle pins (4) |
| 5864 | Tire & wheel assy, glued (SCT black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) |
| 5885A | Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front) |
| 5883A | Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) |
| 5880X | Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 5880 | Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 5882 | Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) |
| 6873X | Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 5882R | Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) |
| 6874R | Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 5877R | Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front) |
| 6873R | Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) |
| 5863 | Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated) |

Page 5 Slash: TQ 2.4GHz Radio (Model 58034-1) Parts List

5869 Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A@ KM2 tires, foam inserts) (2) (2WD front)

5867 Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A@ KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)

5873R Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)

5881X Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)

5875 Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)

5873 Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)

5878 Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A@ KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)

5881 Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)

5875X Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)

5873X Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

5873A Tires & wheels, assembled, glued (SCT satin chrome, red-beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

6873A Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A@ KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)

5891 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)

6873 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A@ KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)

6874 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

5885 Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A@ KM2 tires, foam inserts) (2) (2WD Front)

5883 Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A@ KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)

5877A Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A@ KM2 tires, foam inserts) (2) (2WD front)

5877 Tires & wheels, assembled, glued (SCT Split-Spoke, satin chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A@ KM2 tires, foam inserts) (2) (2WD front)

5865 Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A@ KM2 tire, foam inserts) (2) (2WD front only)

6876 Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A@ KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)

6871 Tires, BFGoodrich® Mud-Terrain T/A@ KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)

6871R Tires, BFGoodrich® Mud-Terrain T/A@ KM2, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)

6870 Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)

6870R Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)

5871 Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)

5871R Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)

1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)

3654 Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2)

5853X Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm

5353 Wheel nuts, splined, 17mm (blue-anodized) (4)

5480X Wheel wrench, splined, 17mm

5870X Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)

5868X Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)

5870 Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)

5868 Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)

5874 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front)

5872 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)

5872X **Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)**

5874X **Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)**

5874A **Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)**

5872A **Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)**

5886A **Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)**

5884A **Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)**

5886 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)

5884 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)

6872X **Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)**

5876A Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)

6872A Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)

5876 **Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)**

6872 **Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)**

5866 **Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)**

6875 **Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)**

Transmission Components

1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench

4607 Ball bearings (5x11x4mm) (8)

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)

3792 Dust cover/rubber plug (w/ screws) (telemetry ready)

3790 Gear adapter, fixed

3691 Gearbox halves (l&r) (black) w/ idler gear shaft

3691A Gearbox halves (l&r) (grey) w/ idler gear shaft

5148 Grease, white lithium

3696 Idler gear, steel (30-tooth)

3793 Input shaft (slipper shaft) / spring pin

2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)

2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel

2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)

5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))

2554 Screws, 3x6mm cap-head machine (hex drive) (6)

3931 Screws, 3x8mm flat-head machine (hex drive) (6)

1647 Silicone grease

5556 Slipper pressure plate & hub (aluminum alloy)

3195 Top drive gear, steel (22-tooth)

Traxxas Tools

3433X Body reamer (aluminum handle)

3433 Body reamer (plastic handle)

3436 Cap, body reamer

3432 Scissors, curved tip

3431 Scissors, straight tip

8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive

8721 Speed bit handle, medium (one piece)

8720 Speed bit handle, premium, large (rubber overmold)

8722 Speed bit handle, premium, medium (rubber overmold)

Page 6 Slash: TQ 2.4GHz Radio (Model 58034-1) Parts List

- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3737A Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)
- 3737 Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM