

## Slash (Model 58034-2) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3678	Wheelie bar, assembled (black) (fits Slash, Stampede®, Rustler®, Bandit series)
4607	Ball bearings (5x11x4mm) (8)	3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede®, Rustler®,
2728	Ball bearings (5x8x2.5mm) (2)		Bandit series)
5116 <b>5114</b>	Ball bearings, blue rubber sealed (5x11x4mm) (2)  Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	3678A	Wheelie bar, assembled (green) (fits Stampede®, Rustler®,
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	3678P	Bandit series) Wheelie bar, assembled (pink) (fits Stampede®, Rustler®, Bandit
1675	Bushings, self-lubricating (5x11x4mm) (14)	30/05	series)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	4976	Wheels (4)/ axles (2), for Maxx® wheelie bar
	Body & Accessories	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
1926	Antenna caps, vinyl (2)/ antenna spool		axles (2)/ rubber tires (2)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
3935	Body clip (mounting clip), angled, 90-degrees (10)		axles (2)/ rubber tires (2)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)		Differential Components
3934	Body clips, heavy duty (12)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),	2202	Stampede, Rustler)
1815	25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
6716	Body washers (8) Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
6811	Body, Slash 4X4 (clear, requires painting)/ window masks/ decal		Stampede, Rustler)
	sheet	5169	Screws, 2.6x8mm countersunk machine (6)
817	Body, Slash 4X4, Amsoil (painted, decals applied)	1647	Silicone grease
831	Body, Slash 4X4, Chad Hord (painted, decals applied)		Driveline Components
6818	Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, decals	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
820	applied) Body, Slash 4X4, Jeff Kincaid (painted, decals applied)	4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/
6825X	Body, Slash 4X4, Jeri Kincaid (painted, decais applied)  Body, Slash 4X4, Mark Jenkins #25 (painted, decais applied)		screw pin (2)
6826R	Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals	4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
••••	applied)	6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
6811X	Body, Slash 4X4, ProGraphix (Graphics are printed, requires	6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
	paint & final color application)/ decal sheet	6852R	Driveshafts, rear, steel-spline constant-velocity (complete
6848	Body, Slash 4X4, white (2014 paint) (painted, decals applied)		assembly) (2)
6889	Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals	1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)
6849	applied) Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)		(plastic shafts only)
2514	Decal sheet, racing sponsors	6750	Half shaft, external splined (steel-spline constant-velocity) (1)
5813	Decal Sheet, Slash	6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
	Chassis & Attachments	1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools		metal U-joints (4)
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools	6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),		pins, dustboots, lube, and hardware)
	25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
F00F	2.5x8mm CS (2)/ 3x6mm BCS (2)	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
5835 <b>5835P</b>	Bumper, front/ bumper mount, front (black)		aluminum (green-anodized)/ 5x11mm ball bearings (4)
5836	Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
5836P	Bumper, rear/ bumper mount, rear (pink)		aluminum (pink-anodized)/ 5x11mm ball bearings (4)
5830	Chassis conversion kit, low CG (Slash)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
5832	Chassis, low CG (black)	3652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
5832A	Chassis, low CG (blue)	3032A	aluminum (red-anodized)/ 5x11mm ball bearings (4)
5832G	Chassis, low CG (grey)	2754	Stub axle pins (4)
5822	Chassis, Slash	6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft)
5822A	Chassis, Slash (black)		(1)
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip	2753X	Stub axles, rear (2)
5827X	Hold down, battery/ hold down retainer/ battery post/ foam	6853X	Stub axles, rear, heavy duty (2)/pins (2)
	spacer/ angled body clip (allows for installation of taller, multi-		Front Suspension & Steering
	cell batteries)	3637	Axles (front) (2)
5831	Lower chassis, low CG (black)	2728	Ball bearings (5x8x2.5mm) (2)
5831A	Lower chassis, low CG (blue)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5831G	Lower chassis, low CG (grey)	2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
5823 <b>5833</b>	Nerf bars, chassis (black)  Nerf bars, low CG (black)	2530	Bulkhead (front) (black)
5833A	Nerf bars, low CG (blue)	2530A 3632	Bulkhead (front) (grey)
5833G	Nerf bars, low CG (grey)	3632 <b>3632A</b>	Caster blocks (l&r) (30-degree)  Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	0002A	& right)/ suspension screw pin (2)
5837	Skidplates, front & rear (black)	3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (lef
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)		& right)/ suspension screw pin (2)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left
3677A	Wheelie bar mount (1) / hardware (green)	00001	& right)/ suspension screw pin (2)
	Wheelie bar mount (1) / hardware (pink)	3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &
	· , , , , , , , , , , , , , , , , , , ,		right)/ suspension screw nin (2)
<b>3677P</b> 3677 <b>3677X</b>	Wheelie bar mount (1)/ hardware (black) Wheelie bar mount (1)/ hardware (blue)	5347	right)/ suspension screw pin (2) Rod ends, Revo® (large) with hollow balls (12)

3744	Servo saver w/adapters	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
3639	Shock tower (front)	07.10	captured (4)
3743	Steering bellcranks (l&r)/ draglink	3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/		(2)/ draglink shoulder screws (chrome) (2)
	5x8mm ball bearings (4)/ hardware (assembled)	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6	2754	Stub axle pins (4)
	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	2746	Washers, 3x6mm metal (12)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/		Motors & Electronics
	5x8mm ball bearings (4)/ hardware (assembled)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/	2260	BEC assembly (complete)
	5x8mm ball bearings (4)/ hardware (assembled)	3790	Gear adapter, fixed
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo	2072A	• '
	spring retainer/servo horn, steering		Gear set (for 2070, 2075 servos)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)	2252	Gear set, metal (for 2250, 2255 servos)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	3785	Motor, Titan® 12T (12-Turn, 550 size)
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6		wire and gold-plated bullet connectors)
	aluminum (green-anodized)/ 5x11mm ball bearings (4)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
3631	Suspension arms (front) (2)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2640	Suspension pins, 44mm (2) w/ e-clips	2075	Servo, digital high-torque (ball bearing), waterproof
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2532	Tie bar, fiberglass	2255	Servo, digital high-torque 400 brushless, metal gear (ball
1935	Turnbuckles, 36mm (2)		bearing), waterproof
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	3355R	Velineon® VXL-3s Electronic Speed Control, waterproof
31337	(assembled with rod ends & hollow balls) (requires 5mm	000010	(brushless) (fwd/rev/brake)
	aluminum wrench #5477)	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled	001010	detection, fwd/rev/brake)
0011	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on		, ,
	Slash)		On-Board Audio System
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	6581	Double-sided adhesive, sound output module (4)
	with rod ends and hollow balls)	6585	Mounts, sound output module, Slash (front & rear)
	Hardware	6580	Sound output module, on-board audio system
1000			Radio System, Batteries & Chargers
1926	Antenna caps, vinyl (2)/ antenna spool	20.4014	

2842X

2843X

2252

	Hardware
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
1633	E-clips/ C-rings
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747P 1747P	
	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
<b>1747P</b> 1985	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
<b>1747P</b> 1985 5525	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12)
<b>1747P</b> 1985 5525 5347	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12) Rod ends, Revo® (large) with hollow balls (12)
<b>1747P</b> 1985 5525 5347 2742X	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)
1747P 1985 5525 5347 2742X 3215	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)
1747P 1985 5525 5347 2742X 3215 3965	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)
1747P 1985 5525 5347 2742X 3215 3965 2577	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6) Screws, 3x10mm button-head machine (hex drive) (6)
1747P 1985 5525 5347 2742X 3215 3965 2577 4859	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm flat-head machine (hex drive) (4)
1747P 1985 5525 5347 2742X 3215 3965 2577 4859 2578	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6)
1747P 1985 5525 5347 2742X 3215 3965 2577 4859 2578 2552	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12) Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive)

2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries
	to separate balance ports)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
2943	Battery charge indicators (green (4), blue (4), grey (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hat, 6.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH
2500	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
	battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1).
	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2995	Battery/charger completer pack (includes #2970 iD® charger (1),
	#2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))
2260	BEC assembly (complete)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery
	Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto
	Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery
	Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto
	Battery Identification
6525	Communication link, telemetry expander
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)

Gear set, metal (for 2250, 2255 servos)

5000mAh 7.4v 2-Cell 25C LiPo Battery

5800mAh 7.4v 2-Cell 25C LiPo Battery

Screws, 3x18mm button-head machine (hex drive) (6)

Screws, 3x20mm button-head machine (hex drive) (6) Screws, 3x23mm button-head machine (hex drive) (6)

Screws, 3x30mm button-head machine (hex drive) (6)

Screws, 3x40mm button-head machine (hex drive) (6) Screws, 3x6mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6)

Screws, 3x8mm button-head machine (hex drive) (6)

Screws, 4x12mm countersunk machine (hex drive) (6)

Screws, 4x15mm countersunk machine (hex drive) (6)

Screws, 3x8mm flat-head machine (hex drive) (6) Screws, 4x12mm button-head machine (hex drive) (6)

Set (grub) screws, 3mm hardened (12)

2583

2580

2591 2582

2592

2575 3932 2576

3931

3937 2542

2546

2743

Page 3	Slash: TQ 2.4GHz Radio & On-Board Audio System	(Model	58034-2) Parts List
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	2765	Shock shafts, steel, chrome finish (X-long) (2)
2968	Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for	4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
6554	Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)	4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	1666	springs (rear) (2) Silicone shock oil (30 wt)
	pad		Shocks (Pro-level Aluminum)
6519 <b>6518</b>	Receiver, micro, TQ 2.4GHz (3-channel)	2664	Big Bore shock cylinder (long) (1)
6552	Receiver, micro, TQi 2.4GHz with telemetry (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone	2666	Big Bore shock cylinder (XX-long) (1)
0002	grease)	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
6526	Sensor, auto-detectable, temperature	0000	(assembled with TiN shafts and springs) (front & rear) (4)
6527	Sensor, auto-detectable, voltage	2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)	2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6
6521 2254	Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2362	& washers (2) (Big Bore Shocks)
	2250, 2255 servos)	1942	Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2742X	Rod ends, short (6)/ hollow balls (6)
2075 <b>2250</b>	Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),	2667	Shock caps, aluminum (Big Bore Shocks) (2)
2230	waterproof	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
CEEOV	bearing), waterproof	1664	Shock shafts, steel, chrome finish (long) (2)
6553X 6550X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (compatible only with	2656	Shock shafts, steel, chrome finish (xx-long) (2)
JJJUA	#6551X GPS module)	1765	Silicone diaphragms (4)
6550	Telemetry expander, TQi radio system	1666	Silicone shock oil (30 wt)
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6540	Telemetry trigger magnet, 5X2mm (1)	5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro		Big Bore shocks)
	receiver)	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum
6517	Transmitter, TQ 2.4GHz, 3-channel (transmitter only)		Big Bore shocks)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-		Shocks (Ultra Shocks)
6530	channel (transmitter only)	3765A	Body, Ultra Shock(s) (long) (grey) (2)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)	3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof	<b>2362</b> 1942	Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
	(brushless) (fwd/rev/brake)	1342	(2)
6537	Wire retainers, gear cover/ 3x4mm BCS (2)	2742X	Rod ends, short (6)/ hollow balls (6)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)	3767	Shock caps (2)/ shock bottoms (2)
	Ready-To-Race Model	8361	Shock caps (black) (4) (assembled with hollow balls)
50004.0		3767A 3767G	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
58034-2	Slash: 1/10-Scale 2WD Short Course Racing Truck with TQ 2.4GHz Radio System and On-Board Audio	3767P	Shock caps, aluminum (girech-unodized) (4) (fits all Ultra Shocks)
	Rear Suspension	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
5440	-	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
5116 1951	Ball bearings, blue rubber sealed (5x11x4mm) (2) Half shafts, long truck (external-splined (2) & internal-splined (2)/	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
3638	metal U-joints (4) Shock tower (rear)	1664	Shock shafts, steel, chrome finish (long) (2)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)	2656	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder carrying Ultra Shocks (2x43 box drive) (6)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	<b>3642X</b> 1765	Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4)
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	1666	Silicone shock oil (30 wt)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3652P	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
30321	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	0.450	(2))
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	2458 2458P	Springs, front (black) (2) Springs, front (pink) (2)
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	2456P 5857P	Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	2458A	Springs, front (white) (2)
2753X	aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2)	5857	Springs, front (white) (progressive rate) (2)
2555	Suspension arms, (rear) (2)	5856	Springs, front (white) (progressive, +20% rate, yellow stripe) (2)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	3757	Springs, rear (black) (2)
	complete suspension pin set) (Rustler®, Stampede®, Bandit)	3757T	Springs, rear (blue) (2)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow halls) (1 left, 1 right) (fits front 8 roar on	3757A 3757P	Springs, rear (green) (2) Springs, rear (pink) (2)
	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	5858P	Springs, rear (pink) (progressive rate) (2)
	Shocks (Aluminum)	3757X	Springs, rear (white) (2)
1065		5858	Springs, rear (white) (progressive rate) (2)
1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)	4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
2742X	(2) Rod ends, short (6)/ hollow balls (6)	3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
2760	Shock caps, aluminum (2)	3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)		springs) (2)
<b>2765T</b> 1664	Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, steel, chrome finish (long) (2)	3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &
1004	onder strate, steet, entertie littisti (long) (2)		springs) (rear) (2)

Page 4 Slash: TQ 2.4GHz Radio & On-Board Audio System (Model 58034-2) Parts List

	Slipper Clutch Components	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assemble with rod ends and hollow balls)
3793 5552X	Input shaft (slipper shaft) / spring pin  Pobuild kit, slipper slutch (steel dies/ friction pade (3)/ spring (2)/ pin/		Team Traxxas Items
055ZX	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))	2514	Decal sheet, racing sponsors
:554	Screws, 3x6mm cap-head machine (hex drive) (6)	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
556	Slipper pressure plate & hub (aluminum alloy)	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
	Spur Gears & Pinion Gears	9909	Traxxas® racing banner, red & black (3x7 feet)
3790	Gear adapter, fixed		Tires & Wheels
2416	Gear, 16-T pinion (48-pitch) / set screw	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1918	Gear, 18-T pinion (48-pitch) / set screw	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856
2419	Gear, 19-T pinion (48-pitch) / set screw		#6469)
2423	Gear, 23-T pinion (48-pitch) / set screw	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
2426	Gear, 26-T pinion (48-pitch)/set screw	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
2431	Gear, 31-T pinion (48-pitch) / set screw	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
4725 4728	Gear, pinion (25-tooth) (48-pitch) / set screw	1747P 1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
4683	Gear, pinion (28-tooth) (48-pitch)/ set screw Spur gear, 83-tooth (48-pitch) (for models with Torque-Control	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1000	slipper clutch)	1647	Silicone grease
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control	2754	Stub axle pins (4)
	slipper clutch)	5864	Tire & wheel assy, glued (SCT black, orange beadlock wheels, SC
1690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper		off-road racing tires, foam inserts) (2) (2WD front)
	clutch)	5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlog wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts
	Steering Components		(2) (2WD Front)
2728	Ball bearings (5x8x2.5mm) (2)	5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadloo
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)		wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)		(4WD f/r, 2WD rear)
2742 5347	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)	5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadloo
3744	Servo saver w/adapters		style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)	5880	Tires & wheels, assembled, glued (SCT satin chrome, black
	(2)/ draglink shoulder screws (chrome) (2)		beadlock style wheels, Kumho tires, foam inserts) (2) (4WD
3743	Steering bellcranks (l&r)/ draglink		front/rear, 2WD rear only)
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/	5882	Tires & wheels, assembled, glued (SCT Split-Spoke satin
7420	5x8mm ball bearings (4)/ hardware (assembled)		chrome, black beadlock style wheels, Kumho tires, foam inser (2) (2WD front)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/		compound) (SCT Split-Spoke satin chrome, black beadlock sty
	5x8mm ball bearings (4)/ hardware (assembled)		wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rea
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/		2WD rear only)
	5x8mm ball bearings (4)/ hardware (assembled)	5882R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock sty
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo		wheels, Kumho tires, foam inserts) (2) (2WD front)
1935	spring retainer/servo horn, steering Turnbuckles, 36mm (2)	6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)		compound) (SCT Split-Spoke satin chrome, black beadlock sty
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum		wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD re
	wrench #5477)	5877R	only) Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	30//K	compound) (SCT Split-Spoke chrome, red beadlock style whee
	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)		BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racin
	with rod ends and hollow balls)		compound) (SCT Split-Spoke chrome, red beadlock style whee
2746	Washers, 3x6mm metal (12)		BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)
	Suspension Linkage	5863	(4WD f/r, 2WD rear) Tires & wheels, assembled, glued (SCT black, orange beadlock
5525	Rod ends (12)/ hollow balls (12)	0000	wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire
5347	Rod ends, Revo® (large) with hollow balls (12)		foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)	5869	Tires & wheels, assembled, glued (SCT chrome, red beadlock
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,		style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, for
	captured (4)	5867	inserts) (2) (2WD front)  Tires & wheels, assembled, glued (SCT chrome, red beadlock
2640	Suspension pins, 44mm (2) w/ e-clips	3001	style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, for
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a		inserts) (2)(4WD front/rear, 2WD rear only)
		5873R	Tires & wheels, assembled, glued (SCT satin chrome red
	complete suspension pin set) (Rustler®, Stampede®, Bandit)		
3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled		beadlock wheels, ultra-soft S1 compound off-road racing tires
3737A		5004V	inserts) (2) (2WD rear, 4WD f/r)
3737A 3737	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)	5881X	inserts) (2) (2WD rear, 4WD f/r) Tires & wheels, assembled, glued (SCT satin chrome, beadloc
3737A 3737	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front,		inserts) (2) (2WD rear, 4WD f/r) Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front)
3737A 3737	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	<b>5881X</b> 5875	inserts) (2) (2WD rear, 4WD f/r) Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front)
3737A 3737 3741A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench		inserts) (2) (2WD rear, 4WD f/r) Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock sty wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock sty
8737A 8737 8741A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	5875	inserts) (2) (2WD rear, 4WD f/r) Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock st wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock st wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rea
3737A 3737 3741A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	5875 5873	inserts) (2) (2WD rear, 4WD f/r) Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock style), SCT off-road racing tires, foam inserts) (2) (4WD front/rea 2WD rear only) (TSM rated)
3737A 3737 3741A 3139A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front,	5875	inserts) (2) (2WD rear, 4WD f/r) Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock style), SCT off-road racing tires, foam inserts) (2) (4WD front/rea 2WD rear only) (TSM rated) Tires & wheels, assembled, glued (SCT satin chrome, black
	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	5875 5873	inserts) (2) (2WD rear, 4WD f/r)  Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front)  Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)  Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rea 2WD rear only) (TSM rated)  Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM
3737A 3737 3741A 3139A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	5875 5873	inserts) (2) (2WD rear, 4WD f/r) Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT satin chrome, beadlock style), SCT off-road racing tires, foam inserts) (2) (4WD front/rea 2WD rear only) (TSM rated) Tires & wheels, assembled, glued (SCT satin chrome, black
8737A 8737 8741A 8139A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	5875 5873 <b>5878</b>	inserts) (2) (2WD rear, 4WD f/r)  Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front)  Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)  Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rea 2WD rear only) (TSM rated)  Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
8737A 8737 8741A 8139A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm	5875 5873 <b>5878</b> <b>5881</b>	inserts) (2) (2WD rear, 4WD f/r)  Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front)  Tires & wheels, assembled, glued (SCT satin chrome, beadlock sty wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)  Tires & wheels, assembled, glued (SCT satin chrome, beadlock sty wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rea 2WD rear only) (TSM rated)  Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM tires, foam inserts) (2)(4WD front/rear, 2WD rear only)  Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
8737A 8737 8741A 8139A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	5875 5873 <b>5878</b>	inserts) (2) (2WD rear, 4WD f/r)  Tires & wheels, assembled, glued (SCT satin chrome, beadloc style wheels, Kumho tires, foam inserts) (2) (2WD front)  Tires & wheels, assembled, glued (SCT satin chrome, beadlock st wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)  Tires & wheels, assembled, glued (SCT satin chrome, beadlock st wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rea 2WD rear only) (TSM rated)  Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM tires, foam inserts) (2)(4WD front/rear, 2WD rear only)  Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD

Page 5 Slash: TQ 2.4GHz Radio & On-Board Audio System (Model 58034-2) Part	s List
--	--------

Page 5	Slash: TQ 2.4GHz Radio & On-Board Audio System	•	,
5873X	Tires & wheels, assembled, glued (SCT satin chrome, black	5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual
	beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	6872X	profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, green beadlock style, dual
5873A	Tires & wheels, assembled, glued (SCT satin chrome, red- beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD	5876A	profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile
6873A	front/rear, 2WD rear only) Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	6872A	(2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
5004	tires, foam inserts) (2) (4WD f/r, 2WD rear)	5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style,
5891	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (2)	6872	dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT Split-Spoke, satin chrome, black beadlock style,
6873	(4WD front/rear, 2WD rear only) (TSM rated) Tires & wheels, assembled, glued (SCT Split-Spoke satin		dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
	chrome, black beadlock style wheels, BFGoodrich® Mud- Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)	5866	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
6974	(TSM rated)	6875	Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
6874	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts)		outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)  Transmission Components
5885	(2) (4WD front/rear, 2WD rear only) Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin	1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
	chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A®	4607	Ball bearings (5x11x4mm) (8)
5883	KM2 tires, foam inserts) (2) (2WD Front) Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin	5116 3792	Ball bearings, blue rubber sealed (5x11x4mm) (2)  Dust cover/rubber plug (w/ screws) (telemetry ready)
	chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A®	3790	Gear adapter, fixed
5877A	KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear) Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red	3691	Gearbox halves (I&r) (black) w/ idler gear shaft
3011A	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	3691A 5148	Gearbox halves (l&r) (grey) w/ idler gear shaft
	tires, foam inserts) (2) (2WD front)	3696	Grease, white lithium Idler gear, steel (30-tooth)
5877	Tires & wheels, assembled, glued (SCT Split-Spoke, satin	3793	Input shaft (slipper shaft) / spring pin
	chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
5865	Tires & wheels, assembled, glued (SCT, chrome, green beadlock	0000	Stampede, Rustler)
	wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
6876	Tires & wheels, assembled, glued (SCT, chrome, green beadlock	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
	wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
6871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-	0554	4.0mm NL (1)/ 5.0mm NL (1))
	2.2/3.0") (2)/ foam inserts (2)	2554 3931	Screws, 3x6mm cap-head machine (hex drive) (6) Screws, 3x8mm flat-head machine (hex drive) (6)
6871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off- road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam	1647	Silicone grease
	inserts (2)	5556	Slipper pressure plate & hub (aluminum alloy)
6870	Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	3195	Top drive gear, steel (22-tooth)
6870R	Tiron Kumba ultra coft (C1 off road roaing compound) (dual		
007010	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4 3x1 7- 2 2/3 0") (2)/ foam inserts (2)		Traxxas Tools
5871	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam	3433X 3433	Body reamer (aluminum handle)
5871	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)		
	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam	3433 3436 3432	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip
5871 <b>5871R</b> 1654	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2)	3433 3436 3432 3431	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip
5871 <b>5871R</b>	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)	3433 3436 3432	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
5871 <b>5871R</b> 1654	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins	3433 3436 3432 3431	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
5871 5871R 1654 3654	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle	3433 3436 3432 3431 8712	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
5871 5871R 1654 3654 5853X	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm	3433 3436 3432 3431	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
5871 5871R 1654 3654	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle	3433 3436 3432 3431 8712	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers
5871 5871R 1654 3654 5853X	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT black, orange beadlock style, dual profile (2.2" outer,	3433 3436 3432 3431 8712	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
5871 5871R 1654 3654 5853X 5353 5480X	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm	3433 3436 3432 3431 8712	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)	3433 3436 3432 3431 8712 8722 8711	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X 5870	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)	3433 3436 3432 3431 8712 8722 8711	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD ffr, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0"	3433 3436 3432 3431 8712 8722 8711	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X 5870	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)	3433 3436 3432 3431 8712 8722 8711 8719	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X 5870 5868	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD ffr, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front)	3433 3436 3432 3431 8712 8722 8711 8719 8716 8716X	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X 5870 5868 5874	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD fr, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)	3433 3436 3432 3431 8712 8722 8711 8719 8716 8716X 8715	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit handle, premium (rubber overmold) Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X 5870 5868 5874 5872	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm (blue-anodized) (4) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front)	3433 3436 3432 3431 8712 8722 8711 8719 8716 8716X 8715X	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm, 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm and 8mm nut
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X 5870 5868 5874 5872 5872X	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)	3433 3436 3432 3431 8712 8722 8711 8719 8716 8716X 8715X	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm, 1.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.5mm, 3.0mm), 1/4" drive Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X 5870 5868 5874 5872 5872X 5874X 5874A	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)	3433 3436 3432 3431 8712 8722 8711 8719 8716 8716X 8715X	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X 5870 5868 5874 5872 5872X 5874X 5874A 5874A	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front) (2)	3433 3436 3432 3431 8712 8722 8711 8719 8716 8716X 8715X 3415	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, 4mm 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
5871  5871R  1654 3654  5853X  5353 5480X 5870X  5868X  5870  5868  5874  5872  5872X  5874X  5874A	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)	3433 3436 3432 3431 8712 8722 8711 8719 8716 8716X 8715X 3415	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X 5870 5868 5874 5872 5872X 5874X 5874A 5874A	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD ffr, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front) (2) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile	3433 3436 3432 3431 8712 8722 8711 8719 8716 8716X 8715X 3415	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle  **Intellige Straight** Intellige Straig
5871 5871R 1654 3654 5853X 5353 5480X 5870X 5868X 5870 5868 5874 5872 5872X 5874X 5874A 5874A 5872A	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD ffr, 2WD rear) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front) (2)	3433 3436 3432 3431 8712 8722 8711 8719 8716 8716X 8715X 3415	Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle  **Tilibil Class & Tilibil Rolls** Rod ends (12)/ hollow balls (12) Rod ends, Revo® (large) with hollow balls (12) Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled

## Page 6 Slash: TQ 2.4GHz Radio & On-Board Audio System (Model 58034-2) Parts List

3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM