



# Slash (Model 58034-61) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1675 **Bushings, self-lubricating (5x11x4mm) (14)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 **Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)**
- 6811 **Body, Slash (clear, requires painting)/ window masks/ decal sheet**
- 6811R **Body, Slash, heavy duty (clear, requires painting)/ window masks/ decal sheet**
- 6811X **Body, Slash, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet**
- 2514 **Decal sheet, racing sponsors**
- 5813 **Decal sheet, Slash**
- 9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
- 5846 **Paint masks, body**

## Chassis & Attachments

- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
- 5526R **Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools**
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
- 5835X Bumper, front/ bumper mount (fits 2WD Slash®) (for LED light kit installation)
- 5838 Bumper, rear/ bumper mount (fits 2WD Slash®) (for LED light kit installation)
- 5830 **Chassis conversion kit, low CG (Slash)**
- 5832 **Chassis, low CG (black)**
- 5832A **Chassis, low CG (blue)**
- 5832G **Chassis, low CG (gray)**
- 5822 Chassis, Slash
- 5822A **Chassis, Slash (black)**
- 5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
- 5827X **Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)**
- 3690 LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #6835X for 4WD Slash®, or #6777X for 4WD Stampede®)
- 5831 **Lower chassis, low CG (black)**
- 5831A **Lower chassis, low CG (blue)**
- 5831G **Lower chassis, low CG (gray)**
- 5823 Nerf bars, chassis (black)
- 5833 **Nerf bars, low CG (black)**
- 5833A **Nerf bars, low CG (blue)**
- 5833G **Nerf bars, low CG (gray)**
- 5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5837 Skidplates, front & rear (black)
- 5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677A **Wheelie bar mount (1) / hardware (green)**
- 3677P **Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X **Wheelie bar mount (1)/ hardware (blue)**
- 3678 **Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678X **Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678A **Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®, Stampede® series)**

- 3678T **Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678P **Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678R **Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 9460 **Wheelie bar, black (assembled)/ wheelie bar mount**
- 4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

## Differential Components

- 2380 **Differential, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)**
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

## Driveline Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 9059X **Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
- 9057X **Differential output shafts, steel-splined constant-velocity (2)**
- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X **Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X **Differential output yokes, heavy duty (2)/ screw pin (2)**
- 6852A **Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)**
- 6852X **Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)**
- 6852R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 9052X **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 1953 **Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
- 9055X **Half shaft, external splined (steel-spline constant velocity) (1)**
- 6750 **Half shaft, external splined (steel-spline constant velocity) (1)**
- 9056X **Half shaft, internal splined (steel-spline constant velocity) (1)**
- 6751 **Half shaft, internal splined (steel-spline constant-velocity) (1)**
- 6850X **Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)**
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 9058X **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)**
- 6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A **Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G **Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652T **Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)**
- 3652P **Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X **Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)
- 6753 **Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)**
- 9053X **Stub axle, rear, steel-splined constant velocity (1)**
- 2753X Stub axles, rear (2)
- 6853X **Stub axles, rear, heavy duty (2)/pins (2)**

## Front Suspension & Steering

- 3637 Axles (front) (2)
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2530 **Bulkhead (front) (black)**

## Page 2 Slash: TQ™ 2.4GHz Radio (Model 58034-61) Parts List

2530A	Bulkhead (front) (gray)
3632	Caster blocks (l&r) (30-degree)
3632A	<b>Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
3632G	<b>Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
3632T	<b>Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
3632P	<b>Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
3632X	<b>Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
5347	Rod ends, Rev o® (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3744	Servo saver w/adapters
3639	Shock tower (front)
3743	Steering bellcranks (l&r)/ draglink
3743A	<b>Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)</b>
3743G	<b>Steering bellcranks, drag link (green-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)</b>
3743T	<b>Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)</b>
3743P	<b>Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)</b>
3743X	<b>Steering bellcranks, drag link (red-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)</b>
6845X	<b>Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering</b>
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	<b>Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)</b>
3636G	<b>Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)</b>
3636T	<b>Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)</b>
3636P	<b>Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)</b>
3636X	<b>Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)</b>
3631	Suspension arms (front) (2)
3631X	<b>Suspension arms, black, front, heavy duty (2)</b>
3631A	<b>Suspension arms, blue, front, heavy duty (2)</b>
3631G	<b>Suspension arms, green, front, heavy duty (2)</b>
3631T	<b>Suspension arms, orange, front, heavy duty (2)</b>
3631R	<b>Suspension arms, red, front, heavy duty (2)</b>
3631L	<b>Suspension arms, white, front, heavy duty (2)</b>
2640	Suspension pins, 44mm (2) w/ e-clips
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
2532	Tie bar, fiberglass
1935	Turnbuckles, 36mm (2)
3139A	<b>Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends &amp; hollow balls) (requires 5mm aluminum wrench #5477)</b>
3139G	<b>Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends &amp; hollow balls) (requires 5mm aluminum wrench #5477)</b>
3139T	<b>Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends &amp; hollow balls) (requires 5mm aluminum wrench #5477)</b>
3139P	<b>Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends &amp; hollow balls) (requires 5mm aluminum wrench #5477)</b>
3139X	<b>Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends &amp; hollow balls) (requires 5mm aluminum wrench #5477)</b>
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

### Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	<b>Body clip (mounting clip), angled, 90-degrees (black) (10)</b>
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
1633	E-clips/ C-rings
2586	Screws, 3x15mm cap-head machine (hex drive) (6)

2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
1747G	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
1747T	<b>Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)</b>
1747P	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
1747A	<b>Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)</b>
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Rev o® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18mm button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642X	<b>Shoulder screws, Ultra Shocks (3x12 hex drive) (6)</b>
2754	Stub axle pins (4)
2746	<b>Washers, 3x6mm metal (12)</b>

### LED Lights

3690	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #6835X for 4WD Slash®, or #6777X for 4WD Stampede®)
5893	LED light harness, rear (requires #5838 rear bumper)
5894	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Slash®) Y-harness, BEC to LED light set
2263	

### Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	<b>BEC assembly (complete)</b>
3790	Gear adapter, fixed
2072A	Gear set (for 2070, 2075 servos)
2252	<b>Gear set, metal (for 2250, 2255 servos)</b>
3785	Motor, Titan® 12T (12-Turn, 550 size)
3351R	<b>Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)</b>
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	<b>Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</b>
2253	<b>Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</b>
2251	<b>Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</b>
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
2075	Servo, digital high-torque (ball bearing), waterproof
2250	<b>Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof</b>
2255	<b>Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof</b>
2075X	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>
3350R	<b>Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))</b>
3355R	<b>Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)</b>
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

**Radio System, Batteries & Chargers**

- 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery
- 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery
- 2976 AC to DC converter, 40W
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
- 5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
- 2943 Battery charge indicators (green (4), blue (4), gray (4))
- 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
- 2914 Battery, Power Cell AA Alkaline (4)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
- 2260 BEC assembly (complete)
- 2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
- 2072A Gear set (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6554 Mount, telemetry expander (fits Bandit®, Rustler®, Slash 2WD)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6519 Receiver, micro, TQ 2.4GHz (3-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
- 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)

- 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas Link™ Wireless Module
- 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
- 6537 Wire retainers, gear cover/ 3x4mm BCS (2)
- 3018R XL-5 Electronic Speed Control, waterproof (land v ersion, low-voltage detection, fwd/rev/brake)

**Ready-To-Race Model**

- 58034-61 Slash: 1/10-Scale 2WD Short Course Racing Truck with TQ™ 2.4GHz radio system

**Rear Suspension**

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4))
- 3638 Shock tower (rear)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652T Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3652P Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2753X Stub axles, rear (2)
- 2555 Suspension arms, (rear) (2)
- 2555X Suspension arms, black, rear, heavy duty (2)
- 2555A Suspension arms, blue, rear, heavy duty (2)
- 2555G Suspension arms, green, rear, heavy duty (2)
- 2555T Suspension arms, orange, rear, heavy duty (2)
- 2555R Suspension arms, red, rear, heavy duty (2)
- 2555L Suspension arms, white, rear, heavy duty (2)
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)

**Shock Oil**

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 1667 Silicone shock oil (30 wt), 60cc
- 5038 Spinning carousel rack

**Shocks (Pro-level Aluminum)**

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
- 2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (Big Bore Shocks) (2)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)

## Page 4 Slash: TQ™ 2.4GHz Radio (Model 58034-61) Parts List

- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
- 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

### Shocks (Ultra Shocks)

- 3765A Body, Ultra Shock(s) (long) (gray) (2)
- 3766A Body, Ultra Shock(s) (XXL) (gray) (2)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 2458 Springs, front (black) (2)
- 2458P Springs, front (pink) (2)
- 5857P Springs, front (pink) (progressive rate) (2)
- 2458A Springs, front (white) (2)
- 5857 Springs, front (white) (progressive rate) (2)
- 3757 Springs, rear (black) (2)
- 3757T Springs, rear (blue) (2)
- 3757A Springs, rear (green) (2)
- 3757P Springs, rear (pink) (2)
- 5858P Springs, rear (pink) (progressive rate) (2)
- 3757X Springs, rear (white) (2)
- 5858 Springs, rear (white) (progressive rate) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

### Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

### Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed
- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 2431 Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 4728 Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft) / set screw
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

### Steering Components

- 2728 Ball bearings (5x8x2.5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Rev o® (large) with hollow balls (12)
- 3744 Servo saver w/adapters
- 3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
- 3743 Steering bellcranks (l&r)/ draglink
- 3743A Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
- 3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743T Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
- 3743X Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 1935 Turnbuckles, 36mm (2)
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
- 2746 Washers, 3x6mm metal (12)

### Suspension Linkage

- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Rev o® (large) with hollow balls (12)
- 3739 Screw pin set (Rustler®, Bandit®, Stampede®)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 2640 Suspension pins, 44mm (2) w/ e-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

### Team Traxxas Items

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

### Tires & Wheels

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)

**Page 5 Slash: TQ™ 2.4GHz Radio (Model 58034-61) Parts List**

1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	5885	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
1647	Silicone grease	5883	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
2754	Stub axle pins (4)	5877A	Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5864	Tire & wheel assy, glued (SCT black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)	5877	Tires & wheels, assembled, glued (SCT Split-Spoke, satin chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD front)	5865	Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)
5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)	6876	Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)
5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	6871	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
5880	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	6871R	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7-2.2/3.0") (2) foam inserts (2)
5882	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	6870	Tires, Kumho (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
5882R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	5871	Tires, off-road racing, SCT dual profile 4.3x1.7-2.2/3.0" (2)/ foam inserts (2)
6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5871R	Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7-2.2/3.0" (2)/ foam inserts (2)
5877R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)	1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)	3654	Wheel hubs, hex (tall off set, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2)
5863	Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
5869	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)	5480X	Wheel wrench, splined, 17mm
5873R	Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)	5870X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5881X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	5868X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
5875	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)	5870	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5873	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)	5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5878	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)	5874	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front)
5881	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)
5875X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)	5872X	Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5873X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5874X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
5873A	Tires & wheels, assembled, glued (SCT satin chrome, red-beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
6873A	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)	5872A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5891	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)	5886A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5884A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
6874	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
		5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
		6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
		5876A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
		6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
		5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
		6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
		5866	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
		6875	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)

**Transmission Components**

1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
4607	Ball bearings (5x11x4mm) (8)	3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
3790	Gear adapter, fixed		
3691	<b>Gearbox halves (l&amp;r) (black) w/ idler gear shaft</b>		
3691A	Gearbox halves (l&r) (gray) w/ idler gear shaft		
5148	Grease, white lithium		
3696	Idler gear, steel (30-tooth)		
3793	Input shaft (slipper shaft) / spring pin		
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)		
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel		
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)		
9495	<b>Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)</b>		
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))		
2554	Screws, 3x6mm cap-head machine (hex drive) (6)		
3931	Screws, 3x8mm flat-head machine (hex drive) (6)		
1647	Silicone grease		
5556	Slipper pressure plate & hub (aluminum alloy)		
3195	Top drive gear, steel (22-tooth)		
3695	<b>Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)</b>		

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**

**Traxxas Tools**

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle)

**Turnbuckles & Threaded Rods**

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)