

Slash VXL (Model 58076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3677P	Wheelie bar mount (1) / hardware (pink)
4607		3677	Wheelie bar mount (1)/ hardware (black)
4607 2728	Ball bearings (5x11x4mm) (8) Ball bearings (5x8x2.5mm) (2)	3677X	Wheelie bar mount (1)/ hardware (blue)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3678	Wheelie bar, assembled (black) (fits Slash, Stampede®,
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	2670V	Rustler®, Bandit series)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede®, Rustler®, Bandit series)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	3678A	Wheelie bar, assembled (green) (fits Stampede®, Rustler®,
	Body & Accessories	00707	Bandit series)
1026	=	3678P	Wheelie bar, assembled (pink) (fits Stampede®, Rustler®, Bandit
1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		series)
3935	Body clip (mounting clip), angled, 90-degrees (10)	4976	Wheels (4)/ axles (2), for Maxx® wheelie bar
3934	Body clips, heavy duty (12)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),	5 400	axles (2)/ rubber tires (2)
	25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
1815	Body washers (8)		
6716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)		Differential Components
5815	Body, Ford Raptor® (first generation) (clear, requires painting)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
5815A	Body, Ford Raptor®, blue (first generation) (painted, decals	0000	Stampede, Rustler)
5045D	applied)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
5815R	Body, Ford Raptor®, red (first generation) (painted, decals applied)	2388X	shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit,
5815X	Body, Ford Raptor®, white (first generation) (painted, decals	20007	Stampede, Rustler)
30137	applied)	5169	Screws, 2.6x8mm countersunk machine (6)
6811	Body, Slash 4X4 (clear, requires painting)/ window masks/ decal	1647	Silicone grease
	sheet		Driveline Components
6817	Body, Slash 4X4, Amsoil (painted, decals applied)	E440	-
6831	Body, Slash 4X4, Chad Hord (painted, decals applied)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
6818	Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, decals	6828X 6852X	Differential output yokes, heavy duty (2)/ screw pin (2)
	applied)	00027	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6820	Body, Slash 4X4, Jeff Kincaid (painted, decals applied)	6852R	Driveshafts, rear, steel-spline constant-velocity (complete
6825X 6826R	Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)	000211	assembly) (2)
0020K	Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals applied)	6750	Half shaft, external splined (steel-spline constant-velocity) (1)
6811X	Body, Slash 4X4, ProGraphix (Graphics are printed, requires	6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
00117	paint & final color application)/ decal sheet	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/
6889	Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals		metal u-joints (4)
	applied)	6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes
6849	Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)	0750	pins, dustboots, lube, and hardware)
2514	Decal sheet, racing sponsors	3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
5813	Decal Sheet, Slash	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	Chassis & Attachments		aluminum (green-anodized)/ 5x11mm ball bearings (4)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools		aluminum (pink-anodized)/ 5x11mm ball bearings (4)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	2754	aluminum (red-anodized)/ 5x11mm ball bearings (4)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/	2754 6754	Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity
E02E	2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black)	0734	driveshaft) (1)
5835 5835P		6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft)
5836	Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black)		(1)
5836P	Bumper, rear/ bumper mount, rear (black)	6853X	Stub axles, rear, heavy duty (2)/pins (2)
5830	Chassis conversion kit, low CG (Slash)		Front Suspension & Steering
5832	Chassis, low CG (black)	2627	
5832A	Chassis, low CG (blue)	3637 2728	Axles (front) (2) Ball bearings (5x8x2.5mm) (2)
5832G	Chassis, low CG (grey)	5116	Ball bearings (5x6x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)
5822	Chassis, Slash	2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
5822A	Chassis, Slash (black)	2545 2530	Bulkhead (front) (black)
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/	2530A	Bulkhead (front) (grey)
	angled body clip	3632	Caster blocks (I&r) (30-degree)
5827X	Hold down, battery/ hold down retainer/ battery post/ foam	3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left
	spacer/ angled body clip (allows for installation of taller, multi-		& right)/ suspension screw pin (2)
5831	cell batteries) Lower chassis, low CG (black)	3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left
5831A	Lower chassis, low CG (blue)		& right)/ suspension screw pin (2)
5831G	Lower chassis, low CG (grey)	3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left
	Nerf bars, chassis (black)	2020	& right)/ suspension screw pin (2)
	,	3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
5823 5833	Nerf bars, low CG (black)		Haller Suspension selew DIII (2)
5823	Nerf bars, low CG (black) Nerf bars, low CG (blue)	6846	
5823 5833		6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls
5823 5833 5833A	Nerf bars, low CG (blue)	6846 5347	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
5823 5833 5833A 5833G 5625 5837	Nerf bars, low CG (blue) Nerf bars, low CG (grey) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skidplates, front & rear (black)		Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls
5823 5833 5833A 5833G 5625 5837 5185	Nerf bars, low CG (blue) Nerf bars, low CG (grey) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skidplates, front & rear (black) Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	5347	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) Rod ends, Revo® (large) with hollow balls (12)
5823 5833 5833A 5833G 5625 5837	Nerf bars, low CG (blue) Nerf bars, low CG (grey) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skidplates, front & rear (black)	5347 3646	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) Rod ends, Revo® (large) with hollow balls (12) Screws, 3x15mm flat-head machine (hex drive) (6)

Page 2 Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 58076-4) Parts List

3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/		Motors & Electronics
	5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6	2260	BEC assembly (complete)
	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	3340	Cooling fan, Velineon® VXL-3s ESC
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/	3790 2072A	Gear adapter, fixed Gear set (for 2070, 2075 servos)
3743X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized T6 aluminum)/	2072A 2252	Gear set, metal (for 2250, 2255 servos)
37437	5x8mm ball bearings (4) hardware (assembled) (requires #3744	3354R	Motor cover, endbell (Velineon® 3500)
	servo saver w/adapters)	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring		and gold-plated bullet connectors)
.=	retainer/servo horn, steering	3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball
3736 3636A	Steering blocks, left & right (2) (requires 5x11x4mm bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2024	bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3030A	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3931 2254	Screws, 3x8mm flat-head machine (hex drive) (6) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
	aluminum (green-anodized)/ 5x11mm ball bearings (4)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6		2250, 2255 servos)
2020	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	2075	Servo, digital high-torque (ball bearing), waterproof
3631	Suspension arms (front) (2)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2640	Suspension pins, 44mm (2) w/ e-clips	2255	Servo, digital high-torque 400 brushless, metal gear (ball
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a		bearing), waterproof
	complete suspension pin set) (Rustler®, Stampede®, Bandit)	3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes
2532	Tie bar, fiberglass		VXL-3s waterproof ESC, Velineon 3500 motor, and speed control
1935	Turnbuckles, 36mm (2)	2255	mounting plate (part #3725))
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
	wrench #5477)		
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	20741	Radio System, Batteries & Chargers
	(assembled with rod ends & hollow balls) (requires 5mm	2854X	10000mAh 7.4v 2-Cell 25C LiPo Battery
2644	aluminum wrench #5477)	2849X 2872X	4000mAh 11.1v 3-Cell 25C LiPo Battery 5000mAh 11.1v 3-Cell 25C LiPo Battery
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on	2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
	Slash)	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
	with rod ends and hollow balls)	2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
	Hardware	2878X	8400mAh 11.1v 3-Cell 25C LiPo Battery
1926	Antenna caps, vinyl (2)/ antenna spool	2976	AC to DC converter, 40W
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
3935	Body clip (mounting clip), angled, 90-degrees (10)	5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
3934	Body clips, heavy duty (12)	5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1589	Double-sided adhesive tape (25mm x 25mm) (2)	2943	Battery charge indicators (green (4), blue (4), grey (4))
1633 2586	E-clips/ C-rings Screws, 3x15mm cap-head machine (hex drive) (6)	6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,
2745	Nuts, 3mm nylon locking (12)	2923X	6530 transmitters)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2926X 2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
1747	Nuts, 4mm nylon locking (10)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
5525	Rod ends (12)/ hollow balls (12)	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
5347 2742X	Rod ends, Revo® (large) with hollow balls (12)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
3215	Rod ends, short (6)/ hollow balls (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
3965	Screws, 2.5x8mm cap-head machine (flex drive) (6)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2577	Screws, 3x10mm button-head machine (hex drive) (6) (use with	2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
	#3744)		battery (1))
4859	Screws, 3x10mm flat-head machine (hex drive) (4)	2992	Battery/charger completer pack (includes #2970 iD charger (1),
2578	Screws, 3x12mm button-head machine (hex drive) (6)		#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2552 2570	Screws, 3x12mm countersunk machine (6) (hex drive)	2994	Battery/charger completer pack (includes #2970 iD charger (1),
2579 3646	Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm flat-head machine (hex drive) (6)	2005	#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2583	Screws, 3x18mm button-head machine (hex drive) (6)	2995	Battery/charger completer pack (includes #2970 iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))
2580	Screws, 3x20mm button-head machine (hex drive) (6)	2260	BEC assembly (complete)
2591	Screws, 3x23mm button-head machine (hex drive) (6)	2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2582	Screws, 3x30mm button-head machine (hex drive) (6)	2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery
2592	Screws, 3x40mm button-head machine (hex drive) (6)		Identification
2575	Screws, 3x6mm button-head machine (hex drive) (6)	2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2971	Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery
2576 3931	Screws, 3x8mm button-head machine (hex drive) (6) Screws, 3x8mm flat-head machine (hex drive) (6)	2311	Identification
3937	Screws, 4x12mm button-head machine (hex drive) (6)	2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto
2542	Screws, 4x12mm button-riead machine (nex drive) (6)		Battery Identification
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	6525	Communication link, telemetry expander
2743	Set (grub) screws, 3mm hardened (12)	6512	Cover plate, Traxxas Link™ Wireless Module
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
000=	captured (4)	2072A 2252	Gear set (for 2070, 2075 servos) Gear set metal (for 2250, 2255 servos)
3967	Shoulder screws 3x10 (6) (without threadlock)	2252 2968X	Gear set, metal (for 2250, 2255 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	_000A	Traxxas® iD® batteries)
	Stuh axle nins (4)		Transaco ibo battorico,
2754 2746	Stub axle pins (4) Washers, 3x6mm metal (12)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for

Page 3 Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 58076	4) Parts List
--	---------------

5554	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)	4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum)
5535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	1666	springs (rear) (2) Silicone shock oil (30 wt)
533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)		Shocks (Pro-level Aluminum)
552	Seal kit, expander box (includes o-ring, seals, and silicone	2664	Big Bore shock cylinder (long) (1)
	grease)	2666	Big Bore shock cylinder (XX-long) (1)
526	Sensor, auto-detectable, temperature	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum
27	Sensor, auto-detectable, voltage	3002	(assembled with TiN shafts and springs) (front & rear) (4)
20	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)	2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6
21	Sensor, temperature and voltage (long)		aluminum) (assembled with TiN shafts) w/o springs (front) (2
54 52	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6
53 51	Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
J1	2250, 2255 servos)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushi & washers (2) (Big Bore Shocks)
74	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
75	Servo, digital high-torque (ball bearing), waterproof	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball scr
50	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof		(2)
55	Servo, digital high-torque 400 brushless, metal gear (ball	2742X 2667	Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2)
	bearing), waterproof	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (
53X 50X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (compatible only with	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long
,0,1	#6551X GPS module)		(2)
50	Telemetry expander, TQi radio system	1664	Shock shafts, steel, chrome finish (long) (2)
51X	Telemetry GPS module 2.0, TQi radio system (compatible only	2656	Shock shafts, steel, chrome finish (xx-long) (2)
	with #6550X telemetry expander)	1765	Silicone diaphragms (4)
4 0	Telemetry trigger magnet, 5X2mm (1)	1666	Silicone shock oil (30 wt)
28	Temperature sensor, EZ-Peak Plus	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:
09R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
07R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas	5860	Springs, front (white) (progressive rate) (2) (fits #5862 alumin
	Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro		Big Bore shocks)
	receiver)	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
28	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only)		Shocks (Ultra Shocks)
29	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-	27654	
23	channel (transmitter only)	3765A	Body, Ultra Shock(s) (long) (grey) (2)
30	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	3766A 2362	Body, Ultra Shock(s) (XXL) (grey) (2)
	channel (transmitter only)	1942	Rebuild kit, Ultra shocks (for 2 shocks)
11	Traxxas Link™ Wireless Module	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball scr (2)
55R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless)	2742X	Rod ends, short (6)/ hollow balls (6)
	(fwd/rev/brake)	3767	Shock caps (2)/ shock bottoms (2)
	Ready-To-Race Model	8361	Shock caps (black) (4) (assembled with hollow balls)
076-4	Slash VXL: 1/10 Scale 2WD Short Course Racing Truck with TQi	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shoc
070-4	Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Sho
	Management (TSM)®	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shock
	Rear Suspension	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shock
	<u>-</u>	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2
16	Ball bearings, blue rubber sealed (5x11x4mm) (2)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long
50X			(2)
	Half shafts, heavy duty (external splined (2)/ internal splined (2))/		
	metal u-joints (4)	1664	Shock shafts, steel, chrome finish (long) (2)
38	metal u-joints (4) Shock tower (rear)	1664 2656	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2)
38 52	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings)		Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
38 52	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	2656	Shock shafts, steel, chrome finish (xx-long) (2)
38 52 52A	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	2656 3642X 1765 1666	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt)
38 52 52A	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	2656 3642X 1765 1666 3769	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
38 52 52A 52G	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)	2656 3642X 1765 1666	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-
38 52 52A 52G	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	2656 3642X 1765 1666 3769 3768	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2))
38 52 52A 52G 52P	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)	2656 3642X 1765 1666 3769 3768	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2)
38 52 52A 52G 52P	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	2656 3642X 1765 1666 3769 3768 2458 2458P	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2)
38 52 52A 52G 52P 52X	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2)
38 52 52A 52G 52P 52X	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (2)
38 52 52A 52G 52P 52X 53X	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (2) Springs, front (white) (progressive rate) (2)
38 52 52A 52G 52P 52X 53X	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2)
38 52 52A 52G 52P 52X 53X 55 40	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757 3757T	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2) Springs, rear (blue) (2)
38 52 52A 52G 52P 52X 53X 55 40	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757 3757T 3757A	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2) Springs, rear (blue) (2) Springs, rear (blue) (2) Springs, rear (green) (2)
38 52 52A 52G 52P 52X 53X 55 40	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757 3757T 3757A 3757P	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (2) Springs, rear (blue) (2) Springs, rear (blue) (2) Springs, rear (green) (2) Springs, rear (green) (2) Springs, rear (pink) (2)
38 52 52A 52G 52P 52X 53X 55 40	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 37577 3757T 3757T 3757A 3757P 5858P	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (2) Springs, rear (black) (2) Springs, rear (black) (2) Springs, rear (green) (2) Springs, rear (green) (2) Springs, rear (pink) (progressive rate) (2)
38 52 52A 52G 52P 52X 53X 555 40	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757 3757T 3757A 3757P 5858P 3757X	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (2) Springs, rear (black) (2) Springs, rear (blue) (2) Springs, rear (green) (2) Springs, rear (pink) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (pink) (2) Springs, rear (pink) (2) Springs, rear (white) (2)
38 52 52A 52G 52P 52X 53X 555 40	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Sinck (2 sets of 3 types)/ shock collars (2)/ spring	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757T 3	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2) Springs, rear (blue) (2) Springs, rear (pink) (2) Springs, rear (pink) (2) Springs, rear (white) (progressive rate) (2)
38 52 52A 52G 52P 52X 53X 555 40	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) SIDCIS [Allimin] Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757 3757T 3757A 3757P 5858P 3757X	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2) Springs, rear (blue) (2) Springs, rear (pink) (2) Springs, rear (pink) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (2) Springs, read (for Ultra Shocks only) (2.5 rate) (f/r) (2)
38 52 52A 52G 52P 52X 53X 55 40 44	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757T 3757T 3757T 3757A 3757P 5858P 3757X 5858 4957	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2) Springs, rear (blue) (2) Springs, rear (blue) (2) Springs, rear (pink) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (2) Springs, read (for Ultra Shocks only) (2.5 rate) (f/r) (2)
38 52 52A 52G 52P 52X 53X 55 40 44	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757T 3757T 3757T 3757A 3757P 5858P 3757X 5858 4957	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (2) Springs, rear (blue) (2) Springs, rear (blue) (2) Springs, rear (pink) (2) Springs, rear (pink) (2) Springs, rear (white) (2) Springs, rear (for Ultra Shocks only) (2.5 rate) (f/r) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load
38 52 52A 52G 52P 52X 53X 55 40 44	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Sinc (Silimini) Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757T 3	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2) Springs, rear (blue) (2) Springs, rear (pink) (2) Springs, rear (pink) (2) Springs, rear (white) (20) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (for Ultra Shocks only) (2.5 rate) (f/r) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (rear) (2)
338 52 552A 552B 552P 552X 553X 555 540 644	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757T 3757A 3757T 3757A 3757P 5858P 3757X 5858 4957 3760	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2) Springs, rear (blue) (2) Springs, rear (blue) (2) Springs, rear (pink) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (2) Springs, rear (white) (2) Springs, rear (white) (20) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2)
538 552A 552B 552B 552P 552X 555 540 544	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757T 3757A 3757P 5858P 3757X 5858 4957 3760 3762	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2) Springs, rear (black) (2) Springs, rear (pink) (2) Springs, rear (pink) (2) Springs, rear (pink) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (frear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2)
538 752 552A 552B 552P 552X 853X 555 540 644	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) **IDCLS**[Allillillillillillillillillillillillilli	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757T 3	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2) Springs, rear (black) (2) Springs, rear (pink) (2) Springs, rear (pink) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (2) Springs, rear (white) (2) Springs, rear (white) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2)
338 752 552A 552G 552P 552X 353X 555 340 344	metal u-joints (4) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2)	2656 3642X 1765 1666 3769 3768 2458 2458P 5857P 2458A 5857 3757T 3757A 3757P 5858P 3757X 5858 4957 3760 3762	Shock shafts, steel, chrome finish (xx-long) (2) Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-(2)) Springs, front (black) (2) Springs, front (pink) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (black) (2) Springs, rear (blue) (2) Springs, rear (blue) (2) Springs, rear (pink) (2) Springs, rear (white) (c) Springs, rear (white) (c) Springs, rear (white) (c) Springs, rear (white) (c) Springs, rear (white) (complete w/ spring pre-load space & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Page 4 Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 58076-4) Parts List

3793	Slipper Clutch Components Input shaft (slipper shaft) / spring pin	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Stach)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))	3745	Slash) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)		
5556	Slipper pressure plate & hub (aluminum alloy)		Team Traxxas Items
	Spur Gears & Pinion Gears	2514 6160X	Decal sheet, racing sponsors DVD, Maxx® Power! Full Throttle Action (sleeve)
3790	Gear adapter, fixed	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
2416	Gear, 16-T pinion (48-pitch) / set screw	9909	Traxxas® racing banner, red & black (3x7 feet)
1918	Gear, 18-T pinion (48-pitch) / set screw		Tires & Wheels
2419 2423	Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2426	Gear, 26-T pinion (48-pitch)/set screw	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,
2431	Gear, 31-T pinion (48-pitch) / set screw		#6469)
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
4728	Gear, pinion (28-tooth) (48-pitch)/ set screw	1747R 1747G	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)	1747P	Nuts, aluminum, flanged, serrated (4mm) (gireen-anodized) (4)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
	clutch)	1647	Silicone grease
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control	2754	Stub axle pins (4)
	slipper clutch)	5864	Tire & wheel assy, glued (SCT black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
	Steering Components	5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock
2728	Ball bearings (5x8x2.5mm) (2)		wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	5005	(2) (2WD Front)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)	5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)		(4WD f/r, 2WD rear)
2742	Rod ends, long (6)/ hollow ball connectors (6)	5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock
5347	Rod ends, Revo® (large) with hollow balls (12)		style wheels, Kumho tires, foam inserts) (2) (4WD front/rear,
3744	Servo saver w/adapters	5880	2WD rear only) Tires & wheels, assembled, glued (SCT satin chrome, black
3967 3743	Shoulder screws 3x10 (6) (without threadlock) Steering bellcranks (I&r)/ draglink	3000	beadlock style wheels, Kumho tires, foam inserts) (2) (4WD
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/		front/rear, 2WD rear only)
	5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)	5882	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6	5007D	(2) (2WD front)
2742D	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	5887R	Tires & wheels, assembled, glued (\$1 compound) (\$CT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner),
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)		SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear)
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/		(TSM rated)
	5x8mm ball bearings (4) hardware (assembled) (requires #3744	5889R	Tires & wheels, assembled, glued (S1 compound) (SCT Split- Spoke black, satin chrome beadlock style wheel, dual profile
6845X	servo saver w/adapters) Steering bellcranks/ servo saver/ servo saver spring/ servo spring		(2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts)
00407	retainer/servo horn, steering		(2) (4WD f/r, 2WD rear) (TSM rated)
1935	Turnbuckles, 36mm (2)	6891R	Tires & wheels, assembled, glued (S1 compound) (SCT Split- Spoke chrome, red beadlock style wheels, dual profile (2.2"
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)		outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)		(4WD f/r, 2WD rear) (TSM rated)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	6892R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-
	(assembled with rod ends & hollow balls) (requires 5mm		Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts)
2745	aluminum wrench #5477)		(2) (4WD f/r, 2WD rear) (TSM rated)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	5863R	Tires & wheels, assembled, glued (S1 compound) (SCT, black,
2746	Washers, 3x6mm metal (12)		orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT
	Suspension Linkage		off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5525	Rod ends (12)/ hollow balls (12)	6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing
5347	Rod ends, Revo® (large) with hollow balls (12)		compound) (SCT Split-Spoke satin chrome, black beadlock style
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)		wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	5882R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing
2640	captured (4) Suspension pins, 44mm (2) w/ e-clips		compound) (SCT Split-Spoke satin chrome, black beadlock style
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	60745	wheels, Kumho tires, foam inserts) (2) (2WD front)
	complete suspension pin set) (Rustler®, Stampede®, Bandit)	6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style
3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled		wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear
2727	w/rod ends)/hollow balls (2) (fits front & rear on Slash)		only)
3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)	5877R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,		compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing
	wrench		compound) (SCT Split-Spoke chrome, red beadlock style wheels,
	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum		BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)
3139A			(4WD f/r, 2WD rear)
3139A	wrench #5477)	5863	Tirge X. Whaple accompled dilight (St.) black orange backlesk
3139A 3741X	wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front,	5863	Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire,
	wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow		wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
3741X	wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	5863 5888	wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated) Tires & wheels, assembled, glued (SCT chrome wheels, red
	wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow		wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)

Page 5	Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 58076-4) Parts List	
--------	---	--

5887	Tires & wheels, assembled, glued (SCT chrome wheels, red	6870	Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
	beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road	6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual
	racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)		profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5869	Tires & wheels, assembled, glued (SCT chrome, red beadlock	5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam
	style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam		inserts (2)
	inserts) (2) (2WD front)	5871R	Tires, ultra-soft, S1 compound for off-road racing, SCT dual
5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock		profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
	style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam	1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
	inserts) (2)(4WD front/rear, 2WD rear only)	3654	Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins
5873R	Tires & wheels, assembled, glued (SCT satin chrome red	3034	
007010	beadlock wheels, ultra-soft S1 compound off-road racing tires,	E050V	(2.5x10mm) (2)
	inserts) (2) (2WD rear, 4WD f/r)	5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts,
E004V			splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle
5881X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock		pin (4)/wrench, 5mm
	style wheels, Kumho tires, foam inserts) (2) (2WD front)	5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5875	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style	5480X	Wheel wrench, splined, 17mm
	wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)	5870X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer,
5873	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style		3.0" inner) (2WD front) (2)
	wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear,	5868X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer,
	2WD rear only) (TSM rated)	000071	3.0" inner) (4WD f/r, 2WD rear) (2)
5878	Tires & wheels, assembled, glued (SCT satin chrome, black	E070	
	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	5870	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer,
	tires, foam inserts) (2)(4WD front/rear, 2WD rear only)	5000	3.0" inner) (2WD front) (2)
5881	Tires & wheels, assembled, glued (SCT satin chrome, black	5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer,
0001	beadlock style wheels, Kumho tires, foam inserts) (2) (2WD		3.0" inner) (4WD front/rear, 2WD rear only) (2)
		5874	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer,
5075V	front)		3.0" inner) (2WD front)
5875X	Tires & wheels, assembled, glued (SCT satin chrome, black	5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer,
	beadlock style wheels, SCT off-road racing tires, foam inserts)		3.0" inner) (4WD front/rear, 2WD rear only)
	(2) (2WD front)	5872X	Wheels, SCT satin chrome, black beadlock style SCT, dual
5873X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock	3012X	
	style wheels, SCT off-road racing tires, foam inserts) (2) (4WD	F07434	profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
	front/rear, 2WD rear only)	5874X	Wheels, SCT satin chrome, black beadlock style, dual profile
5873A	Tires & wheels, assembled, glued (SCT satin chrome, red-		(2.2" outer, 3.0" inner) (2WD front) (2)
0010A	beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD	5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2"
			outer, 3.0" inner) (2WD front) (2)
	front/rear, 2WD rear only)	5872A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2"
5889	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin	007271	outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
	chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner),	5886A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile
	SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear)	3000A	
	(TSM rated)	F0044	(2.2" outer, 3.0" inner) (2WD front) (2)
5890	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin	5884A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile
	chrome beadlock style wheels, dual profile (2.2" outer, 3.0"		(2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
	inner), SCT off-road racing tires, foam inserts) (2) (2WD front)	5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual
6873A	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red		profile (2.2" outer, 3.0" inner) (2WD front) (2)
0073A	· · · · · · · · · · · · · · · · · · ·	5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual
	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2		profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
	tires, foam inserts) (2) (4WD f/r, 2WD rear)	6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual
6891	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red	0012X	
	beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT		profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
	off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM	5876A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual
	rated)		profile (2.2" outer, 3.0" inner) (2WD front) (2)
5891	Tires & wheels, assembled, glued (SCT Split-Spoke satin	6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual
	chrome, beadlock style wheels, paddle tires, foam inserts) (2)		profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
	(4WD front/rear, 2WD rear only) (TSM rated)	5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style,
6072			dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin	6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style,
	chrome, black beadlock style wheels, BFGoodrich® Mud-	0072	dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear
	Terrain [™] T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)		
	(TSM rated)		only) (2)
6892	Tires & wheels, assembled, glued (SCT Split-Spoke satin	5866	Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
	chrome, black beadlock style wheels, dual profile (2.2" outer,		outer, 3.0" inner) (2) (2WD front only)
	3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r,	6875	Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
	2WD rear) (TSM rated)		outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)
6874	Tires & wheels, assembled, glued (SCT Split-Spoke satin		
	chrome, black beadlock style wheels, Kumho tires, foam inserts)		Transmission Components
	(2) (4WD front/rear, 2WD rear only)	1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
EQQE		4607	Ball bearings (5x11x4mm) (8)
5885	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
	chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A®		, , , ,
	KM2 tires, foam inserts) (2) (2WD Front)	3792	Dust cover/rubber plug (w/ screws) (telemetry ready)
5883	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin	3790	Gear adapter, fixed
	chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A®	3691	Gearbox halves (I&r) (black) w/ idler gear shaft
	KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)	3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft
5877A	Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red	5148	Grease, white lithium
	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	3696	Idler gear, steel (30-tooth)
	tires, foam inserts) (2) (2WD front)		- · · · · · · · · · · · · · · · · · · ·
5977		3793	Input shaft (slipper shaft) / spring pin
5877	Tires & wheels, assembled, glued (SCT Split-Spoke, satin	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
	chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™		Stampede, Rustler)
	T/A® KM2 tires, foam inserts) (2) (2WD front)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
5865	Tires & wheels, assembled, glued (SCT, chrome, green beadlock		shaft (1) all hardened steel
	wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
	(2) (2WD front only)		Stampede, Rustler)
6876	Tires & wheels, assembled, glued (SCT, chrome, green beadlock	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
-	wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts)	JJJZA	
	(2) (4WD front/rear, 2WD rear only)	0554	4.0mm NL (1)/ 5.0mm NL (1))
6871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
0071		3931	Screws, 3x8mm flat-head machine (hex drive) (6)
00745	2.2/3.0") (2)/ foam inserts (2)	1647	Silicone grease
6871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2, ultra-soft (S1 off-	5556	Slipper pressure plate & hub (aluminum alloy)
	road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam	3195	Top drive gear, steel (22-tooth)
	inserts (2)	0.00	1 op anvo godi, older (22 100111)

Page 6 Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 58076-4) Parts List

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
	Turnbuckles & Threaded Rods
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled w/rod ends)/hollow balls (2) (fits front & rear on Slash)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Traxxas Tools

If you have questions or need technical assistance, call Traxxas at:



(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM