

## Ford® F-150® Raptor (Model 58394-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	9462R	Side plates, wheelie bar, red (aluminum) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5837	Skidplates, front & rear (black)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	5185 4974	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
2545	Bushings (plastic) (5x8x2.5mm) (4)	3677X	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (blue)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	3677A	Wheelie bar mount (1) / hardware (green)
	Body & Accessories	3677P	Wheelie bar mount (1) / hardware (pink)
1926	Antenna caps, vinyl (2)/ antenna spool	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		series)
5828	Body accessories kit, 2017 Ford Raptor® (includes grille, hood insert,	9464	Wheelie bar mount (heavy duty)
	side mirrors, & mounting hardware)	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®,
5920	Body accessories kit, 2017 Ford Raptor® (includes grille, hood insert, side mirrors, & mounting hardware) (includes latches and latch	3678X	Rustler®, Bandit® series) Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit
5916-FOX	mounts for clipless mounting) Body, 2017 Ford Raptor®, Fox (heavy duty)/ decals (includes latches	3678A	series) Wheelie bar, assembled (green) (fits Slash®, Stampede®,
5916	and latch mounts for clipless mounting)  Body, 2017 Ford Raptor®, heavy duty (clear, requires	3678T	Rustler®, Bandit® series) Wheelie bar, assembled (orange) (fits Slash®, Stampede®,
	painting)/decals (includes latches and latch mounts for clipless mounting)	3678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®
5915	Body, Slash® VXL 2WD, ProGraphix® (also fits Slash® 4X4) (graphics are printed, requires paint & final color application)/	3678R	Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®
0544	decal sheet	9460	Bandit® series) Wheelie bar, black (assembled)/ wheelie bar mount
<b>2514</b> 5921	Decal sheet, racing sponsors  Grille/ grille mount/ mirrors, side (left & right)/ mirror mounts (left &	9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
3921	right)/ body mount adapter/ rear latch retainers (2)/ 2.6x8mm BCS	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
	(self-tapping) (3)/ 2.6x20mm BCS (self-tapping) (2)/ 3x10mm BCS (8) (fits #5916 body)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
6967	Latch, body mounts (front & rear)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
5829	Mirrors, side (left & right)/ mounts (left & right)/ 2.6x8mm BCS (2)		axles (2)/ rubber tires (2)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)  Chassis & Attachments	9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
5500		9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/
5526 <b>5526R</b>	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463X	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12	9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/
3403A	BCS (with threadlock) (2)	9461A	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/
9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12	3401A	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
	BCS (with threadlock) (2)	9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)	9461R	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/
9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)	9461	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, black (26mm (2), 18mm (2))
9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)	3401	Differential Components
9463R	Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)	2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)
6940	Body mounts, front & rear	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/		Stampede®, Rustler®)
	2.5x8mm CS (2)/ 3x6mm BCS (2)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
5834	Bumper, front/ bumper mount, front/ adapter (fits 2017 Ford Raptor®)	00001	shaft (1) all hardened steel
5836	Bumper, rear/ bumper mount, rear (black)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5836P	Bumper, rear/ bumper mount, rear (pink)	5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
5830	Chassis conversion kit, low CG (Slash®)	1647	Silicone Grease
5832 5832A	Chassis, low CG (black) Chassis, low CG (blue)		Driveline Components
5832G	Chassis, low CG (prey)	2627	
5822	Chassis, Slash	3637 5116	Axles (front) (2)  Rall bearings, blue rubber sealed (5v11v4mm) (2)
5822A	Chassis, Slash (black)	9150	Ball bearings, blue rubber sealed (5x11x4mm) (2)  Carriers, stub axle, rear, extreme heavy duty, black (left & right)/
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip	3130	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
5827X	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries)	9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
5831	Lower chassis, low CG (black)	9150-GRAY	' Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/
5831A	Lower chassis, low CG (blue)	5.55 5.01	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181,
5831G	Lower chassis, low CG (grey)		9182 upgrade kit)
5823	Nerf bars, chassis (black)	9150-GRN	
5833	Nerf bars, low CG (black)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
5833A	Nerf bars, low CG (blue)	0450 00::0	9181, 9182 upgrade kit)
5833G	Nerf bars, low CG (grey)	9150-ORNG	G Carriers, stub axle, rear, extreme heavy duty, orange (left &
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)		right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9462X	Side plates, wheelie bar, blue (aluminum) (2)	9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/
9462 9462G	Side plates, wheelie bar, charcoal gray (aluminum) (2)	0.30-ILD	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
9462G 9462A	Side plates, wheelie bar, green (aluminum) (2) Side plates, wheelie bar, orange (aluminum) (2)		9181, 9182 upgrade kit)
	• • • • • • • • • • • • • • • • • • • •	9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9462P	Side plates, wheelie bar, pink (aluminum) (2)	9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)

Page 2 Ford® F-150® Raptor: TQ™ 2.4GHz Radio (Model 58394-4	-4) Parts List
---	----------------

Page 2	Ford® F-150® Raptor: TQ™ 2.4GHz Radio (Model 58	3394-4) Pa	rts List
<b>9057X</b> 6828A	Differential output shafts, steel-splined constant-velocity (2) Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw	9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
6852A	pin (2) Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
6852R	assembled, ready to install)/ screw pin (1)  Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)	9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
9052X	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)	9197	upgrade kit) Suspension link set, black (for use with #9180, 9181 upgrade kit)
6750	Half shaft, external splined (steel-spline constant velocity) (1)		Front Suspension & Steering
9055X	Half shaft, external splined (steel-spline constant velocity) (1)	3637	Axles (front) (2)
9056X 6751	Half shaft, internal splined (steel-spline constant velocity) (1)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9058X	Half shaft, internal splined (steel-spline constant velocity) (1) Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)	2530-BLK <b>2530-GRAY</b>	Bulkhead (front) (black) Bulkhead (front) (grey)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)	2545 <b>9136</b>	Bushings (plastic) (5x8x2.5mm) (4)  Caster blocks (c-hubs), extreme heavy duty, black (left & right)/
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)	9136-RI IIF	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/
2754 <b>9053X</b>	Stub axle pins (4)  Stub axle, rear, steel-splined constant velocity (1)	3130-DE0E	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
6753	Stub axle, rear, steel-splined constant velocity (1)	0126 CBAV	9181 upgrade kit) Costor blocks (a buba) extreme began duty, gray (left & right)/
0450	Extreme HD Upgrade Kit	9130-GRA1	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right) 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9136-RED	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	5347 3646	9181 upgrade kit) Rod ends, Revo® (large) with hollow balls (12) Screws, 3x15mm flat-head machine (hex drive) (6)
04E0 OBNO	9181, 9182 upgrade kit)	3744X	Servo saver w/ adapters
915U-UKNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with	3639	Shock tower (front)
	#9180, 9181, 9182 upgrade kit)	3743	Steering bellcranks (l&r)/ draglink
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
9136	9181, 9182 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	3743G 3743T	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (orange-anodized 6061-T6
9136-BLUE	9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/	3743P	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)
0136 CDAV	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/	3743X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, dray link (red-anodized 60f-1-T6 aluminum)/
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)	6845X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9136-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)	9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9136-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9136-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
9181	9181 upgrade kit) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Slash® 2WD)	9137-GRN	upgrade kit) Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
9181-BLUE	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Slash® 2WD)	9137-ORNG	9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, orange (left & right)/
	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Slash® 2WD)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Slash® 2WD)	9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Slash® 2WD)	3631X	upgrade kit) Suspension arms, black, front, heavy duty (2)
9181-RED	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Slash® 2WD)	3631A 3631G	Suspension arms, blue, front, heavy duty (2) Suspension arms, green, front, heavy duty (2)
3638R	Shock tower (rear) (for clipless body mounting)	3631T	Suspension arms, orange, front, heavy duty (2)
9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	<b>3631R</b> 2640	Suspension arms, red, front, heavy duty (2) Suspension pins, 44mm (2) w/ E-clips
	upgrade kit)	2640 9142	Suspension pins, 44mm (2) w/ E-clips Suspension pin set, extreme heavy duty, complete (front and rear)
9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182		$\hbox{(2.5x26mm (4), 3x32mm (2), 3x46mm (2), 3x46mm (2)) (for use with \#9180, 9181, 9182 upgrade kit)}$
	upgrage Kit)	110-2-1	Tie bar, fiberglass
9137-GRAY	upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm	2532 1935	Turnbuckles, 36mm (2)

## Page 3 Ford® F-150® Raptor: TQ™ 2.4GHz Radio (Model 58394-4) Parts List

3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assemblew rod ends & hollow balls) (requires 5mm aluminum	3931 <b>2254</b>	Screws, 3x8mm flat-head machine (hex drive) (6) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
3139T	wrench #5477) Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	2253 2251	Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
3139P	wrench #5477) Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2)	<b>2271</b> 2074	Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	<b>2075R</b> 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm	<b>2250</b>	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
3644	aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled	2255	Servo, digital high-torque 400 brushless, metal gear (ball
	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	2280	bearing), waterproof Servo, digital high-torque 600 brushless, metal gear (ball
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	2270	bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
	Hardware	2075X 3350R	Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof
1926	Antenna caps, vinyl (2)/ antenna spool	000011	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		speed control mounting plate (part #3725))
3935	Body clip (mounting clip), angled, 90-degrees (10)		Radio System, Batteries & Chargers
<b>3935A</b> 3934	Body clip (mounting clip), angled, 90-degrees (black) (10) Body clips, heavy duty (12)	2827X	3000mah 7.4v 2-Cell LiPo Battery
4859	CS 3x10 flathead (hex drive)	2842X 2843X	5000mah 7.4v 2-Cell 25C LiPo Battery
1589	Double-sided adhesive tape (25mm x 25mm)	2869X	5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery
1633	E-clips/ C-rings	2914	AA 4PK
2745 <b>1747P</b>	Nuts, 3mm nylon locking (12)  Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	2976	AC to DC adapter
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
1747	Nuts, 4mm nylon locking (10)	5526	batteries to separate balance ports)  Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	2943	Battery charge indicators, green (4), grey (4), blue (4)
1747T 1747A	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	2923X	transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
5525	Rod ends (12)/ hollow balls (12)	2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
5347	Rod ends, Revo® (large) with hollow balls (12)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2742X 3215	Rod ends, short (6)/ hollow balls (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
3965	Screws, 2.5x8mm cap-head machine (flex drive) (0)	2950X 2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2577	Screws, 3x10mm button-head machine (hex drive) (6)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2552 2579	Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x15mm button-head machine (hex drive) (6)	2985-2S	Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input
3646 2583	Screws, 3x15mm flat-head machine (hex drive) (6) Screws, 3x18 button-head machine (hex drive) (6)	2975	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2580	Screws, 3x20mm button-head machine (hex drive) (6)	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
2591	Screws, 3x23mm button-head machine (hex drive) (6)		Identification
2582	Screws, 3x30mm button-head machine (hex drive) (6)	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
2592 2575	Screws, 3x40mm button-head machine (hex drive) (6) Screws, 3x6mm button-head machine (hex drive) (6)	2970	Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2310	Identification
2576	Screws, 3x8mm button-head machine (hex drive) (6)	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	2005	Battery Identification Charger E7 Book® USB C 40W NiMH/LiBo with ID® Auto
3937	Screws, 4x12mm button-head machine (hex drive) (6)	2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
2542 2546	Screws, 4x12mm countersunk machine (hex drive) (6) Screws, 4x15mm countersunk machine (hex drive) (6)	2982	Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
2743	Set (grub) screws, 3mm hardened (12)	6525	Communication link, telemetry expander
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
27/12	captured (4)  Shoulder scrows, stooring bolleranks (3x30mm can head machine)	2072A <b>2252</b>	Gear set (for 2070, 2075 servos)  Gear set, metal (for 2250, 2255 servos)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)	2272	Gear set, metal (for 2270 waterproof servo)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for
2754 <b>2746</b>	Stub axle pins (4) Washers, 3x6mm metal (12)	2968	Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for
2140	Motors & Electronics	6554X	Traxxas® iD® batteries) Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	2912	pad Power adapter, AC, USB-C (45W) (110 volt, North America only)
3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC	2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
3383	& BL-2s™ 3300 motor)  BL-2s™ Electronic Speed Control, waterproof (brushless)	6519 <b>6552</b>	Receiver, micro, TQ 2.4GHz (3-channel)  Seal kit, expander box (includes o-ring, seals, and silicone
3340	(fwd/rev/brake) Cooling fan, electronic speed control, Velineon® VXL-3s or BL-	6526	grease) Sensor, auto-detectable, temperature
2700	2s <sup>TM</sup>	6527	Sensor, auto-detectable, voltage
3790 2072A	Gear adapter, fixed Gear set (for 2070, 2075 servos)	6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
-0,21		6521	Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2252	Gear set, metal (for 2250, 2255 servos)	2254	
<b>2252 2272</b> 3384	Gear set, metal (for 2250, 2255 servos)  Gear set, metal (for 2270 waterproof servo)  Motor, BL-2s <sup>M</sup> 3300, brushless	2254 2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)

## Page 4 Ford® F-150® Raptor: TQ™ 2.4GHz Radio (Model 58394-4) Parts List

	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)		Shocks (Pro-level Aluminum)
271	Servo case/ gaskets (for 2270 waterproof servo)	2664	Big Bore shock cylinder (long) (1)
074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
075R	Servo, digital high-speed, metal gear (ball bearing), waterproof		(assembled with TiN shafts and springs) (front & rear) (4)
075	Servo, digital high-torque (ball bearing), waterproof	2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6
	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		aluminum) (assembled with TiN shafts) w/o springs (2)
	waterproof	2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6
255	Servo, digital high-torque 400 brushless, metal gear (ball		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
	bearing), waterproof	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushing
270	Servo, digital high-torque, metal gear (ball bearing), waterproof		& washers (2) (Big Bore Shocks)
	Servo, digital high-torque, metal gear (ball bearing), waterproof	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw
	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	07.40\/	(2)
	Telemetry expander 2.0, TQi radio system (for use only with	2742X	Rod ends, short (6)/ hollow balls (6)
	#6551X GPS module)	2667	Shock caps, aluminum (2) (Big Bore Shocks)
	Telemetry GPS module 2.0, TQi radio system (for use only with	2362	Shock rebuild kit (for 2 shocks)
	#6550X telemetry expander)	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
	3x8mm CCS (3)/ 3x10mm CCS (3)		(2)
540	Telemetry trigger magnet, 5X2mm (1)	1664	Shock shafts, steel, chrome finish (long) (2)
	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	2656	Shock shafts, steel, chrome finish (xx-long) (2)
	enabled, TSM® (2-ch transmitter, 5-ch micro receiver)	1765	Silicone diaphragms (4)
	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:
	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
	receiver)		Shocks)
516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	5860	Springs, front (white) (progressive rate) (2) (for Slash big bore
528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-		shocks)
	channel (transmitter only)	5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore
529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-		shocks)
	channel (transmitter only)		Shocks (Ultra Shocks)
530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-	3765A	Body, Ultra Shock (long) (grey) (2)
	channel (transmitter only)	3766A	Body, Ultra Shock (XXL) (grey) (2)
511	Traxxas® Link Bluetooth® module	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw
537	Wire retainers, gear cover/ 3x4mm BCS (2)	1942	(2)
	Ready-To-Race Model	2742X	Rod ends, short (6)/ hollow balls (6)
	_	3767	Shock caps (2)/ shock bottoms (2)
8394-4	Ford® F-150 Raptor: 1/10-Scale Ford® F-150 Raptor with TQ™	8361	Shock caps (black) (4) (assembled with hollow balls)
	2.4GHz radio system		
	Rear Suspension	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shock
	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/	3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	0707D	Shocks)
	9181, 9182 upgrade kit)	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	2362	Shock rebuild kit (for 2 shocks)
	9181, 9182 upgrade kit)	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181,	4004	(2)
	9182 upgrade kit)	1664	Shock shafts, steel, chrome finish (long) (2)
	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/	2656	Shock shafts, steel, chrome finish (xx-long) (2)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
	9181, 9182 upgrade kit)	1765	Silicone diaphragms (4)
	Carriers, stub axle, rear, extreme heavy duty, orange (left &	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-ho
	#9180, 9181, 9182 upgrade kit)		(2))
	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/	2458P	Springs (front) (pink) (2)
150-KED		2458A	Christian (frant) (white) (2)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,		Springs (front) (white) (2)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3757T	Springs (front) (white) (2) Springs, blue (rear) (2)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)  Shock tower (rear) (for clipless body mounting)		
638R	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting)	3757T	Springs, blue (rear) (2)
638R <b>655P</b>	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2)	3757T 2458	Springs, blue (rear) (2) Springs, front (black) (2)
638R <b>655P</b> 655R	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2)	3757T 2458 5857P	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2)
638R <b>655P</b> 655R <b>655G</b>	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2)	3757T 2458 5857P 5857 3757A	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2)
638R <b>655P</b> 655R <b>655G</b> <b>655T</b>	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2)	3757T 2458 5857P 5857 3757A 3757P	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2)
638R <b>655P</b> 655R <b>655G</b> <b>655T</b> <b>655L</b>	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2)	3757T 2458 5857P 5857 3757A 3757P 3757	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2)
638R 655P 655R 655G 655T 655L	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2)
638R 655P 655R 655G 655T 655L	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with	3757T 2458 5857P 5857 3757A 3757A 3757P 3757 5858P 5858	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2)
638R 655P 655R 655G 655T 655L 142	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
638R 655P 655R 655G 655T 655L 142	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2)
638R 655P 655R 655G 655T 655L 142	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacer
638R 655P 655R 655G 655T 655L 142	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X 3760	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (black) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacer & springs) (front) (2)
638R 655P 655R 655G 655T 655L 142	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (black) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacer & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load
638R 655P 655R 655G 655T 655L 142	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	3757T 2458 5857P 5857 3757P 3757P 3757 5858P 5858 4957 3757X 3760	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacer & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
638R 655P 655R 655G 655T 655L 142 644	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X 3760	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacer & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &
638R 655P 655R 655G 655T 655L 142 644	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)  Sinck (1)  Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X 3760 3762	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacer & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
638R 655P 655SR 655G 655T 655L 142 644	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)  Sinck (1]  Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	3757T 2458 5857P 5857 3757P 3757P 3757 5858P 5858 4957 3757X 3760	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2)
638R 655P 655G 655G 655T 655L 142 644	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)  Sinck (01 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X 3760 3762	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, read (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spaces & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (72)
638R 655P 655G 655G 655L 142 644	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)  Sinck (20 wt, 200 cst, 60cc) (silicone) Oil, shock (30 wt, 350 cst, 60cc) (silicone) Oil, shock (40 wt, 500 cst, 60cc) (silicone) Oil, shock (50 wt, 600 cst, 60cc) (silicone) Oil, shock (60 wt, 700 cst, 60cc) (silicone)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X 3760 3762	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (2)
6638R 6655P 6655G 6655G 6655L 1142 6644 6031 6032 6033 6034 6035	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)  Sinck (20 wt, 200 cst, 60cc) (silicone) Oil, shock (30 wt, 350 cst, 60cc) (silicone) Oil, shock (50 wt, 600 cst, 60cc) (silicone) Oil, shock (60 wt, 700 cst, 60cc) (silicone) Oil, shock (60 wt, 700 cst, 60cc) (silicone) Oil, shock (70 wt, 900 cst, 60cc) (silicone)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X 3760 3762 3760A	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacer & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)  Slipper Clutch Complete W/ spring pre-load spacers & springs) (rear) (2)
638R 655P 655G 655G 655L 142 644 031 032 033 034 035 036 037	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)  Sige Ui  Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X 3760 3762 3760A 3762A	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (black) (2) Springs, rear (white) (progressive rate) (2) Springs, reaf (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacer & springs) (front) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)  Simpler United Complete Simple Simple Simple Shaft (slipper shaft) / spring pin
6638R 6655P 6655R 6655G 6655L 9142 6644 6031 9032 9033 9035 9035 9037 9029	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)  Sinck (1]  Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (50 wt, 500 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X 3760 3762 3760A	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (pink) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) Springs, read (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacer & springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)  Slipper Clinch Complete Should kit, slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin
6338R 6655P 6655R 6655G 6655T 6655L 1142 6644 6031 6032 6033 6034 6035 6036 6037 6029 6038X	9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)  Sige Ui  Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	3757T 2458 5857P 5857 3757A 3757P 3757 5858P 5858 4957 3757X 3760 3762 3760A 3762A	Springs, blue (rear) (2) Springs, front (black) (2) Springs, front (pink) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, green (rear) (2) Springs, pink (rear) (2) Springs, rear (black) (2) Springs, rear (black) (2) Springs, rear (white) (progressive rate) (2) Springs, reaf (for Ultra Shocks only) (2.5 rate) (f/r) (2) Springs, white (rear) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacer & springs) (front) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (rear) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)  Simpler United Complete Springs) (rear) (2)

Page 5 Ford® F-150® Raptor: TQ™ 2.4GHz Radio (Model 58394-4) Parts List

3790	Spur Gears & Pinion Gears  Gear adapter, fixed	3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
2416	Gear, 16-T pinion (48-pitch) / set screw	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled
1918 2419	Gear, 18-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw		with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
2421	Gear, 21-T pinion (48-pitch) / set screw	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw		with rod ends and hollow balls)
2423 2426	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw		<b>Team Traxxas Items</b>
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw	9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw	2514	Decal sheet, racing sponsors
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control	9909	Traxxas® racing banner, red & black (3x7 feet)
	slipper clutch)		Tires & Wheels
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
	Steering Components	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
2728		1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
2545	Ball bearings (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
2742	Rod ends, long (6)/ hollow ball connectors (6)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
5347	Rod ends, Revo® (large) with hollow balls (12)	1747T 1747A	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
3744 3742	Servo saver w/ adapters Shoulder server steering holleranks (3x30mm can head machine)	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
J174	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)	1647	Silicone Grease
3743	Steering bellcranks (l&r)/ draglink	2754	Stub axle pins (4)
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/	5882R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts)
3743G	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (green-anodized 6061-T6		(2) (2WD front)
37430	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	6874R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6		chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only)
2742D	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	5877R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke,
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)		chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A®
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	6873R	KM2 tires, inserts) (2) (2WD front) Tire & wheel assy, glued (S1 compound) (SCT SS, chrome red
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo		beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire,
	spring retainer/servo horn, steering	6873X	inserts) (2) (4WD f/r, 2WD rear) Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	0073X	black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2)	5869	Tire & wheel assy, glued (SCT chrome, red beadlock style
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)		wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	5867	Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts)
	wrench #5477)	500414	(2)(4WD front/rear, 2WD rear only)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2)	5881X	Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front only)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5880X	Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm	5881	only) Tire & wheel assy, glued (SCT satin chrome, black beadlock
3745	aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	0001	style wheels, Kumho tires, foam inserts) (2) (2WD front)
3/43	with rod ends and hollow balls)	5880	Tire & wheel assy, glued (SCT satin chrome, black beadlock
2746	Washers, 3x6mm metal (12)		style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD
	Suspension Linkage	5875X	rear only) Tire & wheel assy, glued (SCT satin chrome, black beadlock
5525	Rod ends (12)/ hollow balls (12)	30. JA	style wheels, SCT off-road racing tires, foam inserts) (2) (2WD
5347	Rod ends, Revo® (large) with hollow balls (12)		front)
3739 5529	Screw pin set (Rustler®/ Bandit/ Stampede®) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	5878	Tire & wheel assy, glued (SCT satin chrome, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert) (2)(4WD front/rear, 2WD rear only)
2640	captured (4)	6873A	(2)(4WD front/rear, 2WD rear only)  Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock
2640 9142	Suspension pins, 44mm (2) w/ E-clips Suspension pin set, extreme heavy duty, complete (front and rear)	<del></del> •	style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)	5882	Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	6874	beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD
3139G	wrench #5477) Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	5885A	front/rear, 2WD rear only) Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock
	wrench #5477)		wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5883A	(2) (2WD Front)  Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2)	5005	(4WD f/r, 2WD rear)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5885	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires,

	Page 6	Ford® F-150® Ra	ptor: TQ™ 2.4GHz	z Radio (Model 58394-4	1) Parts List
--	--------	-----------------	------------------	------------------------	---------------

5883	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire,	5886A	Wheels, SCT split-spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5877A	inserts) (2) (4WD f/r, 2WD rear)  Tire & wheel assy, glued (SCT Split-Spoke, chrome red beadlock	5884A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
	wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)	5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5877	Tire & wheel assy, glued (SCT Split-Spoke, satin, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam	5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5864	inserts) (2) (2WD Front) Tire & wheel assy, glued (SCT, black, orange beadlock wheels,	6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
5863	SCT off-road racing tires, foam inserts) (2) (2WD Front) Tire & wheel assy, glued (SCT, black, orange beadlock wheels,	6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
	SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5865	Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)	6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2)
6876	Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2)	5870X	Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5050V	(4WD front/rear, 2WD rear only)	5868X	Wheels, SCT, black, orange beadlock style, dual profile (2.2"
5873X	Tire & wheel assy, glued (SCTsatin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5866	outer 3.0" inner) (4WD f/r, 2WD rear) (2) Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
5869A	Tires & wheels, assembled, glued (SCT chrome, blue beadlock	6875	outer 3.0" inner) (2) (2WD front only) Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
	style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	0075	outer 3.0" inner) (2) c
5867A	Tires & wheels, assembled, glued (SCT chrome, blue beadlock		Transmission Components
	style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
E904	inserts) (2) (4WD front/rear, 2WD rear only)	3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
5891	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, paddle tires, foam inserts) (2)	3790 <b>3691</b>	Gear adapter, fixed
	(4WD f/r, 2WD rear) (TSM® rated)	3691A	Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft
6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin	5148	Grease, white lithium
	chrome, black beadlock style wheels, BFGoodrich® Mud-	9492	Idler gear, 30-tooth/ idler gear shaft (steel)
	Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)	3696	Idler gear, steel (30-tooth)
5875	(TSM® rated) Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road	9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
	tires, foam inserts) (2) (Front)	3793	Input shaft (slipper shaft) / spring pin
5873	Tires & wheels, assembled, glued (SCT, satin chrome wheels,	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
	beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road	1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
E072A	tires, foam inserts) (2) (Rear) (TSM® rated)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
5873A	Tires & wheels, assembled, glued (SCT, satin chrome wheels, red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road		shaft (1) all hardened steel
	tires, foam inserts) (2) (Rear)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
5873R	Tires & wheels, assembled, glued (SCT, satin chrome, red		Stampede®, Rustler®)
	beadlock wheels, ultra soft S1 compound off-road racing tires,	9495	Pro Series Magnum 272R™ Transmission, complete (assembled)
0074	foam inserts) (2) (2WD Rear, 4WD F/R)	5552X	(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
6871	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)	0002/1	4.0mm NL (1)/ 5.0mm NL (1))
6871R	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2, ultra-soft (S1 off-	2554	Screws, 3x6mm caphead machine (hex drive) (6)
	road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
	inserts (2)	1647	Silicone Grease
6870	Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	5556	Slipper pressure plate & hub (aluminum alloy)
6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	3195 <b>3695</b>	Top drive gear, steel (22-tooth)  Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®,
5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam	3033	Stampede®, Slash®)
	inserts (2)		Traxxas Tools
5871R	Tires, Ultra soft, S1 compound for off-road racing, SCT dual	2422V	
	profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)	3433X	Body reamer (aluminum handle)
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)	3433 3436	Body reamer (plastic handle) Cap, body reamer
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	3432	Scissors, curved tip
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X	3431	Scissors, straight tip
	0.7 (4)/ axle pin (4) (Slash 2WD)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)		premium handle (medium), travel pouch, hex drivers (straight:
5480X	Wheel wrench, splined, 17mm		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
5868A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer	8720	and 8.0mm), 1/4" drive Speed bit handle, large (overmolded)
	3.0" inner) (2) (4WD front/rear, 2WD rear only)	8721	Speed bit handle, rarge (overmoided)  Speed bit handle, medium (one piece)
5870A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2"	8722	Speed bit handle, premium (rubber overmold)
5868	outer, 3.0" inner) (2) (2WD front only) Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
0000	3.0" inner) (2) (4WD front/rear, 2WD rear only)		premium handle (medium), travel pouch, hex drivers (straight:
5874	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Front)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm) 1/4" drive
5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)	8711	8.0mm), 1/4" drive  Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers
5874X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm)
5872X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (Front) (2)		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	outer 3.0 miller) (Fromt) (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive

## Page 7 Ford® F-150® Raptor: TQ™ 2.4GHz Radio (Model 58394-4) Parts List

8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
	Turnbuckles & Threaded Rods

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM