



Stampede 4X4 Unassembled Kit (Model 67014-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

4607	Ball bearings (5x11x4mm) (8)
4612	Ball bearings (10x15x4mm) (2)
2728	Ball bearings (5x8x2.5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
1815	Body washers (8)
6716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
3617	Body, Stampede® (clear, requires painting) (requires #3614 to mount)
6711X	Body, Stampede® 4X4 VXL, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet
6714	Body, Stampede® 4X4, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet
3617R	Body, Stampede® VXL, ProGraphix® (replacement for the painted body. Graphics are printed, requires paint & final color application) window, grille, lights decal sheet
2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
6777	Wheelie bar mounts/ rear skidplate (black)
4976	Wheels (4)/ axles (2), for Maxx® wheelie bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6893X	Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/ 10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
6741	Cover, center driveshaft (clear)
6877A	Cover, gear (clear)
6877	Cover, gear/ motor wire hold-down clip
6814	Differential kit, center (complete)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6755	Driveshaft, center, 6061-T6 aluminum (blue-anodized)
6755G	Driveshaft, center, 6061-T6 aluminum (green-anodized)
6755R	Driveshaft, center, 6061-T6 aluminum (red-anodized)
6756	Driveshaft, center, plastic (blue) screw pin
6883	Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
5148	Grease, white lithium
6884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
6893	Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
6890	Plate, motor
6890X	Plate, motor, 6061-T6 aluminum (blue-anodized)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2575	Screws, 3x6mm button-head machine (hex drive) (6)

2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
1647	Silicone grease
6878	Slipper clutch, complete
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)

Chassis & Attachments

6715	Body mount (1)/ body mount post (2) (front)
6815R	Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
6735	Bumper, front/ skidplate, front (black)
6722	Chassis
6727	Hold down, battery (2)/ hold down retainer/ battery post/ angled body clip
6727X	Hold down, battery/ hold down retainer/ battery post/ angled body clip (allows for installation of taller, multi-cell batteries)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
6777	Wheelie bar mounts/ rear skidplate (black)
4976	Wheels (4)/ axles (2), for Maxx® wheelie bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6814	Differential kit, center (complete)
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6881	Housings, differential, front
6880	Housings, differential, rear
5379X	Ring gear, differential/ pinion gear, differential
6778	Ring gear, differential/ pinion gear, differential (12/47 ratio) (front)
6779	Ring gear, differential/ pinion gear, differential (12/47 ratio) (rear)
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)
1647	Silicone grease

Driveline Components

6455	Axle carriers, rear, 6061-T6 aluminum, left & right (blue-anodized) (Compatible only when installing #6451 & #6452 steel constant-velocity driveshafts)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2) (Compatible only when installing #6451 & #6452 steel constant-velocity driveshafts)
6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
6851X	Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6851R	Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
6750	Half shaft, external splined (steel-spline constant-velocity) (1)
6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
6439	Steering blocks, 6061-T6 aluminum, left & right (blue-anodized) (Compatible only when installing #6451 & #6452 steel constant-velocity driveshafts)
6754	Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)

Page 2 Stampede 4X4 Unassembled Kit (Model 67014-4) Parts List

6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
6853X	Stub axles, rear, heavy duty (2)/pins (2)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
6869	Wheel adaptors, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pins (4)/ drill bit, 0.25 inch (for 6mm shafts) (requires #6451 (x2), #6452 (x2), #6439, #6455, #5117 (x3))	5525	Rod ends (12)/ hollow balls (12)
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(4)	2742X	Rod ends, short (6)/ hollow balls (6)
Front Suspension & Steering			
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)	3965	Screws, 2.5x8mm cap-head machine (6)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)	2578	Screws, 3x12mm button-head machine (hex drive) (6)
3641A	Camber link set (plastic / non-adjustable) (front & rear) (grey)	2552	Screws, 3x12mm countersunk machine (6) (hex drive)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)	3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)	2583	Screws, 3x18mm button-head machine (hex drive) (6)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)	2580	Screws, 3x20mm button-head machine (hex drive) (6)
6832X	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right	2591	Screws, 3x23mm button-head machine (hex drive) (6)
6832G	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right	2582	Screws, 3x30mm button-head machine (hex drive) (6)
6832R	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right	2592	Screws, 3x40mm button-head machine (hex drive) (6)
6832	Caster blocks (c-hubs), left & right	2575	Screws, 3x6mm button-head machine (hex drive) (6)
6895	Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
6897	Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)	2534	Screws, 3x6mm countersunk machine (6) (hex drive)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
2742	Rod ends, long (6)/ hollow ball connectors (6)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	3937	Screws, 4x12mm button-head machine (hex drive) (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	2542	Screws, 4x12mm countersunk machine (hex drive) (6)
6839	Shock tower, front	2546	Screws, 4x15mm countersunk machine (hex drive) (6)
6839X	Shock tower, front, 7075-T6 aluminum (blue-anodized)	2743	Set (grub) screws, 3mm hardened (12)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
6837X	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right	2754	Stub axle pins (4)
6837G	Steering blocks, 6061-T6 aluminum (green-anodized), left & right	2746	Washers, 3x6mm metal (12)
6837R	Steering blocks, 6061-T6 aluminum (red-anodized), left & right	LED Lights	
6837	Steering blocks, left & right	6784	LED light bar (chrome, 4 clear lights)
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)	Motors & Electronics	
6732	Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3655X	Suspension arms, left & right	2260	BEC assembly (complete)
6834	Suspension pin set, complete (front and rear)	2072A	Gear set (for 2070, 2075 servos)
6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)	2072X	Gear set, metal (for 2070, 2075 servos)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	2252	Gear set, metal (for 2250, 2255 servos)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
6896	Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)	6860A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
Hardware			
1926	Antenna caps, vinyl (2)/ antenna spool	6860R	Motor mount, 6061-T6 aluminum (blue-anodized)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	3785	Motor, Titan® 12T (12-Turn, 550 size)
3642	Attachment screws, shock (3x12mm shoulder screws) (6)	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench	3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3935	Body clip (mounting clip), angled, 90-degrees (10)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
3934	Body clips, heavy duty (12)	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
1589	Double-sided adhesive tape (25mm x 25mm) (2)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2745	Nuts, 3mm nylon locking (12)	2053	Servo gears (for 2055, 2056 servos)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
1747	Nuts, 4mm nylon locking (10)	2075	Servo, digital high-torque (ball bearing), waterproof
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
		2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
		2056	Servo, high-torque, waterproof (blue case)
		3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
		3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
		3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)
		Radio System, Batteries & Chargers	
		2854X	10000mAh 7.4v 2-Cell 25C LiPo Battery
		2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
		2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
		2976	AC to DC converter, 40W
		2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
		6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
		2914	Battery, Power Cell AA Alkaline (4)
		2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)

Page 3 Stampede 4X4 Unassembled Kit (Model 67014-4) Parts List

2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)	6829	Bulkhead, rear
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)	3641A	Camber link set (plastic / non-adjustable) (front & rear) (grey)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)	3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
2984	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))	3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
2260	BEC assembly (complete)	3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	1952X	Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	1952G	Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification	1952	Carriers, stub axle (rear) (2)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	1952A	Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification	6895	Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6525	Communication link, telemetry expander	6897	Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2072A	Gear set (for 2070, 2075 servos)	6838	Shock tower, rear
2072X	Gear set, metal (for 2070, 2075 servos)	6838X	Shock tower, rear, 7075-T6 aluminum (blue-anodized)
2252	Gear set, metal (for 2250, 2255 servos)	6853X	Stub axles, rear, heavy duty (2)/pins (2)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)	6732	Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)	3655X	Suspension arms, left & right
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	6834	Suspension pin set, complete (front and rear)
6555	Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)	6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
6519	Receiver, micro, TQ 2.4GHz (3-channel)	6896	Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)
6518	Receiver, micro, TQi 2.4GHz with telemetry (5-channel)		
3932	Screws, 3x6mm flat-head machine (hex drive) (6)		
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)		
6526	Sensor, auto-detectable, temperature		
6527	Sensor, auto-detectable, voltage		
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)		
6521	Sensor, temperature and voltage (long)		
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)		
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)		
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)		
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)		
2053	Servo gears (for 2055, 2056 servos)		
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof		
2075	Servo, digital high-torque (ball bearing), waterproof		
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof		
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof		
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof		
2056	Servo, high-torque, waterproof (blue case)		
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system		
6550X	Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)		
6550	Telemetry expander, TQi radio system		
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)		
6539	Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)		
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)		
6540	Telemetry trigger magnet, 5X2mm (1)		
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)		
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)		
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)		
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)		
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)		
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)		

Shocks (Aluminum)

1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2760	Shock caps, aluminum (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T	Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2765	Shock shafts, steel, chrome finish (X-long) (2)
4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
1666	Silicone shock oil (30 wt)

Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
2666	Big Bore shock cylinder (XX-long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)

- 5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 6878 Slipper clutch, complete
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 Slipper pressure plate and hub (alloy)

Shocks (Ultra Shocks)

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock(s) (long) (grey) (2)
- 3766A Body, Ultra Shock(s) (XXL) (grey) (2)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 3758 Springs, front (black) (2)
- 3758T Springs, front (blue) (2)
- 3758A Springs, front (green) (2)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 3758X Springs, front (white) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 3757 Springs, rear (black) (2)
- 3757T Springs, rear (blue) (2)
- 3757A Springs, rear (green) (2)
- 3757P Springs, rear (pink) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 3757X Springs, rear (white) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Spur Gears & Pinion Gears

- 6747 Gear, 11-T pinion (32-p) (steel)/ set screw
- 3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3943X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3944X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3945X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3946X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3949X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3951X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3952X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 6745 Gear, 9-T pinion (32-p) (steel)/ set screw
- 6842 Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
- 6842R Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
- 6843 Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
- 6843R Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
- 3956 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
- 3956R Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6814 center differential)
- 3956X Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6780 center differential)

Steering Components

- 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2072A Gear set (for 2070, 2075 servos)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2072R Gear set, metal, high speed (for 2070, 2075 servos)
- 6846 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2053 Servo gears (for 2055, 2056 servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2056 Servo, high-torque, waterproof (blue case)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 2746 Washers, 3x6mm metal (12)

Slipper Clutch Components

- 6893G Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6893X Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
- 6814 Differential kit, center (complete)
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
- 6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))

Suspension Linkage

- 3641A Camber link set (plastic / non-adjustable) (front & rear) (grey)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

Page 5 Stampede 4X4 Unassembled Kit (Model 67014-4) Parts List

- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 5525 Rod ends (12)/ hollow balls (12)
- 6834 Suspension pin set, complete (front and rear)
- 2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 2754 Stub axle pins (4)
- 4175 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/ 4WD electric front/rear) (2) (TSM rated)
- 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
- 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
- 6771 Tires and wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)
- 6770 Tires, Maxx® 2.8" (2)/ foam inserts (2)
- 3671 Tires, Talon 2.8" (2)/ foam inserts (2)
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 1654X Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(4)
- 6856X Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm
- 5576A Wheels, All-Star 2.8" (black chrome) (front/rear, Stampede 4x4) (2)
- 5576 Wheels, All-Star 2.8" (chrome) (Stampede 4x4 front or rear) (2)
- 5572 Wheels, Twin-Spoke 2.8" (chrome) (front/rear, Stampede 4x4) (2)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8721 Speed bit handle, medium (one piece)
- 8720 Speed bit handle, premium, large (rubber overmold)
- 8722 Speed bit handle, premium, medium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive

- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 5525 Rod ends (12)/ hollow balls (12)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM