



Rustler 4X4 VXL (Model 67076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

| | |
|-------------|--|
| 4607 | Ball bearings (5x11x4mm) (8) |
| 4612 | Ball bearings (10x15x4mm) (2) |
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5120 | Ball bearings, blue rubber sealed (12x18x4mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5114 | Ball bearings, blue rubber sealed (5x8x2.5mm) (2) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) |
| 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |

Body & Accessories

| | |
|-------------|---|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 6720 | Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1) |
| 6719 | Body support/ 3x12mm CS (4) |
| 6717 | Body, Rustler 4X4 (clear, requires painting)/ window, grill, lights decal sheet |
| 6717G | Body, Rustler 4X4 VXL, green/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting) |
| 6717R | Body, Rustler 4X4 VXL, red/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting) |
| 2514 | Decal sheet, racing sponsors |
| 9950 | Official Team Traxxas racing decal set (flag logo/ 6-color) |
| 6721 | Wing, Rustler 4X4 (black) |

Center Driveline

| | |
|--------------|---|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5120 | Ball bearings, blue rubber sealed (12x18x4mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) |
| 6893X | Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) |
| 7477 | Cover, gear/ wire retainer |
| 6814 | Differential kit, center (complete) |
| 6888 | Drive hub, center, rear (1)/ front (1)/screw pin |
| 6888X | Drive hub, front, hardened steel (1)/ screw pin (1) |
| 6883 | Gear set, center differential (output gears 2)/ spider gears 2)/ spider gear shaft) |
| 5148 | Grease, white lithium |
| 6884 | Housing, center differential/ x-ring gaskets 2)/ ring gear gasket/ bushings 2)/ 5x10x0.5 TW 2)/ CCS 2.5x8 (4) |
| 6893 | Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) |
| 7460A | Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) |
| 7460R | Motor mount, 6061-T6 aluminum (blue-anodized) |
| 7490 | Plate, motor |
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads 3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5352X | Rebuild kit, slipper clutch (steel disc/ friction pads 3)/ spring 2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads 3)/ spring 2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 1647 | Silicone grease |
| 6878 | Slipper clutch, complete |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |
| 5351 | Slipper pressure plate and hub (alloy) |

Chassis & Attachments

| | |
|------|--|
| 6726 | Battery hold-down (2)/ battery clip/ hold-down post/ screw pin/ pivot post screw |
| 6724 | Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2) |
| 6736 | Bumper, front/ bumper support |
| 6737 | Bumper, rear/ bumper mount, rear |
| 6723 | Chassis |
| 6776 | Wheelie bar |

Differential Components

| | |
|--------------|---|
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5117 | Ball bearings, blue rubber sealed (6x12x4mm) (2) |
| 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) |
| 5381 | Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW |
| 5136X | Differential oil kit (1 each: 10K, 30K, 50K weights) |
| 6882X | Gear set, differential (output gears 2)/ spider gears 2)/ spider gear shaft, carrier support) |
| 6881 | Housings, differential, front |
| 6880 | Housings, differential, rear |
| 5379X | Ring gear, differential/ pinion gear, differential |
| 5379R | Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front) |
| 6879R | Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear) |
| 6879 | Ring gear, differential/ pinion gear, differential (rear) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 1647 | Silicone grease |

Driveline Components

| | |
|--------------|---|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 6758 | Differential output shaft (for steel constant-velocity driveshafts) (2) |
| 6851A | Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1) |
| 6852A | Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1) |
| 6765 | Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm) |
| 6767 | Driveshaft, center, plastic, (black)/ screw pin |
| 6851R | Driveshafts, front, steel-spline constant-velocity (complete assembly) (2) |
| 6852R | Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) |
| 6750 | Half shaft, external splined (steel-spline constant-velocity) (1) |
| 6751 | Half shaft, internal splined (steel-spline constant-velocity) (1) |
| 6757 | Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware) |
| 6754 | Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) |
| 6753 | Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) |

Front Suspension & Steering

| | |
|--------------|---|
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 5114 | Ball bearings, blue rubber sealed (5x8x2.5mm) (2) |
| 6823 | Bulkhead tie bars, front & rear, aluminum (blue-anodized) |
| 7430X | Bulkhead, front |
| 6832X | Caster blocks (c-hubs), 6061-T6 aluminum, left & right (blue-anodized) |
| 6832 | Caster blocks (c-hubs), left & right |
| 6851A | Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1) |
| 6851R | Driveshafts, front, steel-spline constant-velocity (complete assembly) (2) |
| 7438 | Linkage, steering |
| 6739 | Shock tower, front |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 6837X | Steering blocks, 6061-T6 aluminum, left & right (blue-anodized) |
| 6837 | Steering blocks, left & right |
| 6754 | Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) |
| 3655R | Suspension arms, front/rear (left & right) (2) (heavy duty, cold weather material) |
| 6834 | Suspension pin set, complete (front and rear) |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 5539 | Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2) |

Hardware

| | |
|------|--|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 1552 | Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench |
| 3935 | Body clip (mounting clip), angled, 90-degrees (10) |

| | |
|-------|--|
| 3934 | Body clips, heavy duty (12) |
| 1589 | Double-sided adhesive tape (25mm x 25mm) (2) |
| 2586 | Screws, 3x15mm cap-head machine (hex drive) (6) |
| 2745 | Nuts, 3mm nylon locking (12) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1747 | Nuts, 4mm nylon locking (10) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 5525 | Rod ends (12)/ hollow balls (12) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3347 | Screws, 2.5x5mm button-head machine (hex drive) (6) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) |
| 2552 | Screws, 3x12mm countersunk machine (6) (hex drive) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 2583 | Screws, 3x18mm button-head machine (hex drive) (6) |
| 2580 | Screws, 3x20mm button-head machine (hex drive) (6) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) |
| 2592 | Screws, 3x40mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 2534 | Screws, 3x6mm countersunk machine (6) (hex drive) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 3936 | Screws, 4x10mm button-head machine (hex drive) (6) |
| 3937 | Screws, 4x12mm button-head machine (hex drive) (6) |
| 2542 | Screws, 4x12mm countersunk machine (hex drive) (6) |
| 3938 | Screws, 4x14mm button-head machine (hex drive) (6) |
| 2546 | Screws, 4x15mm countersunk machine (hex drive) (6) |
| 2743 | Set (grub) screws, 3mm hardened (12) |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6) |
| 2754 | Stub axle pins (4) |
| 2748X | Tool Set (1.5mm & 2.5mm allen/ 4-way lug, 8mm & 4mm wrench & U-joint wrenches) |
| 2746 | Washers, 3x6mm metal (12) |

Motors & Electronics

| | |
|-------|---|
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 3340 | Cooling fan, Velineon VXL-3s ESC |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2072R | Gear set, metal, high speed (for 2070, 2075 servos) |
| 3354R | Motor cover, endbell (Velineon 3500) |
| 7460A | Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) |
| 7460R | Motor mount, 6061-T6 aluminum (blue-anodized) |
| 3351R | Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) |
| 7490 | Plate, motor |
| 3347 | Screws, 2.5x5mm button-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 3350R | Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725)) |
| 3355R | Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |

Radio System, Batteries & Chargers

| | |
|-------|--|
| 2854X | 1000mAh 7.4v 2-Cell 25C LiPo Battery |
| 2849X | 4000mAh 11.1v 3-Cell 25C LiPo Battery |
| 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 2857X | 6400mAh 11.1v 3-Cell 25C LiPo Battery |
| 2976 | AC to DC converter, 40W |
| 2938X | Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) |
| 2943 | Battery charge indicators (green (4), blue (4), grey (4)) |
| 6546 | Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters) |
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2926X | Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) |
| 2941X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) |
| 2951X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) |
| 2961X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) |

| | |
|-------|---|
| 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2992 | Battery/charger completer pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2975 | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification |
| 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification |
| 2971 | Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification |
| 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification |
| 6525 | Communication link, telemetry expander |
| 2978 | Fuse, charger, 5A (2) (for #2974, 2975, 2977) |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2072R | Gear set, metal, high speed (for 2070, 2075 servos) |
| 6555 | Mount, telemetry expander (fits Slash 4X4, Stampede 4X4, Rally, Jato) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 6552 | Seal kit, expander box (includes o-ring, seals, and silicone grease) |
| 6526 | Sensor, auto-detectable, temperature |
| 6527 | Sensor, auto-detectable, voltage |
| 6520 | Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) |
| 6521 | Sensor, temperature and voltage (long) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 6550 | Telemetry expander, TQi radio system |
| 6551 | Telemetry GPS module, TQi radio system |
| 6539 | Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) |
| 6538 | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) |
| 6540 | Telemetry trigger magnet, 5X2mm (1) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) |
| 6528 | Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) |
| 6529 | Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) |
| 6530 | Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas Link Wireless Module |
| 3355R | Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |

Ready-To-Race Model

| | |
|---------|--|
| 67076-4 | Rustler 4X4 VXL: 1/10 Scale Stadium Truck with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM) |
|---------|--|

Rear Suspension

| | |
|-------|---|
| 6823 | Bulkhead tie bars, front & rear, aluminum (blue-anodized) |
| 7429 | Bulkhead, rear |
| 1952X | Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2) |
| 1952 | Carriers, stub axle (rear) (2) |
| 6852A | Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1) |
| 6852R | Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) |
| 6738 | Shock tower, rear |
| 3655R | Suspension arms, front/rear (left & right) (2) (heavy duty, cold weather material) |
| 6834 | Suspension pin set, complete (front and rear) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4) |

Shocks (Aluminum)

| | |
|-------|---|
| 1965 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 2760 | Shock caps, aluminum (2) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2765T | Shock shafts, hardened steel, titanium nitride coated (X-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2765 | Shock shafts, steel, chrome finish (X-long) (2) |
| 4760 | Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) |
| 4761 | Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) |
| 1666 | Silicone shock oil (30 wt) |

Shocks (GTR)

| | |
|-------|---|
| 7466X | Body, GTR long (hard-anodized, PTFE-coated aluminum) (1) |
| 7466 | Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1) |
| 7466G | Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1) |
| 7467X | Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1) |
| 7467 | Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1) |
| 7467G | Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1) |
| 7468 | Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) |
| 7463 | Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks) |
| 5469 | Rod ends (GTR shocks) (6) |
| 7464T | Shaft, GTR long, TiN-coated (2) |
| 7465T | Shaft, GTR xx-long, TiN-coated (2) |
| 7461 | Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7461G | Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7461X | Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs) |
| 7462 | Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7462G | Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2) |
| 7462X | Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs) |
| 7440 | Spring, shock, white (GTR long) (0.623 rate orange) (1 pair) |
| 7441 | Spring, shock, white (GTR long) (0.653 rate green) (1 pair) |
| 7444 | Spring, shock, white (GTR long) (0.767 rate black) (1 pair) |
| 7445 | Spring, shock, white (GTR long) (0.810 rate pink) (1 pair) |
| 7448 | Spring, shock, white (GTR long) (0.892 rate blue) (1 pair) |
| 7442 | Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair) |
| 7443 | Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair) |
| 7446 | Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair) |
| 7447 | Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair) |
| 7449 | Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair) |

Shocks (Pro-level Aluminum)

| | |
|-------|--|
| 2664 | Big Bore shock cylinder (long) (1) |
| 2666 | Big Bore shock cylinder (XX-long) (1) |
| 5862 | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) |
| 2660 | Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) |
| 2662 | Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) |
| 2669 | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 2667 | Shock caps, aluminum (Big Bore Shocks) (2) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |

| | |
|------|---|
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 1666 | Silicone shock oil (30 wt) |
| 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| 6863 | Springs, front (progressive, +10% rate, pink) (2) |
| 6864 | Springs, front (progressive, +20% rate, blue) (2) |
| 6862 | Springs, front (progressive, -10% rate, green) (2) |
| 6861 | Springs, front (progressive, -20% rate, orange) (2) |
| 6857 | Springs, front (white) (progressive rate) (2) |
| 6867 | Springs, rear (progressive, +10% rate, pink) (2) |
| 6868 | Springs, rear (progressive, +20% rate, blue) (2) |
| 6866 | Springs, rear (progressive, -10% rate, green) (2) |
| 6865 | Springs, rear (progressive, -20% rate, orange) (2) |
| 6858 | Springs, rear (white) (progressive rate) (2) |

Shocks (Ultra Shocks)

| | |
|-------|---|
| 3642 | Attachment screws, shock (3x12mm shoulder screws) (6) |
| 3765A | Body, Ultra Shock(s) (long) (grey) (2) |
| 3766A | Body, Ultra Shock(s) (XXL) (grey) (2) |
| 5475 | Multi-tool (plastic) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3767 | Shock caps (2)/ shock bottoms (2) |
| 8361 | Shock caps (black) (4) (assembled with hollow balls) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 1666 | Silicone shock oil (30 wt) |
| 3769 | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) |
| 3768 | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2)) |
| 6863 | Springs, front (progressive, +10% rate, pink) (2) |
| 6864 | Springs, front (progressive, +20% rate, blue) (2) |
| 6862 | Springs, front (progressive, -10% rate, green) (2) |
| 6861 | Springs, front (progressive, -20% rate, orange) (2) |
| 6857 | Springs, front (white) (progressive rate) (2) |
| 6867 | Springs, rear (progressive, +10% rate, pink) (2) |
| 6868 | Springs, rear (progressive, +20% rate, blue) (2) |
| 6866 | Springs, rear (progressive, -10% rate, green) (2) |
| 6865 | Springs, rear (progressive, -20% rate, orange) (2) |
| 6858 | Springs, rear (white) (progressive rate) (2) |
| 3760 | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) |
| 3762 | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 3760A | Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) |
| 3762A | Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |

Slipper Clutch Components

| | |
|-------|--|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 6893X | Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) |
| 6888 | Drive hub, center, rear (1)/ front (1)/screw pin |
| 6888X | Drive hub, front, hardened steel (1)/ screw pin (1) |
| 6883 | Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) |
| 6884 | Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) |
| 6893 | Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) |
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5352X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) |
| 6878 | Slipper clutch, complete |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |
| 5351 | Slipper pressure plate and hub (alloy) |

Spur Gears & Pinion Gears

| | |
|-------|---|
| 7477 | Cover, gear/ wire retainer |
| 6747 | Gear, 11-T pinion (32-p) (steel)/ set screw |
| 3942 | Gear, 12-T pinion (32-p) (mach. steel)/ set screw |
| 3942X | Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3943 | Gear, 13-T pinion (32-p) (mach. steel)/ set screw |
| 3943X | Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3944 | Gear, 14-T pinion (32-p) (mach. steel)/ set screw |
| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3945 | Gear, 15-T pinion (32-p) (mach. steel)/ set screw |
| 3945X | Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3946 | Gear, 16-T pinion (32-p) (mach. steel)/ set screw |
| 3946X | Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3947 | Gear, 17-T pinion (32-p) (mach. steel)/ set screw |
| 3947X | Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3948 | Gear, 18-T pinion (32-p) (mach. steel)/ set screw |
| 3948X | Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3949 | Gear, 19-T pinion (32-p) (mach. steel)/ set screw |
| 3949X | Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3950 | Gear, 20-T pinion (32-p) (mach. steel)/ set screw |
| 3950X | Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3951 | Gear, 21-T pinion (32-p) (mach. steel)/ set screw |
| 3951X | Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3952 | Gear, 22-T pinion (32-p) (mach. steel)/ set screw |
| 3952X | Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 6745 | Gear, 9-T pinion (32-p) (steel)/ set screw |
| 6842 | Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) |
| 6842R | Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential) |
| 6843 | Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) |
| 6843R | Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential) |
| 3956 | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) |
| 3956R | Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential) |

Steering Components

| | |
|-------|--|
| 1552 | Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench |
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 5114 | Ball bearings, blue rubber sealed (5x8x2.5mm) (2) |
| 7438 | Linkage, steering |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 6742 | Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center) |
| 2746 | Washers, 3x6mm metal (12) |

Suspension Linkage

| | |
|------|--|
| 5525 | Rod ends (12)/ hollow balls (12) |
| 3739 | Screw pin set (Rustler/ Bandit/ Stampede) |
| 6834 | Suspension pin set, complete (front and rear) |
| 2537 | Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw |
| 6742 | Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 5539 | Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2) |

Team Traxxas Items

| | |
|-------|---|
| 2514 | Decal sheet, racing sponsors |
| 6160X | DVD, Maxx Power! Full Throttle Action (sleeve) |
| 9950 | Official Team Traxxas racing decal set (flag logo/ 6-color) |
| 9909 | Traxxas racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|-------|---|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 1647 | Silicone grease |
| 2754 | Stub axle pins (4) |
| 6773X | Tires & wheels, assembled, glued (2.8") (Rustler 4X4 black chrome wheels, Talon Extreme tires, foam inserts) |
| 6774X | Tires & wheels, assembled, glued (2.8") (Rustler 4X4 black chrome wheels, Talon Extreme tires, foam inserts) (electric rear) |
| 6773 | Tires & wheels, assembled, glued (2.8") (Rustler 4X4 black wheels, Talon Extreme tires, foam inserts) |
| 6774 | Tires & wheels, assembled, glued (2.8") (Rustler 4X4 black wheels, Talon Extreme tires, foam inserts) (electric rear) |
| 6773G | Tires & wheels, assembled, glued (2.8") (Rustler 4X4 green wheels, Talon Extreme tires, foam inserts) |
| 6774G | Tires & wheels, assembled, glued (2.8") (Rustler 4X4 green wheels, Talon Extreme tires, foam inserts) (electric rear) |
| 6773A | Tires & wheels, assembled, glued (2.8") (Rustler 4X4 orange wheels, Talon Extreme tires, foam inserts) |
| 6774A | Tires & wheels, assembled, glued (2.8") (Rustler 4X4 orange wheels, Talon Extreme tires, foam inserts) (electric rear) |
| 6773R | Tires & wheels, assembled, glued (2.8") (Rustler 4X4 satin chrome wheels, Talon Extreme tires, foam inserts) |
| 6774R | Tires & wheels, assembled, glued (2.8") (Rustler 4X4 satin chrome wheels, Talon Extreme tires, foam inserts) (electric rear) |
| 6769 | Tires, Talon EXT 2.8" (2)/ foam inserts (2) |
| 1654 | Wheel hubs, hex (rear) (2)/ stub axle pins (2) |
| 1654X | Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(4) |
| 6772 | Wheels, Rustler 4X4 2.8" (black) |

Turnbuckles & Threaded Rods

| | |
|------|--|
| 5525 | Rod ends (12)/ hollow balls (12) |
| 6742 | Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 3643 | Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 5539 | Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM