



Slash 4X4 VXL (Model 68086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 4612 **Ball bearings (10x15x4mm) (2)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 3934 Body clips, heavy duty (12)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
- 5815 **Body, Ford Raptor® (first generation) (clear, requires painting)**
- 5815A **Body, Ford Raptor®, blue (first generation) (painted, decals applied)**
- 5815R **Body, Ford Raptor®, red (first generation) (painted, decals applied)**
- 5815X **Body, Ford Raptor®, white (first generation) (painted, decals applied)**
- 6811 **Body, Slash 4X4 (clear, requires painting)/ window masks/ decal sheet**
- 6817 **Body, Slash 4X4, Amsoil (painted, decals applied)**
- 6831 **Body, Slash 4X4, Chad Hord (painted, decals applied)**
- 6818 **Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, decals applied)**
- 5849 **Body, Slash 4X4, Hawaiian graphics (painted, decals applied)**
- 6820 **Body, Slash 4X4, Jeff Kincaid (painted, decals applied)**
- 6825X **Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)**
- 6826R **Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals applied)**
- 6811X **Body, Slash 4X4, ProGraphix (Graphics are printed, requires paint & final color application)/ decal sheet**
- 5812 **Body, Slash 4X4, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet**
- 5848 **Body, Slash 4X4, Rock n' Roll (painted, decals applied)**
- 6889 **Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals applied)**
- 6849 **Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)**
- 2514 **Decal sheet, racing sponsors**
- 6813 Decal sheet, Slash 4X4
- 9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**

Center Driveline

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6893G **Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
- 6893X **Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
- 6841 Cover, center driveshaft (clear)
- 6877A **Cover, gear (clear)**
- 6877 Cover, gear/ motor wire hold-down clip
- 6814 **Differential kit, center (complete)**
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6883 **Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
- 5148 Grease, white lithium
- 6884 **Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**

- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
- 6890 Plate, motor
- 6890X **Plate, motor, 6061-T6 aluminum (blue-anodized)**
- 5352R **Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5352X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 1647 Silicone grease
- 6878 Slipper clutch, complete
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 **Slipper pressure plate and hub (alloy)**

Chassis & Attachments

- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 3924 Box, receiver (sealed) foam pad/ silicone grease/2.5x8mm BCS (2)/ 3x10mm CCS (2)/ 3x15mm CCS (2)
- 3628 **Box, receiver (sealed) foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)**
- 6835 Bumper, front/ bumper mount, front (black)
- 6836 Bumper, rear/ bumper mount, rear (black)
- 7421 **Chassis conversion kit, low CG (Slash 4x4)**
- 6822 Chassis, Slash 4X4
- 6841 Cover, center driveshaft (clear)
- 5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
- 5827X Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)
- 6840 **Mount, Go-pro camera, fiberglass**
- 3629 **Seal kit, receiver box (includes o-ring, seals, and silicone grease)**
- 3925 Seal kit, receiver box (includes o-ring, seals, and silicone grease)

Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 6780 **Differential kit, center (complete)**
- 6814 **Differential kit, center (complete)**
- 5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 6783 **Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))**
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6781 **Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5mm PTFE-coated washers (2)/ 2.5x8 CCS (4)**
- 6881 Housings, differential, front
- 6880 Housings, differential, rear
- 6782 **Output gears, center differential, hardened steel (2)**
- 5379X Ring gear, differential/ pinion gear, differential
- 5379R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
- 6879R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 Ring gear, differential/ pinion gear, differential (rear)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 1647 Silicone grease

Driveline Components

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 6828A **Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)
- 6851X Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6855 Driveshaft, center, 6061-T6 aluminum (blue-anodized)
- 6855G **Driveshaft, center, 6061-T6 aluminum (green-anodized)**

Page 2 Slash 4X4 VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 68086-4) Parts List

6851R	Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
6750	Half shaft, external splined (steel-spline constant-velocity) (1)
6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6754	Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)
6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
6853X	Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

2728	Ball bearings (5x8x2.5mm) (2)
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
6830X	Bulkhead, front
6832X	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
6832G	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
6832R	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right
6832	Caster blocks (c-hubs), left & right
6895	Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6897	Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
6839	Shock tower, front
6839X	Shock tower, front, 7075-T6 aluminum (blue-anodized)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6837X	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
6837G	Steering blocks, 6061-T6 aluminum (green-anodized), left & right
6837R	Steering blocks, 6061-T6 aluminum (red-anodized), left & right
6837	Steering blocks, left & right
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
3655X	Suspension arms, left & right
6834	Suspension pin set, complete (front and rear)
6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
6896	Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)

2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18mm button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2748X	Tool Set (1.5mm & 2.5mm allen/ 4-way lug, 8mm & 4mm wrench & U-joint wrenches)
2746	Washers, 3x6mm metal (12)

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete)
3340	Cooling fan, Velineon® VXL-3s ESC
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
3354R	Motor cover, endbell (Velineon® 3500)
6860A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
6860R	Motor mount, 6061-T6 aluminum (blue-anodized)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2854X	10000mAh 7.4v 2-Cell 25C LiPo Battery
2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2878X	8400mAh 11.1v 3-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2943	Battery charge indicators (green (4), blue (4), grey (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2995	Battery/charger completer pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))

Page 3 Slash 4X4 VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 68086-4) Parts List

- 2260 BEC assembly (complete)
- 2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas Link™ Wireless Module
- 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
- 2072A Gear set (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6555 Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
- 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
- 6550 Telemetry expander, TQi radio system
- 6551X Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)
- 6539 Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
- 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas Link™ Wireless Module
- 3355R Velion® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Ready-To-Race Model

- 68086-4 Slash 4X4: 1/10 Scale 4WD Electric Short Course Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823G Bulkhead tie bars, front & rear, aluminum (green-anodized)
- 6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)
- 6829 Bulkhead, rear
- 1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)
- 1952G Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)
- 1952 Carriers, stub axle (rear) (2)
- 1952A Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)
- 6895 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)

- 6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6838 Shock tower, rear
- 6838X Shock tower, rear, 7075-T6 aluminum (blue-anodized)
- 6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)
- 3655X Suspension arms, left & right
- 6834 Suspension pin set, complete (front and rear)
- 6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)
- 6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

Shocks (Aluminum)

- 1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2760 Shock caps, aluminum (2)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2765 Shock shafts, steel, chrome finish (X-long) (2)
- 4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
- 4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
- 1666 Silicone shock oil (30 wt)

Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
- 2666 Big Bore shock cylinder (XX-long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
- 2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (Big Bore Shocks) (2)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)

Shocks (Ultra Shocks)

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock(s) (long) (grey) (2)
- 3766A Body, Ultra Shock(s) (XXL) (grey) (2)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)

3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
7461X	Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7462X	Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole) (2)/ 3-hole (2)
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
6858	Springs, rear (white) (progressive rate) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6893X	Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
6814	Differential kit, center (complete)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6883	Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
6884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
6893	Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
6878	Slipper clutch, complete
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)

Spur Gears & Pinion Gears

3942	Gear, 12-T pinion (32-p) (mach. steel)/ set screw
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3943	Gear, 13-T pinion (32-p) (mach. steel)/ set screw
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3944	Gear, 14-T pinion (32-p) (mach. steel)/ set screw
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3945	Gear, 15-T pinion (32-p) (mach. steel)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3946	Gear, 16-T pinion (32-p) (mach. steel)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3947	Gear, 17-T pinion (32-p) (mach. steel)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3948	Gear, 18-T pinion (32-p) (mach. steel)/ set screw

3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3949	Gear, 19-T pinion (32-p) (mach. steel)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3950	Gear, 20-T pinion (32-p) (mach. steel)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3951	Gear, 21-T pinion (32-p) (mach. steel)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3952	Gear, 22-T pinion (32-p) (mach. steel)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6814 center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6780 center differential)

Steering Components

1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
2728	Ball bearings (5x8x2.5mm) (2)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2746	Washers, 3x6mm metal (12)

Suspension Linkage

5525	Rod ends (12)/ hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
6834	Suspension pin set, complete (front and rear)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5887R	Tires & wheels, assembled, glued (S1 compound) (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5889R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
6891R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke chrome, red beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)

Page 5 Slash 4X4 VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 68086-4) Parts List

- 6892R Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
- 5863R Tires & wheels, assembled, glued (S1 compound) (SCT, black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
- 6873X Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
- 6874R Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
- 6873R Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
- 5863 Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
- 5887 Tires & wheels, assembled, glued (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
- 5867 Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
- 5873R Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)
- 5873 Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)
- 5878 Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
- 5873X Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
- 5873A Tires & wheels, assembled, glued (SCT satin chrome, red-beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
- 5889 Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
- 6873A Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
- 6891 Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
- 5891 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)
- 6873 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
- 6892 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
- 5883 Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
- 6871 Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
- 6871R Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
- 5871 Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
- 5871R Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 6856X Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm

- 5868X Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
- 5868 Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
- 5872 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)
- 5872X Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
- 5872A Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
- 5884A Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
- 5884 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
- 6872X Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
- 6872A Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
- 6872 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8722 Speed bit handle, premium (rubber overmold)
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle)

Turnbuckles & Threaded Rods

- 5525 Rod ends (12)/ hollow balls (12)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM