



# Ford Fiesta® ST Rally (Model 74064-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 4607** Ball bearings (5x11x4mm) (8)
- 4612** Ball bearings (10x15x4mm) (2)
- 2728** Ball bearings (5x8x2.5mm) (2)
- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 3934 Body clips, heavy duty (12)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 7434 Body bumper, foam (low profile) (use with #7435 front skidplate)
- 3935** Body clip (mounting clip), angled, 90-degrees (10)
- 3934 Body clips, heavy duty (12)
- 6416 Body mount posts (2)/ body post pivot (2)/ screw pins, 2.5x18mm (2)
- 7415X Body mounts, front & rear/ body post, rear (1)
- 1815 Body washers (8)
- 6716** Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
- 7412** Body, Ford Fiesta® ST Rally (clear, requires painting)
- 7416** Body, Ford Fiesta® ST Rally (painted, decals applied)
- 2514** Decal sheet, racing sponsors
- 9950** Official Team Traxxas racing decal set (flag logo/ 6-color)
- 7413 Wing, Ford Fiesta® ST Rally (black)/ 3x8 FCS (4)

## Center Driveline

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6893X** Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
- 7477 Cover, gear/ wire retainer
- 6814** Differential kit, center (complete)
- 6888 Drive hub, center, rear (1)/ front (1)/screw pin
- 6855** Driveshaft, center, 6061-T6 aluminum (blue-anodized)
- 7455 Driveshaft, center, plastic (black)/ screw pin
- 6766 Gear clutch, complete (high stall)
- 6883** Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
- 5148 Grease, white lithium
- 6884** Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
- 7460 Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 7490 Plate, motor
- 5352R** Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X** Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5552X** Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 1647 Silicone grease
- 6878** Slipper clutch, complete
- 5556** Slipper pressure plate & hub (aluminum alloy)
- 5351** Slipper pressure plate and hub (alloy)

## Chassis & Attachments

- 7426 Battery hold-down (1)/ hold-down retainer, front & rear (1 each)
- 7426X** Battery hold-downs, tall (2) (allows for installation of taller, multi-cell batteries)
- 7434 Body bumper, foam (low profile) (use with #7435 front skidplate)
- 7424 Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)
- 7422 Chassis

- 7423 Nerf bars, chassis (2)
- 7425 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 7435 Skidplate, front (angled for higher ground clearance) (use with #7434 foam body bumper)

## Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 6814** Differential kit, center (complete)
- 5136X** Differential oil kit (1 each: 10K, 30K, 50K weights)
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6881 Housings, differential, front
- 6880 Housings, differential, rear
- 5379X Ring gear, differential/ pinion gear, differential
- 5379R** Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
- 6879R Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
- 6879 Ring gear, differential/ pinion gear, differential (rear)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 1647 Silicone grease

## Driveline Components

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)
- 6760 Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6761 Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6759 Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
- 6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)

## Front Suspension & Steering

- 2728 Ball bearings (5x8x2.5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823R** Bulkhead tie bars, front & rear, aluminum (red-anodized)
- 7430 Bulkhead, front
- 6743 Camber link set (plastic/ non-adjustable) (front & rear)
- 6832X** Caster blocks (c-hubs), 6061-T6 aluminum, left & right (blue-anodized)
- 6832R** Caster blocks (c-hubs), 6061-T6 aluminum, left & right (red-anodized)
- 6832 Caster blocks (c-hubs), left & right
- 6895** Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6897** Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 7438 Linkage, steering
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 6839 Shock tower, front
- 6839X** Shock tower, front, 7075-T6 aluminum (blue-anodized)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 6837X** Steering blocks, 6061-T6 aluminum, left & right (blue-anodized)
- 6837R** Steering blocks, 6061-T6 aluminum, left & right (red-anodized)
- 6837 Steering blocks, left & right
- 6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
- 6731 Suspension arms, front/rear (left & right) (2)
- 6834 Suspension pin set, complete (front and rear)
- 6898** Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
- 3139 Turnbuckles (62mm) (front tie rods) (2)
- 3139A** Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

## Page 2 Ford Fiesta® ST Rally: TQ 2.4GHz Radio (Model 74064-4) Parts List

- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)  
6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

### Hardware

- 1926 Antenna caps, vinyl (2)/ antenna spool  
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  
1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench  
**3935 Body clip (mounting clip), angled, 90-degrees (10)**  
3934 Body clips, heavy duty (12)  
1589 Double-sided adhesive tape (25mm x 25mm) (2)  
2586 Screws, 3x15mm cap-head machine (hex drive) (6)  
2745 Nuts, 3mm nylon locking (12)  
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)  
1747 Nuts, 4mm nylon locking (10)  
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)  
2742 Rod ends, long (6)/ hollow ball connectors (6)  
2742X Rod ends, short (6)/ hollow balls (6)  
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)  
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)  
3965 Screws, 2.5x8mm cap-head machine (6)  
2577 Screws, 3x10mm button-head machine (hex drive) (6)  
2578 Screws, 3x12mm button-head machine (hex drive) (6)  
2552 Screws, 3x12mm countersunk machine (6) (hex drive)  
2579 Screws, 3x15mm button-head machine (hex drive) (6)  
3646 Screws, 3x15mm flat-head machine (hex drive) (6)  
2583 Screws, 3x18mm button-head machine (hex drive) (6)  
2580 Screws, 3x20mm button-head machine (hex drive) (6)  
2591 Screws, 3x23mm button-head machine (hex drive) (6)  
2582 Screws, 3x30mm button-head machine (hex drive) (6)  
2592 Screws, 3x40mm button-head machine (hex drive) (6)  
2575 Screws, 3x6mm button-head machine (hex drive) (6)  
2534 Screws, 3x6mm countersunk machine (6) (hex drive)  
3932 Screws, 3x6mm flat-head machine (hex drive) (6)  
2576 Screws, 3x8mm button-head machine (hex drive) (6)  
3931 Screws, 3x8mm flat-head machine (hex drive) (6)  
3936 Screws, 4x10mm button-head machine (hex drive) (6)  
3937 Screws, 4x12mm button-head machine (hex drive) (6)  
2542 Screws, 4x12mm countersunk machine (hex drive) (6)  
3938 Screws, 4x14mm button-head machine (hex drive) (6)  
2546 Screws, 4x15mm countersunk machine (hex drive) (6)  
2743 Set (grub) screws, 3mm hardened (12)  
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)  
2754 Stub axle pins (4)  
2748X Tool Set (1.5mm & 2.5mm allens/ 4-way lug, 8mm & 4mm wrench & U-joint wrenches)  
2746 Washers, 3x6mm metal (12)

### Motors & Electronics

- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  
**3340 Cooling fan, Velineon VXL-3s ESC**  
3354R Motor cover, endbell (Velineon 3500)  
7460 Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)  
3785 Motor, Titan 12T (12-Turn, 550 size)  
**3351R Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)**  
3347 Screws, 2.5x5mm button-head machine (hex drive) (6)  
3932 Screws, 3x6mm flat-head machine (hex drive) (6)  
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)  
2053 Servo gears (for 2055, 2056 servos)  
2056 Servo, high-torque, waterproof (blue case)  
**3350R Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))**  
**3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**  
3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

### Radio System, Batteries & Chargers

- 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery  
2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery  
2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery  
2976 AC to DC converter, 40W  
2938X Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)  
2943 Battery charge indicators (green (4), blue (4), grey (4))  
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)  
2914 Battery, Power Cell AA Alkaline (4)

- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  
2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)  
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)  
2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)  
2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)  
2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)  
2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  
2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)  
2983 Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))  
2992 Battery/charger complete pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))  
2927R Charger, A/C, 500 mAh (7 cell, NiMH) (US only)  
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)  
2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification  
2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification  
2971 Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification  
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification  
2929 Charging Bag, 30 watt hours rated  
6525 Communication link, telemetry expander  
6512 Cover plate, Traxxas Link Wireless Module  
2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)  
6555 Mount, telemetry expander (fits Slash 4X4, Stampede 4X4, Rally, Jato)  
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad  
6519 Receiver, micro, TQ 2.4GHz (3-channel)  
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)  
6518 Receiver, micro, TQi 2.4GHz with telemetry (5-channel)  
3932 Screws, 3x6mm flat-head machine (hex drive) (6)  
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)  
6526 Sensor, auto-detectable, temperature  
6527 Sensor, auto-detectable, voltage  
6520 Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)  
6521 Sensor, temperature and voltage (long)  
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)  
2053 Servo gears (for 2055, 2056 servos)  
2056 Servo, high-torque, waterproof (blue case)  
6550 Telemetry expander, TQi radio system  
6551 Telemetry GPS module, TQi radio system  
6539 Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)  
6540 Telemetry trigger magnet, 5X2mm (1)  
2928 Temperature sensor, EZ-Peak Plus  
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)  
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)  
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)  
6528 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)  
6529 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)  
6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)  
6511 Traxxas Link Wireless Module

### Ready-To-Race Model

- 74064-4 Ford Fiesta® ST Rally: 1/10 Scale Electric Rally Racer with Officially Licensed Painted Body and TQ 2.4GHz radio system

### Rear Suspension

- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)  
6823R Bulkhead tie bars, front & rear, aluminum (red-anodized)  
7429 Bulkhead, rear  
2441A Camber link set for Bandit (grey) (plastic/ non-adjustable)  
1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2)  
1952 Carriers, stub axle (rear) (2)  
1952A Carriers, stub axle (red-anodized 6061-T6 aluminum)(rear)(2)  
6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)  
6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)  
2742 Rod ends, long (6)/ hollow ball connectors (6)  
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)

### Page 3 Ford Fiesta® ST Rally: TQ 2.4GHz Radio (Model 74064-4) Parts List

6838	Shock tower, rear
<b>6838X</b>	<b>Shock tower, rear, 7075-T6 aluminum (blue-anodized)</b>
6853X	Stub axles, rear, heavy duty (2)/pins (2)
6731	Suspension arms, front/rear (left & right) (2)
6834	Suspension pin set, complete (front and rear)
<b>6898</b>	<b>Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)</b>
3139	Turnbuckles (62mm) (front tie rods) (2)
<b>6896</b>	<b>Wires, sway bar (front &amp; rear, hard &amp; soft) / 3x6 FCS (4)</b>

#### Shocks (Aluminum)

<b>1965</b>	<b>Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)</b>
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
<b>2760</b>	<b>Shock caps, aluminum (2)</b>
<b>1664T</b>	<b>Shock shafts, hardened steel, titanium nitride coated (long) (2)</b>
<b>2765T</b>	<b>Shock shafts, hardened steel, titanium nitride coated (X-long) (2)</b>
1664	Shock shafts, steel, chrome finish (long) (2)
<b>2765</b>	<b>Shock shafts, steel, chrome finish (X-long) (2)</b>
<b>4760</b>	<b>Shocks, long (hard-anodized &amp; PTFE-coated T6 aluminum) w/o springs (front) (2)</b>
<b>4761</b>	<b>Shocks, X-long (hard-anodized &amp; PTFE-coated T6 aluminum) w/o springs (rear) (2)</b>
1666	Silicone shock oil (30 wt)

#### Shocks (Pro-level Aluminum)

<b>2664</b>	<b>Big Bore shock cylinder (long) (1)</b>
<b>2666</b>	<b>Big Bore shock cylinder (XX-long) (1)</b>
<b>5862</b>	<b>Big Bore shocks (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front &amp; rear) (4)</b>
<b>2660</b>	<b>Big Bore shocks (long) (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)</b>
<b>2662</b>	<b>Big Bore shocks (XX-long) (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)</b>
<b>2669</b>	<b>Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings &amp; washers (2) (Big Bore Shocks)</b>
<b>2362</b>	<b>Rebuild kit, Ultra shocks (for 2 shocks)</b>
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
<b>2667</b>	<b>Shock caps, aluminum (Big Bore Shocks) (2)</b>
<b>1664T</b>	<b>Shock shafts, hardened steel, titanium nitride coated (long) (2)</b>
<b>2656T</b>	<b>Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)</b>
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
<b>2668</b>	<b>Spring retainers, upper &amp; lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)</b>
<b>6863</b>	<b>Springs, front (progressive, +10% rate, pink) (2)</b>
<b>6864</b>	<b>Springs, front (progressive, +20% rate, blue) (2)</b>
<b>6862</b>	<b>Springs, front (progressive, -10% rate, green) (2)</b>
<b>6861</b>	<b>Springs, front (progressive, -20% rate, orange) (2)</b>
7458	Springs, front (white) (progressive rate) (2)
<b>6867</b>	<b>Springs, rear (progressive, +10% rate, pink) (2)</b>
<b>6868</b>	<b>Springs, rear (progressive, +20% rate, blue) (2)</b>
<b>6866</b>	<b>Springs, rear (progressive, -10% rate, green) (2)</b>
<b>6865</b>	<b>Springs, rear (progressive, -20% rate, orange) (2)</b>
7457	Springs, rear (white) (progressive rate) (2)

#### Shocks (Ultra Shocks)

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3765A	Body, Ultra Shock(s) (long) (grey) (2)
3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
<b>3767A</b>	<b>Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)</b>
<b>3767G</b>	<b>Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)</b>
<b>3767P</b>	<b>Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)</b>
<b>3767X</b>	<b>Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)</b>
<b>1664T</b>	<b>Shock shafts, hardened steel, titanium nitride coated (long) (2)</b>
<b>2656T</b>	<b>Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)</b>
1664	Shock shafts, steel, chrome finish (long) (2)

2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
<b>6863</b>	<b>Springs, front (progressive, +10% rate, pink) (2)</b>
<b>6864</b>	<b>Springs, front (progressive, +20% rate, blue) (2)</b>
<b>6862</b>	<b>Springs, front (progressive, -10% rate, green) (2)</b>
<b>6861</b>	<b>Springs, front (progressive, -20% rate, orange) (2)</b>
7458	Springs, front (white) (progressive rate) (2)
<b>6867</b>	<b>Springs, rear (progressive, +10% rate, pink) (2)</b>
<b>6868</b>	<b>Springs, rear (progressive, +20% rate, blue) (2)</b>
<b>6866</b>	<b>Springs, rear (progressive, -10% rate, green) (2)</b>
<b>6865</b>	<b>Springs, rear (progressive, -20% rate, orange) (2)</b>
7457	Springs, rear (white) (progressive rate) (2)
<b>3760</b>	<b>Ultra Shocks (black) (long) (complete w/ spring pre-load spacers &amp; springs) (front) (2)</b>
<b>3762</b>	<b>Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers &amp; springs) (rear) (2)</b>
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

#### Slipper Clutch Components

1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
<b>6893X</b>	<b>Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)</b>
<b>6814</b>	<b>Differential kit, center (complete)</b>
6888	Drive hub, center, rear (1)/ front (1)/screw pin
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6766	Gear clutch, complete (high stall)
<b>6883</b>	<b>Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)</b>
<b>6884</b>	<b>Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)</b>
6893	Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
<b>5352R</b>	<b>Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))</b>
<b>5352X</b>	<b>Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))</b>
<b>5552X</b>	<b>Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))</b>
<b>6878</b>	<b>Slipper clutch, complete</b>
<b>5556</b>	<b>Slipper pressure plate &amp; hub (aluminum alloy)</b>
<b>5351</b>	<b>Slipper pressure plate and hub (alloy)</b>

#### Spur Gears & Pinion Gears

7477	Cover, gear/ wire retainer
2428	Gear, 12-T pinion (48-pitch)/ set screw
<b>2416</b>	<b>Gear, 16-T pinion (48-pitch) / set screw</b>
<b>1918</b>	<b>Gear, 18-T pinion (48-pitch) / set screw</b>
<b>2419</b>	<b>Gear, 19-T pinion (48-pitch) / set screw</b>
<b>2423</b>	<b>Gear, 23-T pinion (48-pitch) / set screw</b>
<b>2426</b>	<b>Gear, 26-T pinion (48-pitch)/set screw</b>
<b>2431</b>	<b>Gear, 31-T pinion (48-pitch) / set screw</b>
<b>4725</b>	<b>Gear, pinion (25-tooth) (48-pitch) / set screw</b>
<b>4728</b>	<b>Gear, pinion (28-tooth) (48-pitch)/ set screw</b>
2676	Screws, 3x12mm roundhead self-tapping (6)
<b>4676</b>	<b>Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)</b>
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)

#### Steering Components

1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
<b>2728</b>	<b>Ball bearings (5x8x2.5mm) (2)</b>
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
7438	Linkage, steering
2742	Rod ends, long (6)/ hollow ball connectors (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2746	Washers, 3x6mm metal (12)

#### Suspension Linkage

6743	Camber link set (plastic/ non-adjustable) (front & rear)
2441A	Camber link set for Bandit (grey) (plastic/ non-adjustable)
6834	Suspension pin set, complete (front and rear)

**Team Traxxas Items**

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
- 9909 Traxxas racing banner, red & black (3x7 feet)

**Tires & Wheels**

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 2754 Stub axle pins (4)
- 7473T Tires & wheels, assembled, glued (black wheels, gravel pattern tires, foam inserts) (2) (TSM rated)
- 7473X **Tires & wheels, assembled, glued (Green wheels, BFGoodrich® Rally, gravel pattern tires, foam inserts) (2) (TSM rated)**
- 7473A **Tires & wheels, assembled, glued (orange wheels, BFGoodrich® Rally, gravel pattern tires, foam inserts) (2) (TSM rated)**
- 7473R **Tires & wheels, assembled, glued (White wheels, BFGoodrich® Rally, gravel pattern, S1 compound tires, foam inserts) (2)**
- 7473 **Tires & wheels, assembled, glued (White wheels, BFGoodrich® Rally, gravel pattern, tires, foam inserts) (2) (TSM rated)**
- 7471 **Tires, BFGoodrich® Rally, gravel pattern (2)/ foam inserts (2)**
- 7471R **Tires, BFGoodrich® Rally, gravel pattern, S1 compound (2)/ foam inserts (2)**
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 6856X Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm
- 5353 **Wheel nuts, splined, 17mm (blue-anodized) (4)**
- 5480X **Wheel wrench, splined, 17mm**
- 7472X **Wheels, green (2)**
- 7472A **Wheels, orange (2)**
- 7472 **Wheels, white (2)**

**Turnbuckles & Threaded Rods**

- 6743 Camber link set (plastic/ non-adjustable) (front & rear)
- 2441A Camber link set for Bandit (grey) (plastic/ non-adjustable)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 3139 Turnbuckles (62mm) (front tie rods) (2)
- 3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**