

## TRX-4 Unassembled Kit (Model 82016-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	All-Terrain Traxx	8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)
8889	Bearing retainers, inner (2), outer (2)	8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/
8890 0005	Drive wheel (1)		2.5x10 CS (12)
3895 2006	Rubber track, All-Terrain, front (left or right) (rubber) (1)	8255	Stub axle (portal drive) (2)
3896 3885	Rubber track, All-Terrain, rear (left or right) (rubber) (1) Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1	8255A	Stub axle, extended (portal drive) (2)
	each, front (left & right), rear (left & right))	8267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)
3888	Spring (4)		<b>Bearings &amp; Bushings</b>
3887 3886	Stub axle (1)	5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
8891	Stub axle nut (4) Tension wheels (6)/ road wheels (4)	5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
3881	Traxx™, front, left (assembled) (requires #8886 stub axle, #7061	5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)
	GTR shock, & #8895 rubber track)	5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)
8882	Traxx™, front, right (assembled) (requires #8886 stub axle,	5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
	#7061 GTR shock, & #8895 rubber track)	5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)
3883	Traxx™, rear, left (assembled) (requires #8886 stub axle, #7061	5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)
2004	GTR shock, & #8896 rubber track)	5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
3884	Traxx™, rear, right (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8896 rubber track)	5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)
3880	Traxx™, TRX-4® (4) (complete set, front & rear)		Body (1979 Chevrolet Blazer)
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Axle Components	8130	Body, Chevrolet Blazer (1979) (clear, requires painting)/ decals/ window masks
3241	Axle housing, front	8130G	Body, Chevrolet Blazer (1979) (orange) (requires grille, side
8242	Axle housing, rear	0.000	mirrors, door handles, windshield wipers, decals)
8227	Axle mount set (complete) (front & rear) (for suspension links)	8130A	Body, Chevrolet Blazer (1979) (red) (requires grille, side mirrors,
3228	Axle shaft, front (left)/ drive pin/ cross pin		door handles, windshield wipers, decals)
3229	Axle shaft, front (right)/ drive pin/ cross pin	8131	Decal sheet, Chevrolet Blazer (1979)
3060	Axle shaft, front, heavy duty (left & right) (requires #8064 front	8132	Door handles, left, right & rear tailgate/ windshield wipers, left &
	portal drive input gear)	0404	right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body)
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear (machined) (2) (assembled)	8134	Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130
3230	Axle shaft, rear (left)		body)
3231	Axle shaft, rear (right)	8133X	Mirrors, side (folding) (fits #8130 body)
3061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined)	8133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 body)
8063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)	8135	Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		(2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)
8256	Portal drive axle mount, rear (left & right)		(fits #8130 body)
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		Body (1979 Ford Bronco)
8256A	(left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	8010	Body, Ford Bronco (clear, requires painting)/ decals/ window masks/ tailgate panel insert/ adhesive foam tape (2)
8256G	anodized) (left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (green-	8010X	Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door
8256R	anodized) (left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		handles, windshield wipers, spare tire mount, red and sunset
0230K	(left and right)/ 2.5x16 CS (4)	00700	decals) (requires #8072 inner fenders)
3252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	8078R	Decal sheet, Bronco, red
3253	Portal drive housing, inner, rear (left or right) (2)	8078 8075	Decal sheet, Bronco, sunset  Door handles, left & right/ windshield wipers, left & right/
3251	Portal drive housing, outer (front or rear) (2)	0075	retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body)
8064	Portal drive input gear, front (machined) (left or right) (requires	8070	Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/
	#8060 front axle shaft)		lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body)
8257	Portal drive input gear, front/ drive pin/ cross pin	8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits
8259	Portal drive input gear, rear		#8010 body)
8065	Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)	8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)
3258	Portal drive output gear, front or rear	8074	(fits #8010 body)  Spare tire mount/ mounting bracket/ spare tire cover/ mounting
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)		hardware
8252A	(2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 body)
8252G	anodized) (2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (green-	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body)
	anodized) (2)/ 3x12 BCS (2)	8011	Body (Land Rover Defender)  Body, Land Rover® Defender® (clear, trimmed, requires
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)		painting)/ window masks/ decal sheet
3253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)	8011A	Body, Land Rover® Defender®, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack)
3253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (2)	8011X 8011G	Body, Land Rover® Defender®, graphite silver (painted)/ decals Body, Land Rover® Defender®, green (complete with ExoCage,
3253G	Portal housings, inner (rear), 6061-T6 aluminum (green-	8011R	inner fenders, fuel canisters, and jack) Body, Land Rover® Defender®, red (painted)/ decals
8253R	anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	8012	Decals, Land Rover® Defender®, red (painted), decals
	(2)/ 2.5x10 CS (2)	8016	ExoCage (complete with assembly hardware; #8015 roof basket
20547	Double barraines autor COC4 TC alreading to faller and aller 15 (0)/		
3251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	8019	sold separately) (fits #8011 body) Fender brace, inner, front & rear
8251X 8251A	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-	8019 8017	Fender brace, inner, front & rear Fender flares, front & rear Fender flares, front & rear (2 each) (fits #8011 or #8211 body)

Page 2	TRX-4 Unassembled Kit: TQi Traxxas Link Enabled	I 2.4GHz	Radio (Model 82016-4) Parts List
8013	Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)	<b>8069</b> 8235	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2) Bumper, front/ winch
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	8236	Bumper, rear
2045	#8011 body)	8068	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8015 8021	Roof basket (requires #8016 ExoCage) (fits #8011 body) Spare tire mount/ mounting bracket/ screw pins (2)	8066	Push bar, bumper (chrome) (fits #8069 bumper)
8014	Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011	8238	Skidplate/ lower gear cover Chassis & Attachments
	body)	8215	Body mounts & posts, front & rear (complete set)
	Body (Mercedes-Benz G 500)	8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8
8811	Body, Mercedes-Benz® G 500® (clear, requires painting)/ decals/		BCS (5)/ 2.5x8 CS (2)
8812	window masks Decals, Mercedes-Benz® G 500®	8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner
8813X	Grille, Mercedes-Benz® G 500®/ grille mount/ grille insert/		fenders, short female half shaft, battery tray, 3x8mm FCS (4))
	headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)/ bumperette mount (2)/ turn signal housing	8057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear
8817	(2)/ turn signal housing retainer (2)/ turn signal lens (2)/	0000	shock towers, long female half shaft)
0017	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)	8220 <b>8072</b>	Chassis rails, 448mm (steel) (left & right) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery
8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS	8218	plate/ 3x8 flat-head screws (4) Floor pans, left & right
00101	(4)	8219	Rock sliders, left & right
8816X	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)	8225	Seal kit, receiver box (includes o-ring, seals, and silicone
8815	Side trim, left & right (black)/ side trim retainers (6)/ door	8240	grease) Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
	handles, left, right, & rear/ door handle mount/ 1.6x5 BCS (self-	8239	Servo mount, steering/ chassis crossmember
8814X	tapping) (35) Tail light lens (2)/ tail light housing (2)/ tail light housing mount	8216	Shock towers, front & rear (left & right)
	(2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)	8226	Tray, battery
	Body (Tactical Unit)		Differential Components
8211	Body, Tactical Unit (clear, requires painting)/ decals	8281	Carrier, differential/ differential slider/ T-Lock fork
8211X	Body, Tactical Unit, night camo (painted)/ decals	<b>8280X</b> 8280	Differential cover, front or rear (chrome-plated) Differential cover, front or rear (grey)
8019	Fender brace, inner, front & rear	8280R	Differential cover, front or rear (red)
8017 8018	Fender flares, front & rear (2 each) (fits #8011 or #8211 body) Fenders, inner, front & rear (2 each)/ rock light covers (8)	8282	Gear set, differential (output gears (2), spider gears (4), spider gear
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body)	8295	shaft (2)) Output drive, transmission or differential (pin retainer (1)/ drive cup
8021	Spare tire mount/ mounting bracket/ screw pins (2)		(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
	Body (TRX-4 Sport)	8279	Ring gear, differential/ pinion gear, differential
8112	Body with camper, TRX-4® Sport (clear, trimmed, requires	8279R	Ring gear, differential/ pinion gear, differential (machined)
8111R	painting)/ window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,	8287	Ring gear, differential/ pinion gear, differential (overdrive, machined)
8111	requires painting)/ window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, requires painting)/ window	8288 8297	Ring gear, differential/ pinion gear, differential (underdrive, machined) Spool/ differential housing plug/ e-clip
8113	masks/ decal sheet Decal sheet, TRX-4® Sport	0291	Driveline Components
8120X	Expedition rack, complete (includes traction boards, shovel, axe,	8250	Half shafts, center (internal splined, front (2) & internal splined, rear
	jack, fire extinguisher, fuel cans, & mounting hardware)	0230	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8120 8116	Expedition rack/ mounting hardware  Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits	8255	Stub axle (portal drive) (2)
0110	#8111 or #8112 body)	8255A	Stub axle, extended (portal drive) (2)
8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	8269 <b>8269X</b>	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
8122	#8111 or #8112 body) Shovel/ axe/ accessory mount/ mounting hardware	020071	screw pin (4)
8118	Spare tire mount/ mounting hardware	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens	8269G	anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
8121	(2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body) Traction boards/ mounting hardware		screw pin (4)
0121	Body Accessories	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
1926	Antenna caps, vinyl (2)/ antenna spool		screw pin (4)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	4550	Hardware
1834	Body clips (12) (standard size)	1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
1834A	Body clips, black (12) (standard size)	1834	Body clips (12) (standard size)
3934 3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)	1834A	Body clips, black (12) (standard size)
8215	Body mounts & posts, front & rear (complete set)	3934	Body clips, heavy duty (12)
4915	Body washers, foam adhesive (10)	3934A 8167X	Body clips, heavy duty (black) (12) Hardware kit, stainless steel, beadlock rings (contains stainless
2514	Decal sheet, racing sponsors		steel hardware for 4 wheels)
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) Fenders, inner front & rear (2 each)/ rock light covers (8)/ battery	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® Long Arm Lift Kit)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)	5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	<b>3647</b> 8347	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)
	Bumpers & Skidplates	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
8234	Bumper D-Rings, grey (front or rear)/ 2x12 CS (4)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	<b>1747P</b> 1985	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
<b>8067</b> 8237	Bumper mounts, front & rear Bumper mounts, front & rear/ screw pins (4)	8221	Screw pin, 3x10mm (6)
0231	Dumpor mounts, from a real/ solew pills (+)	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)

Page 3	TRX-4 Unassembled Kit: TQi Traxxas Link Enabled	l 2.4GHz	Radio (Model 82016-4) Parts List
2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)	8140R	Long Arm Lift Kit, TRX-4®, complete (includes red powder
3236	Screws, 2.5x12mm cap-head machine (6)		coated links, red-anodized shocks)
2618	Screws, 2.5x16mm cap-head machine (6)	8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	8141	(for use with TRX-4® Long Arm Lift Kit)  Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)
2617 3965	Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)	8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use
2524	Screws, 2.5x8mm countersunk machine (b)	•.•.	with TRX-4® Long Arm Lift Kit)
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)	8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without
8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)		springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
2564	Screws, 2x8mm cap-head machine (hex drive) (6)	8160R	Shocks, GTS, aluminum (red-anodized) (assembled without
2577	Screws, 3x10mm button-head machine (hex drive) (6)	8160	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)	0.00	(for use with #8140 TRX-4® Long Arm Lift Kit)
2578 2579	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)	8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white
2591	Screws, 3x23mm button-head machine (hex drive) (6)		stripe) (for use with TRX-4® Long Arm Lift Kit)
2581	Screws, 3x25mm button-head machine (hex drive) (6)	8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)
2616	Screws, 3x27mm button-head machine (hex drive) (6)	8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included
2582	Screws, 3x30mm button-head machine (hex drive) (6)		with TRX-4® Long Arm Lift Kit)
2575 3932	Screws, 3x6mm button-head machine (hex drive) (6)	8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green
3932 2576	Screws, 3x6mm flat-head machine (hex drive) (6) Screws, 3x8mm button-head machine (hex drive) (6)	0457	stripe) (for use with TRX-4® Long Arm Lift Kit)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)
3933	Screws, 4x16mm button-head machine (hex drive) (6)	8146X	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link,
	LED Light Accessories		5x63mm (blue powder coated steel) (assembled with hollow
8031	3-in-1 wire harness, LED light kit, TRX-4®		balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8089	4-in-2 wire harness, LED light kit, TRX-4®	8146R	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls)
8028	LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4®/ 3-in-1		(for use with #8140R TRX-4® Long Arm Lift Kit)
	wire harness	8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated
8026	LED rock light kit, TRX-4® (requires #8028 power supply and		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
	#8018, #8072, or #8080 inner fenders)	04440	Long Arm Lift Kit)
	LED Lights (1979 Chevrolet Blazer)	8144R	Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
8039	LED light set (contains headlights, tail lights, side marker lights,		Long Arm Lift Kit)
8038	distribution block (fits #8130 body, requires #8028 power supply) LED light set, complete with power supply (contains headlights,	8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with
0030	tail lights, side marker lights, distribution block, and power		hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
	supply) (fits #8130 body)	8143	Suspension links, front lower (2) (5x104mm, steel) (assembled
	LED Lights (1979 Ford Bronco)	8143X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower, blue (2) (5x104mm, powder coated
8036	LED light set (contains headlights, tail lights, side marker lights,	01437	steel) (assembled with hollow balls) (for use with #8140X TRX-4®
0000	& distribution block) (fits #8010 body, requires #8028 power		Long Arm Lift Kit)
	supply)	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated
8035	LED light set, complete with power supply (contains headlights,		steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
	tail lights, side marker lights, & distribution block) (fits #8010 body)	8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled
8037	LED lights, high/low switch (for #8035 or #8036 LED light kits)		with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
	LED Lights (Land Rover Defender)	8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated
8027	LED headlight/tail light kit (fits #8011 body, requires #8028 power		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
0027	supply)	8145R	Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated
8025	LED light bar (Rigid®), TRX-4 (requires #8028 power supply)	014010	steel) (assembled with hollow balls) (for use with #8140R TRX-4®
8029	LED light bar kit (Rigid®)/power supply, TRX-4®		Long Arm Lift Kit)
8030	LED light set, complete (contains rock light kit, LED light bar	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled
	(Rigid®), LED headlight/tail light kit, power supply, & 3-in-1 wire harness) (fits #8011 body)	8142X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated
		01427	steel) (assembled with hollow balls) (for use with #8140X TRX-4®
	LED Lights (TRX-4 Sport)		Long Arm Lift Kit)
8086	LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply)	8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated
8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
0004	#8028 power supply)	8172	Long Arm Lift Kit) Tires and wheels, assembled (Method 105 black chrome
8808	LED light bar, front bumper (fits #8124 front bumper, requires	0172	beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1
	#8028 power supply)		right)
8087	LED light bar, roof lights (fits #8111 body, requires #8028 power supply)	8181	Tires and wheels, assembled, glued (TRX-4® Sport wheels,
8085	LED light set, complete with power supply (contains headlights,	8170	Canyon Trail 2.2 tires) (2) Tires, Canyon Trail 2.2/ foam inserts (2)
	tail lights, & distribution block) (fits #8111 or #8112 body)	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
	Long Arm Lift Kit	0.7.1	rings sold separately)
8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
01027	with #8140X TRX-4® Long Arm Lift Kit)		rings sold separately)
8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use		Motors & Electronics
	with #8140R TRX-4® Long Arm Lift Kit)	1926	Antenna caps, vinyl (2)/ antenna spool
8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8148	TRX-4® Long Arm Lift Kit) Cable, T-lock (extra long) (for use with TRX-4® Long Arm Lift Kit)	2262	BEC, complete (includes receiver box cover and seals)
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	2064 <b>2064X</b>	Gear set (for 2065 waterproof sub-micro servo)
8150	Driveshaft extension kit, center (includes internal splined, x-long	2064X 2072X	Gear set, metal (for 2065X waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)
	(2), internal splined, long (1) and internal splined, medium (1))	2252	Gear set, metal (for 2250, 2255 servos)
9140	(for use with TRX-4® Long Arm Lift Kit)	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
8140 8140X	Long Arm Lift Kit, TRX-4®, complete  Long Arm Lift Kit, TRX-4®, complete (includes blue powder	8290X	Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized)
	coated links, blue-anodized shocks)	8290A	Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal grayanodized)
			unouizeuj

Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)  Servo horn (with built-in spring and hardware) (for Summit locking differential)  2075R Servo, digital high-speed, metal gear (ball bearing), waterproof (2250 servo, digital high-speed, metal gear (ball bearing), waterproof (2252 external BEC and #8247 metal servo horn recommended for optimal performance)  2255 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2255 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2255 Servo, digital high-torque, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2256 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2257 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2258 Servo, sub-micro, waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2259 Servo, sub-micro, waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2250 Servo, sub-micro, waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2251 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2252 Servo, sub-micro, waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2253 Servo, digital high-torque 400 bru	t, expander box (includes o-ring, seals, and silicone)  (r, auto-detectable, temperature tr, auto-detectable, voltage tr, temperature and voltage (long) case, aluminum (blue-anodized) (middle) (for 2250 servo) case, aluminum (red-anodized) (middle) (for 2255 servo) case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2255 servos) case/gaskets (for 2065 waterproof sub-micro servo) case/gaskets (for 2065X metal gear, waterproof, sub-micro digital high-speed, metal gear (ball bearing), waterproof digital high-torque 330 coreless, metal gear (ball bearing), roof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque 400 brushless, metal gear (ball g), waterproof (#2262 external BEC and #8247 metal servo acommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof sub-micro, waterproof sub-micro, waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with tCGPS module) etry expander, TQi radio system (compatible only sitery expander, TQi radio system (compatible only sitery expander, TQi radio system etry GPS module 2.0, TQi radio system (compatible only siter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- el (transmitter only) ss Link™ Wireless Module ess, BEC  SEAIR ISTALE  anisters (blue) (2)/ 3x8 FCS (1) anisters (plue) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) an
Plate, motor/ upper spur gear cover	r, auto-detectable, temperature r, auto-detectable, voltage r, temperature and voltage (long) case, aluminum (blue-anodized) (middle) (for 2250 servo) case, aluminum (red-anodized) (middle) (for 2255 servo) case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2255 servos) case/gaskets (for 2065 waterproof sub-micro servo) case/gaskets (for 2065X metal gear, waterproof, sub-micro digital high-speed, metal gear (ball bearing), waterproof digital high-torque 330 coreless, metal gear (ball bearing), wroof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque 400 brushless, metal gear (ball gg), waterproof (#2262 external BEC and #8247 metal servo ecommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with (GPS module) etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module) etry GPS module 2.0, TQi radio system (compatible only etry GPS module) etry GPS module 2.0, TQi radio system (compatible only etry GPS module) etry GPS module 2.0, TQi radio system (compatible only etry GPS module) etry GPS module 2.0, TQi radio system (compatible only etry GPS module) etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS mo
Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) 285 Servo case, aluminum (red-anodized) (middle) (for 2250 servo) 286 Servo case, plastic (top, middle), bottom)/ gaskets/ hardware (for 2250, 2255 servos) 286 Servo case, plastic (top, middle), bottom)/ gaskets/ hardware (for 2250, 2255 servos) 287 Servo case, plastic (top, middle), bottom)/ gaskets/ hardware (for 2250, 2255 servos) 288 Servo case, aluminum (red-anodized) (middle) (for 2250 servo case, aluminum (red-anodized) (middle) (for 2250 servo) (gital high-torque (7050 servo), sub-micro servo) 288 Servo case, plastic (top, middle), bottom)/ gaskets/ hardware (707 servo) (gital high-speed, metal gear (ball bearing), waterproof (#2252 serval BEC and #8247X metal servo horrocommended for optimal performance) 287 Servo, digital high-torque, ado brushless, metal gear (ball bearing), waterproof (#2252 servan) BEC and #8247 steel servo horrocommended for optimal performance) 287 Servo, digital high-torque, metal gear (ball bearing), waterproof (#2252 servan) (#2	r, auto-detectable, voltage r, temperature and voltage (long) case, aluminum (blue-anodized) (middle) (for 2250 servo) case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2255 servos) case/gaskets (for 2065 waterproof sub-micro servo) case/gaskets (for 2065 waterproof sub-micro servo) case/gaskets (for 2065 metal gear, waterproof, sub-micro digital high-speed, metal gear (ball bearing), waterproof digital high-torque 330 coreless, metal gear (ball bearing), proof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque 400 brushless, metal gear (ball g), waterproof (#2262 external BEC and #8247 metal servo accommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with (c GPS module) etry expander, TQi radio system (compatible only etry expander, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry expander, TQi radio system (compatible only etry expander, TQi radio system (compatible only etry expander 2.0 and GPS module 2.4GHz high output, 4- etry GPS module 2.0, TQi radio system (compatible only etry expander (2.0) and system (compatible only etry expander (2.0) ax8 FCS (1) enisters (black) (2)/ 3x8 FCS (1) enisters (black) (2)/ 3x8 FCS (1) enisters (pellow) (2)/ 3x8 FCS (1) enisters (white) (2)/ 3x8 FCS (1) enisters (white) (2)/ 3x8 FCS (1) enisters (pellow) (2)/ 3x8 FCS (1) enisters (pellow) (2)/ 3x8 FCS (1) enisters (syellow) (2)/ 3x8 FCS (1) enisters
Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250 servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250 servo case, plastic (top, middle) (for 2250 servo case) (spaskets (for 2068 waterproof sub-micro servo)  5669 Servo case, plastic (top, middle) (for 2250 servo case, plastic (top, middle) (for 2250 servo case) (spaskets (for 2068 waterproof sub-micro servo)  2075R Servo, digital high-speed, metal gear (ball bearing), waterproof (servo, digital high-speed, metal gear (ball bearing), waterproof (servo, digital high-speed, metal gear (ball bearing), waterproof (servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (servo, digital high-speed, metal gear (ball bearing), waterpro	case, aluminum (blue-anodized) (middle) (for 2250 servo) case, aluminum (red-anodized) (middle) (for 2255 servo) case, aluminum (red-anodized) (middle) (for 2255 servo) case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2255 servos) case/gaskets (for 2065 waterproof sub-micro servo) case/gaskets (for 2065 waterproof sub-micro sub-micro digital high-torque 330 coreless, metal gear (ball bearing), waterproof digital high-torque 330 coreless, metal gear (ball bearing), wroof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque and performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with (GPS module) etry expander, TQi radio system (compatible only with (GPS module) etry expander, TQi radio system (compatible only etry expander, TQi radio system (compatible only inter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-lel (transmitter only) is Link™ Wireless Module ess, BEC  SELICION (2)/ 3x8 FCS (1) anisters (black) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (pellow) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) 2263 Servo case/gaskets (for 2065 waterproof sub-micro servo) 2263 Servo case/gaskets (for 2065 waterproof sub-micro servo) 2264 Servo case/gaskets (for 2065 waterproof sub-micro servo) 2265 Servo hor (with built-in spring and hardware) (for Summit locking differential) 2265 Servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2265 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) 2265 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) 2265 Servo, sub-micro, waterproof, waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) 2265 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) 2265 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) 2265 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) 2265 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) 2265 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) 2265 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) 2265 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel	case, aluminum (blue-anodized) (middle) (for 2250 servo) case, aluminum (red-anodized) (middle) (for 2255 servo) case, aluminum (red-anodized) (middle) (for 2255 servo) case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2255 servos) case/gaskets (for 2065 waterproof sub-micro servo) case/gaskets (for 2065 waterproof sub-micro servo) case/gaskets (for 2065 waterproof sub-micro sub-micro digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque 400 brushless, metal gear (ball gg), waterproof (#2262 external BEC and #8247 metal servo ecommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system (compatible only with (GPS module) etry expander 2.0, TQi radio system (compatible only sistory expander, TQi radio system (compatible only sistory expander, TQi radio system (compatible only sistory expander) nitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-tel (transmitter only) as Link™ Wireless Module ess, BEC  SEALE FROM SECS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (wellow) (2)/ 3x8 F
2250, 2255 servos) 2263 Servo case/gaskets (for 2065 waterproof sub-micro servo) 2263 Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) 2260 Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) 2260 Servo horn (with built-in spring and hardware) (for Summit locking differential) 2261 Servo digital high-speed, metal gear (ball bearing), waterproof (gital high-speed, metal gear (ball bearing), waterproof (gital high-torque 330 coreless, metal gear (ball bearing), waterproof, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (gital high-torque 330 coreless, metal gear (ball bearing), waterproof (gital high-torque 330 coreless, metal gear (ball bearing), waterproof (gital high-torque, and board or recommended for optimal performance) 2255 Servo, digital high-torque, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital high-torque) 400 brushless, metal gear (ball bearing), waterproof (gital	case, aluminum (red-anodized) (middle) (for 2255 servo) case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2255 servos) case/gaskets (for 2065 waterproof sub-micro servo) case/gaskets (for 2065X metal gear, waterproof, sub-micro digital high-speed, metal gear (ball bearing), waterproof digital high-torque 330 coreless, metal gear (ball bearing), oroof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque 400 brushless, metal gear (ball g), waterproof (#2262 external BEC and #8247 metal servo ecommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof sub-micro, waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with of GPS module) etry expander, TQi radio system etry GPS module 2.0, TQi radio system (compatible only sistory expander, TQi radio system etry GPS module 2.0, TQi radio system (compatible only sistory expander) nitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- el (transmitter only) sis Link™ Wireless Module ess, BEC  SCALE DEATES  anisters (black) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (shock, aluminum, silver-anodized) (1) GTS shock (hard-anodized, PTFE-coated aluminum) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2)
2063X Servo case/gaskets (for 2065 waterproof sub-micro servo) 2256 Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) 2256 Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) 2257 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal pear (ball bearing), waterproof (#2262 external BEC and #8247 metal pear (ball bearing), waterproof (#2262 external BEC and #8247 metal pear (ball bearing), waterproof (#2262 external BEC and #8247 metal pear (ball bearing), waterproof (#2262 external BEC and #8247 metal pear (ball bearing), waterproof (#2262 external BEC and #8247 metal pear (ball bearing), waterproof (#2262 external BEC and #8247 metal pear (ball bearing), waterproof (#2262 external BEC and #8247 metal pear (ball bearing), waterproof (#2262 external BEC and #8247 metal pear (ball bearing), waterproof (#2262 external BEC and #8247 metal pear (ball bearing), waterproof, w	case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2255 servos) case/gaskets (for 2065 waterproof sub-micro servo) case/gaskets (for 2065X metal gear, waterproof, sub-micro digital high-speed, metal gear (ball bearing), waterproof digital high-torque 330 coreless, metal gear (ball bearing), proof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque 400 brushless, metal gear (ball gg), waterproof (#2262 external BEC and #8247 metal servo ecommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with (GPS module) etry expander, TQi radio system etry expander) nitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- el (transmitter only) is Link™ Wireless Module ess, BEC  SCRIPTERIS  anisters (black) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (shock (aluminum, silver-anodized) (1) GTS shock (aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) GTS shock, aluminum (red-anodized) (1) GTS shock, aluminum (red-anodized) (1) aspring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2)
Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)  Servo horn (with built-in spring and hardware) (for Summit locking differential)  2075R Servo, digital high-speed, metal gear (ball bearing), waterproof (2250 servo, digital high-speed, metal gear (ball bearing), waterproof (2252 external BEC and #8247 metal servo horn recommended for optimal performance)  2255 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2255 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2255 Servo, digital high-torque, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2256 Servo, sub-micro, waterproof, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2257 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2258 Servo, sub-micro, waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2259 Servo, sub-micro, waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2250 Servo, sub-micro, waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2251 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2252 Servo, sub-micro, waterproof (2252 external BEC and #8247 steel servo horn recommended for optimal performance)  2253 Servo, digital high-torque 400 bru	case/gaskets (for 2065 waterproof sub-micro servo) case/gaskets (for 2065X metal gear, waterproof, sub-micro digital high-speed, metal gear (ball bearing), waterproof digital high-torque 330 coreless, metal gear (ball bearing), proof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque 400 brushless, metal gear (ball g), waterproof (#2262 external BEC and #8247 metal servo ecommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with (GPS module) etry expander, TQi radio system etry expander, TQi radio system etry expander, TQi radio system (compatible only with (GPS module) etry expander, TQi radio system (compatible only estry expander) sitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- el (transmitter only) sis Link™ Wireless Module ess, BEC  SCA G G G G G G G G G G G G G G G G G G G
Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#22626e external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance) Servo, sub-micro, waterproof, metal gear Servo, digital high-torque 400 brushles, metal gear (ball bearing), waterproof, servo, dig	digital high-speed, metal gear (ball bearing), waterproof digital high-torque 330 coreless, metal gear (ball bearing), proof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque 400 brushless, metal gear (ball gg), waterproof (#2262 external BEC and #8247 metal servo excommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof sub-micro, waterproof, metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear etry expander 2.0, TQi radio system (compatible only with GPS module) etry expander, TQi radio system (compatible only with GPS module) etry expander, TQi radio system (compatible only bitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-lel (transmitter only) st Link™ Wireless Module ess, BEC  SCALE LIGHT Sanisters (blue) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (
Servo, digital high-speed, metal gear (ball bearing), waterproof servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)  2255 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance)  2275X Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance)  2275X Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)  2275X Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)  2275X Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)  2275X Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)  2275X Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)  2275X Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)  2275X Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal horn recommended for optimal performance)  2275X Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal horn recommended for optimal performance)  2275X Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metalo	digital high-speed, metal gear (ball bearing), waterproof digital high-torque 330 coreless, metal gear (ball bearing), proof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque 400 brushless, metal gear (ball gg), waterproof (#2262 external BEC and #8247 metal servo ecommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with (GPS module) etry expander, TQi radio system (compatible only etry expander, TQi radio system (compatible only etry expander) nitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-el (transmitter only) is Link™ Wireless Module ess, BEC  SCAIR DEATES  anisters (black) (2)/ 3x8 FCS (1) anisters (black) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (shite) (2)/ 3x8 FCS (1) anisters (shite) (2)/ 3x8 FCS (1) anisters (shite) (3)/ 3x8 FCS (1) anisters (shit
Servo, digital high-forque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)  2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance)  2075X Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 metal pear (ball bearing), waterproof (#2682 external BEC and #8247 meta	digital high-torque 330 coreless, metal gear (ball bearing), proof (#2262 external BEC and #8247X steel servo horn mended for optimal performance) digital high-torque 400 brushless, metal gear (ball gg), waterproof (#2262 external BEC and #8247 metal servo ecommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with GPS module) etry expander, TQi radio system (compatible only betry expander, TQi radio system (compatible only etry expander) etry expander) inter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-ell (transmitter only) is Link™ Wireless Module ess, BEC  SCALO DEATES  anisters (black) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ Type (2)/
bearing), waterproof (#2262 external BEC and #8247 steel serve horn recommended for optimal performance)  2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2065 Servo, sub-micro, waterproof 2065X Servo, sub-micro, waterproof, metal gear	gy, waterproof (#2262 external BEC and #8247 metal servo ecommended for optimal performance) digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with K GPS module) etry expander, TQi radio system (compatible only with K GPS module) etry expander, TQi radio system (compatible only inter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- el (transmitter only) st Link™ Wireless Module ess, BEC  SCA D B B CS (1) anisters (black) (2)/ 3x8 FCS (1) anisters (black) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) clack) (1)/ 2x8 BCS (1) TCB Shock (aluminum, silver-anodized) (1) GTS shock (aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2065 Servo, sub-micro, waterproof 2065 Servo, sub-micro, waterproof 2065 Servo, sub-micro, waterproof 3025 XL-SHV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake) 2261 Y-harness, BEC  Ratio System, Sub-micro, waterproof, metal gear 2065X Servo, sub-micro, waterproof. 20653X Telemetry expander 2.0, TQi radio system (compatible on #8551X GPS module 2.0, TQi radio system (compatible on #8551X GPS module 2.0, TQi radio system (compatible on #8551X GPS module 2.0, TQi radio system (compatible on #8551X GPS module 2.0, TQi radio system (compatible on #8551X GPS module 2.0, TQi radio system (compatible on #8551X GPS module 2.0, TQi radio system (compatible on #8551X GPS module 2.0, TQi radio system (compatible on #8551X GPS module 2.0, TQi radio system (compatible	digital high-torque, metal gear (ball bearing), waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with CGPS module) etry expander, TQi radio system (compatible only sistem etry GPS module 2.0, TQi radio system (compatible only sistem etry GPS module 2.0, TQi radio system (compatible only sistem etry expander) etry expander, TQi radio system (compatible only sistem, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-el (transmitter only) es Link™ Wireless Module ess, BEC  SCRICTIS  anisters (black) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (red) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) enable (1)/ 2x8 BCS
2065 Servo, sub-micro, waterproof 2065X Servo, sub-micro, waterproof, metal gear 3025 Stroy, sub-micro, waterproof, metal gear 3025 XL-5HV 35 Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)  2261 Y-harness, BEC  RATIO SYSCIII, BATTOTES & CHATTOTES 2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC converter, 40W 2938X Adapter, Traxxase iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) 4054 Antenna, tube (1) vinyl antenna cap (1) wire retainer (1) 2943 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) 2940 Battery, Series 4 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 5 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 6 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 6 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 6 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 6 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980 Battery, Series 6 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980 Battery, Series 6 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980 Battery, Series 6 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980 Battery (Series 6 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980 Battery (Series 6 Power Cell, 5000mAh (NiMH, 7-C flat,	sub-micro, waterproof sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with (CGPS module) etry expander, TQi radio system etry GPS module 2.0, TQi radio system etry GPS module 2.0, TQi radio system (compatible only inter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- el (transmitter only) is Link™ Wireless Module ess, BEC  SCALE LIGHT S  anisters (black) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (hite) (2)/ 3x8 FCS (1) anisters (hite
2065X Servo, sub-micro, waterproof, metal gear 3025 XL-SHV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)  2261 Y-harness, BEC  Ratio System, Batteries & Chargers  2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery 2872X 5000mAh 7.4v 2-Cell 25C LiPo Battery 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC converter, 40W 2938X Adapter, Traxxass iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) 6548 Battery charge indicators (green (4), blue (4), grey (4)) 6558 Battery charge indicators (green (4), blue (4), grey (4)) 6559 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) 2914 Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 3 Power Cell, 3200mAh (NiMH, 7-C flat, 8.4V) 2960X Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2980X Battery (Seri	sub-micro, waterproof, metal gear etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with (c GPS module) etry expander, TQi radio system etry GPS module 2.0, TQi radio system (compatible only estry expander, TQi radio system (compatible only estry GPS module 2.0, TQi radio system (compatible only estry expander) nitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- el (transmitter only) est Link™ Wireless Module ess, BEC  SCRIPTION  SIDERTIS  anisters (blue) (2)/ 3x8 FCS (1) enisters (blue) (2)/ 3x8 FCS (1) enisters (white) (2)/ 3x8 FCS (1) enisters (yellow) (2)/ 3x8 FCS (1) en
3025 XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)  2261 Y-harness, BEC  2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery 2872X 5000mAh 11.1v 3-Cell 25C LiPo Battery 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC converter, 40W 2938X Adapter, Traxxase in Detection to separate balance ports) 1726 Antenna, tube (1) vinyl antenna cap (1)/ wire retainer (1) 2943 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)  8222 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) 2931X Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 3 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH)  45550X Battery Series 3 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH)	etry expander 2.0 and GPS module 2.0, TQi radio system etry expander 2.0, TQi radio system (compatible only with CGPS module) etry expander, TQi radio system (compatible only with etry GPS module 2.0, TQi radio system (compatible only 5550X telemetry expander) nitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-el (transmitter only) is Link™ Wireless Module ess, BEC  SPAIR BART S  anisters (black) (2)/ 3x8 FCS (1) enisters (blue) (2)/ 3x8 FCS (1) enisters (vellow) (2)/ 3x8 FCS (1) enisters (vellow) (2)/ 3x8 FCS (1) enisters (yellow) (2)/ 3x8 FCS (1) enisters (yell
detection, fwd/rev/brake)  Y-harness, BEC  Ratio System, Batteries & Ciratures  2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery 2872X 5000mAh 7.4v 2-Cell 25C LiPo Battery 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC converter, 40W 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) 1726 Antenna, tube (1) vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 6548 Battery charge indicators (green (4), blue (4), grey (4)) 6548 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) 8222 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH)  6550X Telemetry expander 2.0, TQi radio system (compatible on #6551X GPS module) 46551X GPS module) 5504 #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio system (compatible on #6551X GPS module 2.0, TQi radio spatem (compatible on #6551X GPS module 2.0, TQi radio spatem (compatible on #	etry expander 2.0, TQi radio system (compatible only with CGPS module) etry expander, TQi radio system etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module 2.0, TQi radio system (compatible only etry GPS module etry GPS m
Telemetry expander, TQi radio system (compatible with #6550X telemetry expander)  2842X 5000mAh 11.1v 3-Cell 25C LiPo Battery 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC converter, 40W 2938X Adapter, Traxxas® ID® LiPo battery (adapts Traxxas iD batteries to separate balance ports) 1726 Antenna, tube (1) vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 6548 Battery charge indicators (green (4), blue (4), grey (4)) 6548 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) 8222 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) 8224 Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2960X Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2960X Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH)  75000mAh 7.4v 2-Cell 25C LiPo Battery 6530 Transmitter, TQi Traxxas Link™ Wireless Module 75011 Traxxas Link™ Wireless Module 75021 Traxxas Link™ Wireless Module 750300mAh (NimH, 7-C flat, 8.4V) 80227 Fuel canisters (black) (2)/ 3x8 FCS (1) 80228 Fuel canisters (blue) (2)/ 3x8 FCS (1) 80229 Fuel canisters (wite) (2)/ 3x8 FCS (1) 80220 Fuel canisters (wite) (2)/ 3x8 FCS (1) 80221 Fuel canisters (wite) (2)/ 3x8 FCS (1) 80222 Fuel canisters (wite) (2)/ 3x8 FCS (1) 80223 Jack (black) (1)/ 2x8 BCS (1) 80231 Jack (black) (1)/ 2x8 BCS (1) 8024 Selection (blue dellar) (blue dellar	etry expander, TQi radio system etry GPS module 2.0, TQi radio system (compatible only 5550X telemetry expander) nitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- el (transmitter only) is Link™ Wireless Module ess, BEC  SCRICTIS anisters (black) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (red) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (hite) (2)/ 3x8 FCS (1) anisters (hite
2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery 2872X 5000mAh 11.1v 3-Cell 25C LiPo Battery 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC converter, 40W 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) 8222 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) 2914 Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2923X Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2960X Battery/charger completer pack (includes #2969 2-amp NiMH  28501 Indicators (at lemetry GPS module 2.0, 1cl radio system (compatible with #6550X telemetry expander) Transmitter, TQi Traxxas Link™ Wireless Module Y-harness, BEC  8022T Fuel canisters (blue) (2)/ 3x8 FCS (1) 8022R Fuel canisters (blue) (2)/ 3x8 FCS (1) 8022A Fuel canisters (white) (2)/ 3x8 FCS (1) 8022A Fuel canisters (white) (2)/ 3x8 FCS (1) 8023 Jack (red) (1)/ 2x8 BCS (1) 8024 Subtery, Series 3 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 8025 Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 8266 Body, GTS shock (aluminum, silver-anodized) (1) 8266 Body, GTS shock, aluminum (blue-anodized) (1) 8266 Body, GTS shock, aluminum (green-anodized) (1)	anisters (blue) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (hite) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3
5000mAh 11.1v 3-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery 5843X 5800mAh 7.4v 2-Cell 25C LiPo Battery 57600mAh (NiMH, 7-C flat, 8.4V) 58700mAh 7.4v 2-Cell 25C LiPo Battery 58700mAh 7.4v 2-Cell 25C LiPo Bat	nitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-el (transmitter only)  Is Link™ Wireless Module  ess, BEC  SCA DEAT S  anisters (black) (2)/ 3x8 FCS (1)  anisters (blue) (2)/ 3x8 FCS (1)  anisters (red) (2)/ 3x8 FCS (1)  anisters (white) (2)/ 3x8 FCS (1)  anisters (yellow) (2)/ 3x8 FCS (1)  anisters (yellow
2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC converter, 40W 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) 8222 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) 2914 Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2923X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 4 Power Cell, 4000mAh (NiMH, 7-C flat, 8.4V) 2960X Battery/Charger completer pack (includes #2969 2-amp NiMH  80501 Traxxas Link™ Wireless Module Y-harness, BEC  8022T Fuel canisters (black) (2)/ 3x8 FCS (1) 8022R Fuel canisters (white) (2)/ 3x8 FCS (1) 8022X Fuel canisters (white) (2)/ 3x8 FCS (1) 8023T Jack (black) (1)/ 2x8 BCS (1) 8024 Fuel canisters (red) (1)/ 2x8 BCS (1) 8025 Fuel canisters (red) (1)/ 2x8 BCS (1) 8026 Body, GTS shock (aluminum, silver-anodized) (1) 8026 Body, GTS shock (hard-anodized, PTFE-coated aluminum (blue-anodized) (1) 8026 Body, GTS shock, aluminum (blue-anodized) (1) 8027 Fuel canisters (black) (2)/ 3x8 FCS (1) 8028 Fuel canisters (black) (2)/ 3x8 FCS (1) 8029 Fuel canisters (black) (2)/ 3x8 FCS (1) 8029 Fuel canisters (black) (2)/ 3x8 FCS (1) 8021 Fuel canisters (black) (2)/ 3x8 FCS (1) 8022 Fuel canister	el (transmitter only)  Is Link™ Wireless Module  ess, BEC  SPA P P P P P P P P P P P P P P P P P P
2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC converter, 40W 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) 8222 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) 2914 Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH  56511 Traxxas Link™ Wireless Module Y-harness, BEC  7called Caristics (Caristics (Ni)/ Wireless Module Y-harness, BEC  8022T Fuel canisters (black) (2)/ 3x8 FCS (1) 8022R Fuel canisters (white) (2)/ 3x8 FCS (1) 8022X Fuel canisters (white) (2)/ 3x8 FCS (1) 8022A Fuel canisters (yellow) (2)/ 3x8 FCS (1) 8023A Fuel canisters (yello	SELINK™ Wireless Module ess, BEC  SCA C DATE S  anisters (black) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (red) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (
2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery 2976 AC to DC converter, 40W 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) 8222 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) 2914 Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2940X Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH) 8266G Body, GTS shock, aluminum (green-anodized) (1) 8266 Body, GTS shock, aluminum (green-anodized) (1)	sess, BEC  SCAIC DEATES  anisters (black) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (red) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) black) (1)/ 2x8 BCS (1) red) (1)/ 2x8 BCS (1)  GTS shock (aluminum, silver-anodized) (1) GTS shock (hard-anodized, PTFE-coated aluminum) (1) GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
AC to DC converter, 40W  2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)  1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  2943 Battery charge indicators (green (4), blue (4), grey (4))  6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)  8222 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries)  2914 Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  2940X Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  2950X Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)  2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  2983 Battery/charger completer pack (includes #2969 2-amp NiMH)  8266 Body, GTS shock, aluminum (blue-anodized) (1)  8266 Body, GTS shock, aluminum (blue-anodized) (1)	anisters (black) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (red) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) black) (1)/ 2x8 BCS (1) red) (1)/ 2x8 BCS (1) GTS shock (aluminum, silver-anodized) (1) GTS shock (hard-anodized, PTFE-coated aluminum) (1) GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
Adapter, Traxxas® ID® LiPo battery (adapts Traxxas iD batteries to separate balance ports)  Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  Battery charge indicators (green (4), blue (4), grey (4))  Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)  Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries)  Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery/charger completer pack (includes #2969 2-amp NiMH  Battery/charger completer pack (includes #2969 2-amp NiMH  Battery Strap (1)/ wire retainer (1)/ 8022R  Fuel canisters (black) (2)/ 3x8 FCS (1)  Fuel canisters (white) (2)/ 3x8 FCS (1)  Baue canisters (white) (2)/ 3x8 FCS (1)	anisters (black) (2)/ 3x8 FCS (1) anisters (blue) (2)/ 3x8 FCS (1) anisters (red) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) black) (1)/ 2x8 BCS (1) red) (1)/ 2x8 BCS (1) SIDELS (FTS) GTS shock (aluminum, silver-anodized) (1) GTS shock (hard-anodized, PTFE-coated aluminum) (1) GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (green-anodized) (1) as spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)  Battery charge indicators (green (4), blue (4), grey (4))  Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)  Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries)  Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery/charger completer pack (includes #2969 2-amp NiMH  Battery/charger completer pack (includes #2969 2-amp NiMH  Battery charge indicators (green (4), blue (4), grey (4))  Body, GTS shock (aluminum, silver-anodized) (1)  Body, GTS shock, aluminum (blue-anodized) (1)  Body, GTS shock, aluminum (blue-anodized) (1)	anisters (blue) (2)/ 3x8 FCS (1) anisters (red) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) black) (1)/ 2x8 BCS (1) ced) (1)/ 2x8 BCS (1) SIDCLS (GTS) GTS shock (aluminum, silver-anodized) (1) GTS shock (hard-anodized, PTFE-coated aluminum) (1) GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
Battery charge indicators (green (4), blue (4), grey (4))  Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)  Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries)  Battery, Power Cell AA Alkaline (4)  Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 4 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  Battery/charger completer pack (includes #2969 2-amp NiMH)  Battery/charger completer pack (includes #2969 2-amp NiMH)  Battery charge indicators (green (4), blue (4), grey (4))  Battery charge indicators (green (4), blue (4), grey (4))  Battery charge indicators (green (4), blue (4), grey (4))  Battery charge indicators (green (4), blue (5))  Battery charge indicators (green (2)) 3x8 FCS (1)  Bauzex Fuel canisters (red) (2)/ 3x8 FCS (1)  Bauzex Fuel canisters (white) (2)/ 3x8 FCS (1)  Bauzex Fuel canisters (white) (2)/ 3x8 FCS (1)  Bauzex Fuel canisters (white) (2)/ 3x8 FCS (1)  Bauzex Fuel canisters (red) (2)/ 3x8 FCS (1)  Bauzex Fue	anisters (red) (2)/ 3x8 FCS (1) anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (1) anisters (yellow) (1)/ 2x8 BCS (1) anisters (yellow) (1)/ 2x8 BCS (1) anisters (yellow) (1)/ 2x8 FCS (1) anisters (yellow) (1)/ 2x8 FCS (1) anisters (yellow) (1) anisters (yellow) (1)/ 2x8 FCS (1) anisters (yellow) (1)/ 2x8 FCS (1) anisters (yellow) (1)/ 2x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) anisters (y
Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)  8222 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries)  2914 Battery, Power Cell AA Alkaline (4)  2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)  2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)  2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  2983 Battery/charger completer pack (includes #2969 2-amp NiMH)  8022X Fuel canisters (white) (2)/ 3x8 FCS (1)  8023T Jack (black) (1)/ 2x8 BCS (1)  8023T Jack (plack) (1)/ 2x8 BCS (1)  8024 Fuel canisters (white) (2)/ 3x8 FCS (1)  8025T Jack (black) (1)/ 2x8 BCS (1)  8026 Body, GTS shock (aluminum, silver-anodized) (1)  8266X Body, GTS shock, aluminum (blue-anodized) (1)  8266A Body, GTS shock, aluminum (blue-anodized) (1)  8266B Body, GTS shock, aluminum (blue-anodized) (1)	anisters (white) (2)/ 3x8 FCS (1) anisters (yellow) (2)/ 3x8 FCS (1) black) (1)/ 2x8 BCS (1) ced) (1)/ 2x8 BCS (1)  GTS shock (aluminum, silver-anodized) (1) GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) cap (2)/ upper retainer (2)/ lower retainer (2)/
8222 Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries)  2914 Battery, Power Cell AA Alkaline (4) 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2940X Battery, Series 3 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH  8022A Fuel canisters (yellow) (2)/ 3x8 FCS (1) 8023 Jack (black) (1)/ 2x8 BCS (1) 8023 Jack (red) (1)/ 2x8 BCS (1) 8024 Bactery (splow) (2)/ 3x8 FCS (1) 8023 Jack (plack) (1)/ 2x8 BCS (1) 8023 Jack (plack) (1)/ 2x8 BCS (1) 8024 Bactery (splow) (2)/ 3x8 FCS (1) 8023 Jack (plack) (1)/ 2x8 BCS (1) 8024 Jack (black) (1)/ 2x8 BCS (1) 8025 Jack (plack) (1)/ 2x8 BCS (1) 8026 Body, GTS shock (aluminum, silver-anodized) (1) 8266X Body, GTS shock, aluminum (blue-anodized) (1) 8026 Body, GTS shock, aluminum (blue-anodized) (1) 8027 Jack (plack) (1)/ 2x8 BCS (1) 8028 Jack (plack) (1)/ 2x8 BCS (1) 8029 Jack (plack) (1)/ 2x8 BCS (1) 8020 Jack (plack) (1)/ 2x8 BCS (1) 8021 Jack (plack) (1)/ 2x8 BCS (1) 8023 Jack (plack) (1)/ 2x8 BCS (1) 8023 Jack (plack) (1)/ 2x8 BCS (1) 8024 Jack (plack) (1)/ 2x8 BCS (1) 8023 Jack (plack) (1)/ 2x8 BCS (1) 8024 Jack (plack) (1)/ 2x8 BCS (1) 8025 Jack (plack) (1)/ 2x8 BCS (1) 8026 Body, GTS shock (plack) (pla	anisters (yellow) (2)/ 3x8 FCS (1) black) (1)/ 2x8 BCS (1) red) (1)/ 2x8 BCS (1)  SIDCES (HTS)  GTS shock (aluminum, silver-anodized) (1) GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) cspring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries)  2914 Battery, Power Cell AA Alkaline (4) 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH  8023T Jack (black) (1)/ 2x8 BCS (1)	colack) (1)/ 2x8 BCS (1) red) (1)/ 2x8 BCS (1) SIDCES (LTS) GTS shock (aluminum, silver-anodized) (1) GTS shock (hard-anodized, PTFE-coated aluminum) (1) GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
batteries)  2914 Battery, Power Cell AA Alkaline (4)  2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)  2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)  2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)  2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  2983 Battery/charger completer pack (includes #2969 2-amp NiMH  8266 Body, GTS shock (aluminum, silver-anodized) (1)  8266A Body, GTS shock, aluminum (blue-anodized) (1)  8266B Body, GTS shock, aluminum (blue-anodized) (1)  8266B Body, GTS shock, aluminum (green-anodized) (1)	Since (1)/2x8 BCS (1)
2914 Battery, Power Cell AA Alkaline (4) 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH  8266 Body, GTS shock (aluminum, silver-anodized) (1) 8266A Body, GTS shock, aluminum (blue-anodized) (1) 8266B Body, GTS shock, aluminum (green-anodized) (1)	SIDCLIS (LTS) GTS shock (aluminum, silver-anodized) (1) GTS shock (hard-anodized, PTFE-coated aluminum) (1) GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH  8266 Body, GTS shock (aluminum, silver-anodized) (1) 8266X Body, GTS shock, aluminum (blue-anodized) (1) 8266A Body, GTS shock, aluminum (blue-anodized) (1) 8266A Body, GTS shock, aluminum (blue-anodized) (1)	GTS shock (aluminum, silver-anodized) (1) GTS shock (hard-anodized, PTFE-coated aluminum) (1) GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH  8266 Body, GTS shock (aluminum, silver-anodized) (1) 8266X Body, GTS shock, aluminum (blue-anodized) (1)	GTS shock (hard-anodized, PTFE-coated aluminum) (1) GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) 2983 Battery/charger completer pack (includes #2969 2-amp NiMH 8266G Body, GTS shock, aluminum (blue-anodized) (1) 8266 Body, GTS shock, aluminum (green-anodized) (1)	GTS shock, aluminum (blue-anodized) (1) GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2983 Battery/charger completer pack (includes #2969 2-amp NiMH 8266G Body, GTS shock, aluminum (green-anodized) (1)	GTS shock, aluminum (green-anodized) (1) GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2303 Dattery/charger completer pack (includes #2303 2-amp Nillin	GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
	spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting AC charger (1), #2525X 5000mAn 0.44 7-cen within	cap (2)/ upper retainer (2)/ lower retainer (2))
	ool (plastic)
#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1)) 8261 Piston, damper (red) (4)/ e-clips (8)	
2995 Battery/charger completer pack (includes #2970 iD® charger (1), 8262 Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e	kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips,
#2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1)) and rod ends)	l ends)
2991 Battery/charger completer pack (includes #2972 Dual iD® 8263 Shock shaft, 3x47mm (GTS) (2)	
	shaft, 3x47mm (GTS) (2)
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery 8260A Shocks, GTS, aluminum (blue-anodized) (assembled with	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with
2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto 8260G Shocks, GTS, aluminum (green-anodized) (assembled with	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery 8260R Shocks, GTS, aluminum (red-anodized) (assembled with s	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with
2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto 8260 Shocks, GTS, silver aluminum (assembled with spring retaine	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring brs) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2)
6512 Cover plate, Traxxas Link™ Wireless Module	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)
2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)  8292 Input shaft/ output shaft (transmission)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2)
2064 Gear set (for 2065 waterproof sub-micro servo) 8286 Output shafts (transfer case), front & rear	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  SITURIO CHIRCLE COMMISSION)
2064X Gear set, metal (for 2065X waterproof sub-micro servo) 8254 Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0r	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  SIMPER CHIECT COMPONENTS haft/ output shaft (transmission) shafts (transfer case), front & rear
2072X Gear set metal (for 2070, 2075 servos) (1)/ spring washers (4), metal washer (1))	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  SITILITE CHIEF CONTROLLS haft/ output shaft (transmission) shafts (transfer case), front & rear d kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL
2252 Gear set, metal (for 2250, 2255 servos) 8249 Slipper eliminator plate	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  Siling Clitch Components haft/ output shaft (transmission) shafts (transfer case), front & rear d kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL ing washers (4), metal washer (1))
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring srs) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring srs) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  Simple Chilch Components haft/ output shaft (transmission) shafts (transfer case), front & rear d kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL ing washers (4), metal washer (1)) r eliminator plate
2072R Gear set, metal, high speed (for 2070, 2075 servos)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  Siling Clitch Components haft/ output shaft (transmission) shafts (transfer case), front & rear d kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL ing washers (4), metal washer (1))
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  SITIPE CHIEF COMPONIANES  Attitude transfer case), front & rear d kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL ing washers (4), metal washer (1)) r eliminator plate
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for 8042 Springs, shock (natural finish) (GTS) (0.22 rate, yellow str	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  SIIIIGT CHIED COMPORTS haft/ output shaft (transmission) shafts (transfer case), front & rear d kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL ing washers (4), metal washer (1)) r eliminator plate  SIIIIIS s, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for LiPo cell voltage checker/balancer (requires #2938X adapter for Springs, shock (natural finish) (GTS) (0.39 rate, orange strong stron	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring srs) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring srs) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  Simper Chilch Components haft/ output shaft (transmission) shafts (transfer case), front & rear d kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL ing washers (4), metal washer (1)) r eliminator plate  Simps s, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) s, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)  2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)  2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)  2968 Springs, shock (natural finish) (GTS) (0.22 rate, yellow str Springs, shock (natural finish) (GTS) (0.30 rate, white strip Springs, shock (natural finish) (GTS) (0.39 rate, orange str Springs, shock (natural finish) (GTS) (0.45 rate) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  SITHER CHIEFT COMMISSION shafts (transfer case), front & rear d kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL ing washers (4), metal washer (1)) r eliminator plate  SITHES s, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) s, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) s, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2968 Springs, shock (natural finish) (GTS) (0.22 rate, yellow str Springs, shock (natural finish) (GTS) (0.39 rate, orange str	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with retainers) (2) s, GTS, aluminum (red-anodized) (assembled with spring ers) (2) s, GTS, silver aluminum (assembled with spring retainers) (2) e shock oil (30 wt)  Similar Giller Commodited  A kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL ering washers (4), metal washer (1)) er eliminator plate  Similar
2994 Battery/charger completer pack (includes #2970 iD® charger (1), 5475 Multi-tool (plastic)	,
======================================	, , , , , , , , , , , , , , , , , , , ,
#2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1)) and rod ends)	,
	,
2991 Battery/charger completer pack (includes #2972 Dual iD® 8263 Shock shaft, 3x47mm (GTS) (2)	
	shaft 3x47mm (GTS) (2)
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with
2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery 8260A Shocks, GTS, aluminum (blue-anodized) (assembled with	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) TiN shafts (assembled with spring retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) TiN shafts (assembled with spring retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) TiN shafts (assembled with spring retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) TiN shafts (assembled with spring retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) TiN shafts (assembled with spring retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with
2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery 8260A Shocks, GTS, aluminum (blue-anodized) (assembled with	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with
Identification retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2)
***	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring
2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto 8260G Shocks, GTS, aluminum (green-anodized) (assembled with	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring
Battery Identification spring retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2)
Battery Identification spring retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2)
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery 8260R Shocks, GTS, aluminum (red-anodized) (assembled with s	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery 8260R Shocks, GTS, aluminum (red-anodized) (assembled with s	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery 8260R Shocks, GTS, aluminum (red-anodized) (assembled with s	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery 8260R Shocks, GTS, aluminum (red-anodized) (assembled with s	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery 8260R Shocks, GTS, aluminum (red-anodized) (assembled with s	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery 8260R Shocks, GTS, aluminum (red-anodized) (assembled with s	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with
	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2) s, GTS, aluminum (green-anodized) (assembled with
Battery Identification spring retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring ers) (2)
2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto 8260G Shocks, GTS, aluminum (green-anodized) (assembled with	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2) s, GTS, aluminum (blue-anodized) (assembled with spring
Identification retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2) s, GTS hard-anodized, PTFE-coated aluminum bodies with afts (assembled with spring retainers) (2)
2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) TiN shafts (assembled with spring retainers) (2)	shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	,
2994 Battery/charger completer pack (includes #2970 iD® charger (1), 5475 Multi-tool (plastic)	. ,
2992 Battery/charger completer pack (includes #2970 iD® charger (1), bottom cap (2)/ upper retainer (2)/ lower retainer (2)/	voan Set, complete, TRA-4® (aluminum, PTFE-coated)
peak detecting AO charger (1), #2323X 3000mAn 0.44 7-cen relimin	
	cap (2)/ upper retainer (2)/ lower retainer (2))
2303 Battery/charger completer pack (includes #2303 2-amp within	GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2303 Dattery/charger completer pack (includes #2303 2-amp Nillin	GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2303 Dattery/charger completer pack (includes #2303 2-amp Nillin	GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2303 Dattery/charger completer pack (includes #2303 2-amp Nillin	GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
	spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
	spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
One Deductive about the second and an arrangement of the second and an arrangement of the second and an arrangement of the second and are arrangement of the second are arrangement of the second and are arrangement of the second are are arrangement of the second are	spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH 8266R Body, GTS snock, aluminum (red-anodized) (1)	spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting Ao charger (1), #2323X 3000mAn 0.44 7-cen minn	cap (2)/ upper retainer (2)/ lower retainer (2))
neak detecting AC charger (1) #2923X 3000mAh 8 41/ 7-cell NiMH 8266R Body, GTS shock, aluminum (red-anodized) (1)	spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
	spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2303 Battery/charger completer pack (includes #2303 2-amp within	GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2505 Datterly/charger completer pack (includes #2505 2-amp within	GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2303 Battery/charger completer pack (includes #2303 2-amp within	GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2303 Dattery/charger completer pack (includes #2303 2-amp within	GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
	spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting Ao charger (1), #2323X 3000mAn 0.44 7-cen mini	cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting AC charger (1), #2525X 5000mAn 0.44 7-cen within	cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting AO charger (1), #2525X 5000mAn 0.44 7-cen remini	cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting AO charger (1), #2323X 3000mAn 0.44 7-cen relimin	cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting Ao charger (1), #2020X 0000HAIT 0.44 7-Cell Millimit	cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting Ao charger (1), #2323X 3000mAn 0.44 7-cen Millin	cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting Ao charger (1), #2323X 3000mAn 0.44 7-cen Millin	cap (2)/ upper retainer (2)/ lower retainer (2))
peak detecting Ao charger (1), #2323X 3000mAn 0.44 7-cen Millin	cap (2)/ upper retainer (2)/ lower retainer (2))
battery (1))  8264  Caps & spring retainers, GTS shocks (upper cap (2)/ hollow b	
peak detecting Ao charger (1), #2020X 0000HAIT 0.44 7-Cell Millimit	cap (2)/ upper retainer (2)/ lower retainer (2))
month detection A.C. aboves (4), #2022Y 2000At-0.4V 7 HAUSELL 8766R Rody GTS shock alliminum (red-anodized) (7)	spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))
2303 Dattery/charger completer pack (includes #2303 2-amp Nillin	GTS shock, aluminum (red-anodized) (1) a spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ cap (2)/ upper retainer (2)/ lower retainer (2))

Page 5 TRX-4 Unassembled Kit: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82016-4) Parts List

	Spur Gears & Pinion Gears		Tires & Wheels
746	Gear, 10-T pinion (32-p) (steel)/ set screw	8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
747	Gear, 11-T pinion (32-p) (steel)/ set screw	8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/	8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
	set screw	8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/	8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
	set screw	8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/	8169A	Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48)
	set screw	8168A	Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48)
945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/	8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
	set screw	8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/	8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
0477	set screw	8168	Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)
947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle)
948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	8174	Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1
949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	8172	right) Tires and wheels, assembled (Method 105 black chrome
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw		beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
8951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	8177	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/		#8255A extended stub axle)
745	set screw	8273	Tires and wheels, assembled, glued (Tactical wheels, Canyon
<b>745</b> 279	Gear, 9-T pinion (32-p) (steel)/ set screw		Trail 1.9 tires) (2)
052	Ring gear, differential/ pinion gear, differential  Spur gear, 39-tooth (TRX-4®)	8272X	Tires and wheels, assembled, glued (TRX-4® satin beadlock wheels, Canyon Trail 1.9 tires) (2)
8053	Spur gear, 45-tooth (TRX-4®)	8181	Tires and wheels, assembled, glued (TRX-4 Sport wheels,
		0101	Canyon Trail 2.2 tires) (2) (for use with TRX-4 Long Arm Lift Kit
	Steering Components	8272	Tires and wheels, assembled, glued (TRX-4® wheels, Canyon Trail
232	Caster blocks (portal drive), left & right/ kingpin bushings (4)	02.2	1.9 tires) (2)
232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	8270	Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2)
232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right	8170	Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)
232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®)
232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
072X	Gear set, metal (for 2070, 2075 servos)	0200%	screw pin (4)
072R	Gear set, metal, high speed (for 2070, 2075 servos)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	0_00,	anodized) (4)/ screw pin (4)
355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4
3275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	8269R	screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
276 277	Rod ends (10) Rod ends, angled 10-degrees (8)	8175	screw pin (4) Wheels, 1,9", chrome (2)/ center caps (2)/ decal sheet (requires
742	Rod ends, long (6)/ hollow ball connectors (6)	8173	#8255A extended stub axle)
278	Rod ends, offset (4)	01/3	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)
247	Servo horn, steering	8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock
247X	Servo horn, steering, metal/ 3x14 BCS (1)	01/3A	rings sold separately)
075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
075K	Servo, digital high-torque, metal gear (ball bearing), waterproof	0171	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
246	captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	8268	Wheels, Tactical 1.9 (2)
243	Suspension link, front, 5x100mm (lower) (steel) (2)	8271	Wheels, TRX-4® 1.9 (2)
243 244	Suspension link, front, 5x63mm (upper) (steel) (2)	8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
2 <del>44</del> 248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)	IA	
246 <b>245</b>	Suspension link, rear, 5x109fillir (upper or lower) (steel) (2)		Transmission Components
		8283	Cable, T-lock (front)
	Suspension Linkage	8284	Cable, T-lock (rear)
<b>274</b> 355	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8289 <b>8293X</b>	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 3
	adjustment shims; 3.5mm (2), 1.17mm (2)	8291	output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover)
275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8291 8285	Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3)
276	(4)) Pod ends (10)	6265 5041	Grease, premium high performance (20cc)
276 277	Rod ends (10) Rod ends, angled 10-degrees (8)	8292	Input shaft/ output shaft (transmission)
742	Rod ends, long (6)/ hollow ball connectors (6)	8290X	Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized)
278	Rod ends, offset (4)	8290A	Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray-
529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	8290G	anodized)  Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodize
243	Suspension link, front, 5x100mm (lower) (steel) (2)	8290R	Motor mount plate, TRX-4®, 6061-16 aluminum (green-anodized)
244 248	Suspension link, front, 5x63mm (upper) (steel) (2)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)		(1) 3x6 BCS with threadlock (1))
245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8294	Output gear, high range, 24T (metal)
	Team Traxxas Items	8286	Output shafts (transfer case), front & rear
	Decal sheet, racing sponsors	8290	Plate, motor/ upper spur gear cover
514		いとづい	riate, motor apper spar year cover
			Slinner eliminator plate
2514 6160X 950	DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set (flag logo/ 6-color)	8249 8296	Slipper eliminator plate Transmission gears, single speed, metal

Page 6 TRX-4 Unassembled Kit: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82016-4) Parts List

	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

If you have questions or need technical assistance, call Traxxas at:

## **1 -888-TRAXXAS** (1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com