



TRX-4 Ford Bronco (Model 82046-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

All-Terrain Traxx

| | |
|------|---|
| 8889 | Bearing retainers, inner (2), outer (2) |
| 8890 | Drive wheel (1) |
| 8895 | Rubber track, All-Terrain, front (left or right) (rubber) (1) |
| 8896 | Rubber track, All-Terrain, rear (left or right) (rubber) (1) |
| 8885 | Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right)) |
| 8888 | Spring (4) |
| 8887 | Stub axle (1) |
| 8886 | Stub axle nut (4) |
| 8891 | Tension wheels (6)/ road wheels (4) |
| 8881 | Traxx™, front, left (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8895 rubber track) |
| 8882 | Traxx™, front, right (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8895 rubber track) |
| 8883 | Traxx™, rear, left (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8896 rubber track) |
| 8884 | Traxx™, rear, right (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8896 rubber track) |
| 8880 | Traxx™, TRX-4 (4) (complete set, front & rear) |

Axle Components

| | |
|-------|--|
| 8241 | Axle housing, front |
| 8242 | Axle housing, rear |
| 8227 | Axle mount set (complete) (front & rear) (for suspension links) |
| 8228 | Axle shaft, front (left)/ drive pin/ cross pin |
| 8229 | Axle shaft, front (right)/ drive pin/ cross pin |
| 8060 | Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear) |
| 8062 | Axle shaft, front, heavy duty (left & right)/ portal drive input gear (machined) (2) (assembled) |
| 8230 | Axle shaft, rear (left) |
| 8231 | Axle shaft, rear (right) |
| 8061 | Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) |
| 8063 | Axle, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear) |
| 8233 | Cross pin (2)/ drive pin (2) (to rebuild front axle shafts) |
| 8256 | Portal drive axle mount, rear (left & right) |
| 8256X | Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256A | Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256G | Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4) |
| 8256R | Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4) |
| 8252 | Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6) |
| 8253 | Portal drive housing, inner, rear (left or right) (2) |
| 8251 | Portal drive housing, outer (front or rear) (2) |
| 8064 | Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft) |
| 8257 | Portal drive input gear, front/ drive pin/ cross pin |
| 8259 | Portal drive input gear, rear |
| 8065 | Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle) |
| 8258 | Portal drive output gear, front or rear |
| 8252X | Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2) |
| 8252A | Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2) |
| 8252G | Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2) |
| 8252R | Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2) |
| 8253X | Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2) |
| 8253A | Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2) |
| 8253G | Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2) |
| 8253R | Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) |
| 8251X | Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) |
| 8251A | Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) |

| | |
|-------|---|
| 8251G | Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) |
| 8251R | Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) |
| 8255 | Stub axle (portal drive) (2) |
| 8255A | Stub axle, extended (portal drive) (2) |
| 8267 | Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) |

Bearings & Bushings

| | |
|-------|--|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5120A | Ball bearings, black rubber sealed (12x18x4mm) (2) |
| 5104A | Ball bearings, black rubber sealed (4x10x4mm) (2) |
| 5115A | Ball bearings, black rubber sealed (5x10x4mm) (2) |
| 5116A | Ball bearings, black rubber sealed (5x11x4mm) (2) |
| 5114A | Ball bearings, black rubber sealed (5x8x2.5mm) (2) |
| 5117A | Ball bearings, black rubber sealed (6x12x4mm) (2) |
| 5180A | Ball bearings, black rubber sealed (6x13x5mm) (2) |
| 5103A | Ball bearings, black rubber sealed (7x14x5mm) (2) |

Body (1979 Chevrolet Blazer)

| | |
|-------|--|
| 8130 | Body, Chevrolet Blazer (1979) (clear, requires painting)/ decals/ window masks |
| 8130G | Body, Chevrolet Blazer (1979) (orange) (requires grille, side mirrors, door handles, windshield wipers, decals) |
| 8130A | Body, Chevrolet Blazer (1979) (red) (requires grille, side mirrors, door handles, windshield wipers, decals) |
| 8131 | Decal sheet, Chevrolet Blazer (1979) |
| 8132 | Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body) |
| 8134 | Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body) |
| 8133 | Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 body) |
| 8135 | Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 body) |

Body (1979 Ford Bronco)

| | |
|-------|---|
| 8010 | Body, Ford Bronco (clear, requires painting)/ decals/ window masks/ tailgate panel insert/ adhesive foam tape (2) |
| 8010X | Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders) |
| 8078R | Decal sheet, Bronco, red |
| 8078 | Decal sheet, Bronco, sunset |
| 8075 | Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body) |
| 8070 | Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body) |
| 8073 | Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 body) |
| 8073X | Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 body) |
| 8074 | Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware |
| 8077 | Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 body) |
| 8071 | Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body) |

Body (Land Rover Defender)

| | |
|-------|---|
| 8011 | Body, Land Rover® Defender® (clear, trimmed, requires painting)/ window masks/ decal sheet |
| 8011A | Body, Land Rover® Defender®, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack) |
| 8011X | Body, Land Rover® Defender®, graphite silver (painted)/ decals |
| 8011G | Body, Land Rover® Defender®, green (complete with ExoCage, inner fenders, fuel canisters, and jack) |
| 8011R | Body, Land Rover® Defender®, red (painted)/ decals |
| 8012 | Decals, Land Rover® Defender® |
| 8016 | ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body) |
| 8019 | Fender brace, inner, front & rear |
| 8017 | Fender flares, front & rear (2 each) (fits #8011 or #8211 body) |
| 8018 | Fenders, inner, front & rear (2 each)/ rock light covers (8) |
| 8013 | Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body) |

Page 2 TRX-4 Ford Bronco: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82046-4) Parts List

8020 Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body)
8015 Roof basket (requires #8016 ExoCage) (fits #8011 body)
8021 Spare tire mount/ mounting bracket/ screw pins (2)
8014 Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011 body)

Body (Tactical Unit)

8211 Body, Tactical Unit (clear, requires painting)/ decals
8211X Body, Tactical Unit, night camo (painted)/ decals
8019 Fender brace, inner, front & rear
8017 Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
8018 Fenders, inner, front & rear (2 each)/ rock light covers (8)
8020 Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body)
8021 Spare tire mount/ mounting bracket/ screw pins (2)

Body (TRX-4 Sport)

8112 Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
8111R Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet
8111 Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
8113 Decal sheet, TRX-4® Sport
8120X Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware)
8120 Expedition rack/ mounting hardware
8116 Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body)
8119 Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)
8122 Shovel/ axe/ accessory mount/ mounting hardware
8118 Spare tire mount/ mounting hardware
8117 Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)
8121 Traction boards/ mounting hardware

Body Accessories

1926 Antenna caps, vinyl (2)/ antenna spool
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834 Body clips (12) (standard size)
1834A Body clips, black (12) (standard size)
3934 Body clips, heavy duty (12)
3934A Body clips, heavy duty (black) (12)
8215 Body mounts & posts, front & rear (complete set)
8115 Body posts, front & rear
4915 Body washers, foam adhesive (10)
2514 Decal sheet, racing sponsors
8081 Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)
8080 Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
8072 Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)

Bumpers & Skidplates

8234 Bumper D-Rings, grey (front or rear)/ 2x12 CS (4)
8234R Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
8067 Bumper mounts, front & rear
8237 Bumper mounts, front & rear/ screw pins (4)
8069 Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8235 Bumper, front/ winch
8236 Bumper, rear
8068 Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8066 Push bar, bumper (chrome) (fits #8069 bumper)
8238 Skidplate/ lower gear cover

Chassis & Attachments

8223 Battery plate/ battery strap/ 3x8 flat-head screws (4) (requires #8072 inner fenders)
8215 Body mounts & posts, front & rear (complete set)
8224 Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
8058 Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))
8057 Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)
8220 Chassis rails, 448mm (steel) (left & right)
8072 Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)

8218 Floor pans, left & right
8219 Rock sliders, left & right
8225 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
8240 Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8239 Servo mount, steering/ chassis crossmember
8226 Tray, battery

Differential Components

8281 Carrier, differential/ differential slider/ T-Lock fork
8280X Differential cover, front or rear (chrome-plated)
8280 Differential cover, front or rear (grey)
8280R Differential cover, front or rear (red)
8282 Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
8295 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8279 Ring gear, differential/ pinion gear, differential
8279R Ring gear, differential/ pinion gear, differential (machined)
8287 Ring gear, differential/ pinion gear, differential (overdrive, machined)
8288 Ring gear, differential/ pinion gear, differential (underdrive, machined)
8297 Spool/ differential housing plug/ e-clip

Driveline Components

8250 Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8255A Stub axle, extended (portal drive) (2)
8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®)
8269X Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
8269A Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4)
8269G Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
8269R Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)

Hardware

1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
1834 Body clips (12) (standard size)
1834A Body clips, black (12) (standard size)
3934 Body clips, heavy duty (12)
3934A Body clips, heavy duty (black) (12)
8167X Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)
8298 Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4)
8151 Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® Long Arm Lift Kit)
5476X Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
8221 Screw pin, 3x10mm (6)
3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
2523 Screws, 2.5x10mm countersunk machine (hex drive) (6)
3236 Screws, 2.5x12mm cap-head machine (6)
2618 Screws, 2.5x16mm cap-head machine (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
2617 Screws, 2.5x8mm button-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2524 Screws, 2.5x8mm countersunk machine (hex drive) (6)
8299 Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8167 Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
2564 Screws, 2x8mm cap-head machine (hex drive) (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
4859 Screws, 3x10mm flat-head machine (hex drive) (4)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2581 Screws, 3x25mm button-head machine (hex drive) (6)
2616 Screws, 3x27mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)

Page 3 TRX-4 Ford Bronco: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82046-4) Parts List

- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3933 Screws, 4x16mm button-head machine (hex drive) (6)

LED Light Accessories

- 8031 3-in-1 wire harness, LED light kit, TRX-4®
- 8089 4-in-2 wire harness, LED light kit, TRX-4®
- 8028 LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4® 3-in-1 wire harness
- 8026 LED rock light kit, TRX-4® (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)

LED Lights (1979 Chevrolet Blazer)

- 8039 LED light set (contains headlights, tail lights, side marker lights, distribution block (fits #8130 body, requires #8028 power supply)
- 8038 LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8130 body)

LED Lights (1979 Ford Bronco)

- 8036 LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body, requires #8028 power supply)
- 8035 LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body)
- 8037 LED lights, high/low switch (for #8035 or #8036 LED light kits)

LED Lights (Land Rover Defender)

- 8027 LED headlight/tail light kit (fits #8011 body, requires #8028 power supply)
- 8025 LED light bar (Rigid®), TRX-4 (requires #8028 power supply)
- 8029 LED light bar kit (Rigid®/power supply, TRX-4®)
- 8030 LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED headlight/tail light kit, power supply, & 3-in-1 wire harness) (fits #8011 body)

LED Lights (TRX-4 Sport)

- 8086 LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply)
- 8084 LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)
- 8088 LED light bar, front bumper (fits #8124 front bumper, requires #8028 power supply)
- 8087 LED light bar, roof lights (fits #8111 body, requires #8028 power supply)
- 8085 LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)

Long Arm Lift Kit

- 8162X Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8162R Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8148 Cable, T-lock (extra long) (for use with TRX-4® Long Arm Lift Kit)
- 8147 Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)
- 8150 Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)
- 8140 Long Arm Lift Kit, TRX-4®, complete
- 8140X Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks)
- 8140R Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)
- 8149 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)
- 8141 Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)
- 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)
- 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8153 Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)
- 8154 Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)
- 8155 Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use with TRX-4® Long Arm Lift Kit)
- 8156 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)
- 8157 Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)

- 8146X Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8146R Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8144X Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8143 Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8143X Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8143R Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8145 Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8145X Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8145R Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8142 Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8142X Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8142R Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8172 Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right)
- 8181 Tires and wheels, assembled, glued (TRX-4® Sport wheels, Canyon Trail 2.2 tires) (2)
- 8170 Tires, Canyon Trail 2.2/ foam inserts (2)
- 8171 Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately)
- 8171A Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately)

Motors & Electronics

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2262 BEC, complete (includes receiver box cover and seals)
- 2064 Gear set (for 2065 waterproof sub-micro servo)
- 2064X Gear set, metal (for 2065X waterproof sub-micro servo)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2072R Gear set, metal, high speed (for 2070, 2075 servos)
- 8290X Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized)
- 8290A Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray-anodized)
- 8290G Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized)
- 8290R Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized)
- 3975R Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
- 8290 Plate, motor/ upper spur gear cover
- 2254 Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
- 2253 Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2063 Servo case/gaskets (for 2065 waterproof sub-micro servo)
- 2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
- 5669 Servo horn (with built-in spring and hardware) (for Summit locking differential)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal servo horn recommended for optimal performance)
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2065 Servo, sub-micro, waterproof
- 2065X Servo, sub-micro, waterproof, metal gear

Page 4 TRX-4 Ford Bronco: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82046-4) Parts List

| | |
|---|---|
| 3025 | XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake) |
| 2261 | Y-harness, BEC |
| Radio System, Batteries & Chargers | |
| 2849X | 4000mAh 11.1v 3-Cell 25C LiPo Battery |
| 2872X | 5000mAh 11.1v 3-Cell 25C LiPo Battery |
| 2842X | 5000mAh 7.4v 2-Cell 25C LiPo Battery |
| 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC converter, 40W |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2943 | Battery charge indicators (green (4), blue (4), grey (4)) |
| 6548 | Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) |
| 8222 | Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries) |
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2992 | Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2994 | Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1)) |
| 2995 | Battery/charger completer pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2991 | Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2)) |
| 2262 | BEC, complete (includes receiver box cover and seals) |
| 2975 | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2973 | Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification |
| 2971 | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2970 | Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 6525 | Communication link, telemetry expander |
| 6512 | Cover plate, Traxxas Link™ Wireless Module |
| 2978 | Fuse, charger, 5A (2) (for #2974, 2975, 2977) |
| 2064 | Gear set (for 2065 waterproof sub-micro servo) |
| 2064X | Gear set, metal (for 2065X waterproof sub-micro servo) |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2072R | Gear set, metal, high speed (for 2070, 2075 servos) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |
| 6561 | Mount, telemetry expander (fits TRX-4®) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) |
| 6552 | Seal kit, expander box (includes o-ring, seals, and silicone grease) |
| 6526 | Sensor, auto-detectable, temperature |
| 6527 | Sensor, auto-detectable, voltage |
| 6521 | Sensor, temperature and voltage (long) |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2063 | Servo case/gaskets (for 2065 waterproof sub-micro servo) |
| 2063X | Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal servo horn recommended for optimal performance) |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2065 | Servo, sub-micro, waterproof |
| 2065X | Servo, sub-micro, waterproof, metal gear |

| | |
|-------|---|
| 6553X | Telemetry expander 2.0 and GPS module 2.0, TQi radio system |
| 6550X | Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module) |
| 6550 | Telemetry expander, TQi radio system |
| 6551X | Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander) |
| 6530 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas Link™ Wireless Module |
| 2261 | Y-harness, BEC |

Ready-To-Race Model

| | |
|---------|--|
| 82046-4 | TRX-4® Scale and Trail® Crawler with Ford Bronco Body: 4WD Electric Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System |
|---------|--|

Scale Details

| | |
|-------|--|
| 8022T | Fuel canisters (black) (2)/ 3x8 FCS (1) |
| 8022R | Fuel canisters (blue) (2)/ 3x8 FCS (1) |
| 8022 | Fuel canisters (red) (2)/ 3x8 FCS (1) |
| 8022X | Fuel canisters (white) (2)/ 3x8 FCS (1) |
| 8022A | Fuel canisters (yellow) (2)/ 3x8 FCS (1) |
| 8023T | Jack (black) (1)/ 2x8 BCS (1) |
| 8023 | Jack (red) (1)/ 2x8 BCS (1) |

Shocks (GTS)

| | |
|-------|---|
| 8266 | Body, GTS shock (aluminum, silver-anodized) (1) |
| 8266X | Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) |
| 8266A | Body, GTS shock, aluminum (blue-anodized) (1) |
| 8266G | Body, GTS shock, aluminum (green-anodized) (1) |
| 8266R | Body, GTS shock, aluminum (red-anodized) (1) |
| 8264 | Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5475 | Multi-tool (plastic) |
| 8261 | Piston, damper (red) (4)/ e-clips (8) |
| 8262 | Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) |
| 8263 | Shock shaft, 3x47mm (GTS) (2) |
| 8263T | Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) |
| 8260X | Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) |
| 8260A | Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) |
| 8260G | Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) |
| 8260R | Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) |
| 8260 | Shocks, GTS, silver aluminum (assembled with spring retainers) (2) |
| 1666 | Silicone shock oil (30 wt) |

Slipper Clutch Components

| | |
|------|---|
| 8292 | Input shaft/ output shaft (transmission) |
| 8286 | Output shafts (transfer case), front & rear |
| 8254 | Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) |
| 8249 | Slipper eliminator plate |

Springs

| | |
|------|--|
| 8042 | Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) |
| 8043 | Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) |
| 8044 | Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) |
| 8041 | Springs, shock (natural finish) (GTS) (0.45 rate) (2) |
| 8040 | Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) |
| 8045 | Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) |

Spur Gears & Pinion Gears

| | |
|-------|--|
| 6746 | Gear, 10-T pinion (32-p) (steel)/ set screw |
| 6747 | Gear, 11-T pinion (32-p) (steel)/ set screw |
| 3942X | Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3943X | Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3945X | Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3946X | Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3947X | Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3948X | Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |

Page 5 TRX-4 Ford Bronco: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82046-4) Parts List

| | |
|-------|--|
| 3949X | Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3950X | Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3951X | Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 3952X | Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw |
| 6745 | Gear, 9-T pinion (32-p) (steel)/ set screw |
| 8279 | Ring gear, differential/ pinion gear, differential |
| 8052 | Spur gear, 39-tooth (TRX-4®) |
| 8053 | Spur gear, 45-tooth (TRX-4®) |

Steering Components

| | |
|-------|---|
| 8232 | Caster blocks (portal drive), left & right/ kingpin bushings (4) |
| 8232X | Caster blocks, 6061-T6 aluminum (blue-anodized), left and right |
| 8232A | Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right |
| 8232G | Caster blocks, 6061-T6 aluminum (green-anodized), left and right |
| 8232R | Caster blocks, 6061-T6 aluminum (red-anodized), left and right |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2072R | Gear set, metal, high speed (for 2070, 2075 servos) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) |
| 8276 | Rod ends (10) |
| 8277 | Rod ends, angled 10-degrees (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 8278 | Rod ends, offset (4) |
| 8247 | Servo horn, steering |
| 8247X | Servo horn, steering, metal/ 3x14 BCS (1) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 8246 | Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) |
| 8243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 8244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 8248 | Suspension link, rear, 5x109mm (upper or lower) (steel) (2) |
| 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |

Suspension Linkage

| | |
|------|---|
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) |
| 8276 | Rod ends (10) |
| 8277 | Rod ends, angled 10-degrees (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 8278 | Rod ends, offset (4) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 8243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 8244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 8248 | Suspension link, rear, 5x109mm (upper or lower) (steel) (2) |
| 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |

Team Traxxas Items

| | |
|-------|--|
| 2514 | Decal sheet, racing sponsors |
| 6160X | DVD, Maxx® Power! Full Throttle Action (sleeve) |
| 9950 | Official Team Traxxas® racing decal set (flag logo/ 6-color) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|-------|---|
| 8169T | Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168T | Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169X | Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168X | Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169G | Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168G | Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169A | Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168A | Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169R | Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168R | Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8169 | Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) |
| 8168 | Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) |
| 8176 | Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) |

| | |
|-------|---|
| 8174 | Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) |
| 8172 | Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) |
| 8177 | Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) |
| 8273 | Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) |
| 8272X | Tires and wheels, assembled, glued (TRX-4® satin beadlock wheels, Canyon Trail 1.9 tires) (2) |
| 8181 | Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 2.2 tires) (2) (for use with TRX-4 Long Arm Lift Kit) |
| 8272 | Tires and wheels, assembled, glued (TRX-4® wheels, Canyon Trail 1.9 tires) (2) |
| 8270 | Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2) |
| 8170 | Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) |
| 8269 | Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®) |
| 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4) |
| 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4) |
| 8269G | Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4) |
| 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4) |
| 8175 | Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) |
| 8173 | Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately) |
| 8173A | Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock rings sold separately) |
| 8171 | Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) |
| 8171A | Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) |
| 8268 | Wheels, Tactical 1.9 (2) |
| 8271 | Wheels, TRX-4® 1.9 (2) |
| 8271X | Wheels, TRX-4® 1.9 (satin beadlock) (2) |

Transmission Components

| | |
|-------|--|
| 8283 | Cable, T-lock (front) |
| 8284 | Cable, T-lock (rear) |
| 8289 | Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage |
| 8293X | Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5)) |
| 8291 | Gearbox housing (includes main housing, front housing, & cover) |
| 8285 | Gears, transfer case (3) |
| 5041 | Grease, premium high performance (20cc) |
| 8292 | Input shaft/ output shaft (transmission) |
| 8290X | Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized) |
| 8290A | Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray-anodized) |
| 8290G | Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized) |
| 8290R | Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized) |
| 8295 | Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) |
| 8294 | Output gear, high range, 24T (metal) |
| 8286 | Output shafts (transfer case), front & rear |
| 8290 | Plate, motor/ upper spur gear cover |
| 8249 | Slipper eliminator plate |
| 8296 | Transmission gears, single speed, metal |

Traxxas Tools

| | |
|-------|---|
| 3433X | Body reamer (aluminum handle) |
| 3433 | Body reamer (plastic handle) |
| 3436 | Cap, body reamer |
| 3432 | Scissors, curved tip |
| 3431 | Scissors, straight tip |
| 8712 | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive |
| 8722 | Speed bit handle, premium (rubber overmold) |
| 8711 | Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive |

Page 6 TRX-4 Ford Bronco: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82046-4) Parts List

- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM