

TRX-4® 1979 Chevrolet® Blazer® (Model 82276-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

		0424	Redy Charmelet Blazer (4000) (clear requires pointing) (decels)
	Axie Components	9131	Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles,
8241	Axle housing, front		windshield wipers, clipless mounting, hardware) (requires
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		#8072X inner fenders)
8227	Axle mount set (complete) (front & rear) (for suspension links)	9131-BLK	Body, Chevrolet Blazer (1969), complete, black (painted)
8228	Axle shaft, front (left)/ drive pin/ cross pin		(includes grille, side mirrors, door handles, windshield wipers,
8229 8060	Axle shaft, front (right)/ drive pin/ cross pin		front & rear bumpers, clipless mounting) (requires #8072X inner fenders)
0000	Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear,		drill bit (fits #9126 or #9127 front bumpers)
	front (machined) (2) (assembled)	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8230	Axle shaft, rear (left)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8231	Axle shaft, rear (right)	9113	Decal sheets, Chevrolet Blazer (1969 - 1972)
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear	6593	Distribution block, Pro Scale® Advanced Lighting Control
0004	portal drive input gear)	0445	System Rear handles left right and many retaining (2) (windshield
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8256	Portal drive axle mount, rear (left & right)	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
	(left and right)/ 2.5x16 CS (4)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-		(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
	anodized) (left and right)/ 2.5x16 CS (4)	8091	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		lights and turn signal harnesses, hardware)
8252	(left and right)/ 2.5x16 CS (4) Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	9114-BLK	Interior, Chevrolet Blazer (1969 -1972) (black) (includes rollbar,
8253	Portal drive housing, inner, from (left & right) (2)		gauge bezel, steering wheel and column, shifter, armrest, decals)
8251	Portal drive housing, outer (front or rear) (2)		(fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112
8064	Portal drive input gear, front (machined) (left or right) (requires		series bodies require #9128 body cage for installation)
	#8060 front axle shaft)	9114-BLUE	Interior, Chevrolet Blazer (1969 -1972) (blue) (includes rollbar,
8257	Portal drive input gear, front/ drive pin/ cross pin		gauge bezel, steering wheel and column, shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112
8259	Portal drive input gear, rear		series bodies require #9128 body cage for installation)
8065	Portal drive input gear, rear (machined) (left or right) (requires	9114	Interior, Chevrolet Blazer (1969 -1972) (clear, requires painting)
0050	#8063 rear axle)		(includes rollbar, gauge bezel, steering wheel and column,
8258 8252X	Portal drive output gear, front or rear Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)		shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series
0232X	(2)/ 3x12 BCS (2)		bodies) (#9111 or 9112 series bodies require #9128 body cage for installation)
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	9116	Marker light housing (4)/ marker light mount (4)/ marker light
	anodized) (2)/ 3x12 BCS (2)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-		(self-tapping) (8)
00500	anodized) (2)/ 3x12 BCS (2)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)	6500	#9112 body)
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
	anodized) (2)/ 2.5x10 CS (2)	6591	Pro Scale® Advanced Lighting Control System (includes power
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/		module & distribution block)
	2.5x10 CS (12)	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-		BCS (self-tapping) (4)
8251G	anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/		Body (1972 Chevrolet® Blazer)
0251G	2.5x10 CS (12)	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/		grille, side mirrors, side trim, door handles, windshield wipers,
	2.5x10 CS (12)		decals, window masks)
8255A	Stub axle, extended thread (portal drive) (2)	9130-BLWT	
8267	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6)		(includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)		fenders)
	Bearings & Bushings	9130-BLUE	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes
8214	Ball bearing kit, stainless steel, TRX-4® (complete)		grille, side mirrors, door handles, windshield wipers, front & rear
8265	Ball bearing kit, TRX-4® (complete)		bumpers, clipless mounting) (requires #8072X inner fenders)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	9111X	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)		grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
5102A	Ball bearings, black rubber sealed (15x21x4mm) (2)	9130-RED	Body, Chevrolet Blazer (1972), complete, red (painted) (includes
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)	J.OU INED	grille, side mirrors, door handles, windshield wipers, front & rear
5115A 5116A	Ball bearings, black rubber sealed (5x10x4mm) (2) Ball bearings, black rubber sealed (5x11x4mm) (2)		bumpers, clipless mounting) (requires #8072X inner fenders)
5114A	Ball bearings, black rubber sealed (5x1x4nin) (2)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
5117A	Ball bearings, black rubber sealed (5x5x2.3mm) (2)		drill bit (fits #9126 or #9127 front bumpers)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)	9124	lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4) Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
	Body (1969 Chevrolet® Blazer)	9124	Decal sheets, Chevrolet Blazer (1969 - 1972)
0112	_	6593	Distribution block, Pro Scale® Advanced Lighting Control
9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting) (includes grille, side mirrors, door handles, windshield wipers,		System
	decals, window masks)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
			wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
			mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)

Page 2	TRX-4® 1979 Chevrolet® Blazer®: TQi™ Traxxas Link™	™ Enabled 2.4GHz Radio (Model 82276-4) Parts List	
	TIER TO TOTO CHICATOLOGIC PIECE TELE TIERRAGO ELITA	=::ab::a =: :a::a ::a::a::a::a::a::a::a::a::a::a::	

9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111		Body (1979 Ford® Bronco)
	body)	9240	Body, Ford Bronco (1979), complete (clear, trimmed, requires
8091	Installation kit, Pro Scale® Advanced Lighting Control System,		painting) (includes grille, side mirrors, door handles, windshield wipers, spare tire mount, decals, window masks) (requires
	TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse lights and turn signal harnesses, hardware)		#8072X inner fenders) (for clipless mounting)
9114-BLK	Interior, Chevrolet Blazer (1969 -1972) (black) (includes rollbar,	8188	Body, Ford Bronco, complete (black) (includes front and rear
	gauge bezel, steering wheel and column, shifter, armrest, decals)		bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset
	(fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112 series bodies require #9128 body cage for installation)		decals) (requires #8072X inner fenders) (for clipless mounting)
9114-BLUE	Interior, Chevrolet Blazer (1969 -1972) (blue) (includes rollbar,	8078R	Decal sheet, Bronco, red (fits #8010 body)
	gauge bezel, steering wheel and column, shifter, armrest, decals)	6593	Distribution block, Pro Scale® Advanced Lighting Control
	(fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112		System
9114	series bodies require #9128 body cage for installation) Interior, Chevrolet Blazer (1969 -1972) (clear, requires painting)	8075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230
3114	(includes rollbar, gauge bezel, steering wheel and column,		series bodies)
	shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series	8070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight
	bodies) (#9111 or 9112 series bodies require #9128 body cage for		housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series bodies)
9116	installation) Marker light housing (4)/ marker light mount (4)/ marker light	8032R	Installation kit, Pro Scale® Advanced Lighting Control System,
	lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS		TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10
	(self-tapping) (8)		Truck (1979) (includes mount, reverse lights harness, hardware)
9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits	8036R	LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 or 9230 series bodies, require
6592	#9111 body) Power module, Pro Scale® Advanced Lighting Control System		#8028 power supply)
0002	(includes mount, communication cables, hardware)	8035A	LED light set, complete with power supply (contains headlights,
6591	Pro Scale® Advanced Lighting Control System (includes power		tail lights, side marker lights, & distribution block) (fits #8010 or
0447	module & distribution block)	8037	9230 series bodies) LED lights, high/low switch (for #8035 or #8036 LED light kits)
9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper & lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS	8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits
	(self-tapping) (5) (fits #9111 body)		#8010 or 9230 series bodies)
9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/	8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)
	2.6x8 BCS (self-tapping) (4)	6592	(fits #8010 or 9230 series bodies) Power module, Pro Scale® Advanced Lighting Control System
	Body (1979 Chevrolet® Blazer)	0332	(includes mount, communication cables, hardware)
9226	Body cage (fits #9212 body)	6591	Pro Scale® Advanced Lighting Control System (includes power
9228 9400 DLK	Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body)		module & distribution block)
8126-BLK	Body, Chevrolet Blazer (1979), complete (black) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumper, decals,	8035R	Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F- 150 (1979), complete with power module (contains headlights,
	clipless mounting) (requires #8072X inner fenders)		tail lights, side marker lights, & distribution block) (fits #8010 or
8126	Body, Chevrolet Blazer (1979), complete (clear, requires		9230 series bodies)
	painting) (includes grille, side mirrors, door handles, windshield	8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS
	wipers, front & rear bumper, decals, clipless mounting) (requires #8072X inner fenders)	8074	(24) (fits #8010 series bodies) Spare tire mount/ mounting bracket/ spare tire cover/ mounting
8126-ORNG	Body, Chevrolet Blazer (1979), complete (orange) (includes grille,	0014	hardware
	side mirrors, door handles, windshield wipers, front & rear bumper,	8077	Tailgate panel insert (clear, requires painting)/ adhesive foam
8126-RED	decals, clipless mounting) (requires #8072X inner fenders) Body, Chevrolet Blazer (1979), complete (red) (includes grille, side	0074	tape (2) (fits #8010 series bodies)
0120-1125	mirrors, door handles, windshield wipers, front & rear bumper, decals,	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 series bodies)
	clipless mounting) (requires #8072X inner fenders)		Body (Mercedes-Benz® G 500®)
8131 6502	Decal sheet, Chevrolet Blazer (1979)	8811	Body, Mercedes-Benz® G 500® (clear, requires painting)/ decals
6593	Distribution block, Pro Scale® Advanced Lighting Control System	0011	window masks (includes rear body post, grille, side mirrors,
8132	Door handles, left, right & rear tailgate/ windshield wipers, left & right/		door handles, windshield wipers)
	retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 series bodies)	8812	Decals, Mercedes-Benz® G 500®
8134	Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/	6593	Distribution block, Pro Scale® Advanced Lighting Control System
	headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 or 9212 series bodies)	8813X	Grille, Mercedes-Benz® G 500® 4x4²/grille mount & insert/lens.
8082	Installation kit, Pro Scale® Advanced Lighting Control System,		headlight (2 ea)/reflector (2)/bumperette & mounts, front (2
	TRX-4® Chevrolet Blazer (1979) (includes mount, reverse lights		ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825
9216	harness, hardware) Latch, body mount (2)/ 3x8 BCS (8)	8893	body) Installation kit, Pro Scale® Advanced Lighting Control System,
8039	LED light set (contains headlights, tail lights, side marker lights,	0000	TRX-4® Mercedes® G 500® & G 63® (includes mount, rear
	& distribution block) (fits #8130 series bodies, requires #8028		bumper lens, turn signal, reverse light, & fog light harnesses,
	power supply)	8890	hardware)
8038	LED light set, complete with power supply (contains headlights,	8899	LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 body, requires #8028 power
	tail lights, side marker lights, & distribution block) (fits #8130 series bodies)		supply)
8133X	Mirrors, side (folding) (fits #8130 series bodies)	8898	LED light set, complete with power supply (contains headlights,
3133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits	0017	tail lights, roof lights, & distribution block) (fits #8811 body)
6502	#8130 series bodies)	8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS
6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)		(self-tapping) (3)
6591	Pro Scale® Advanced Lighting Control System (includes power	6592	Power module, Pro Scale® Advanced Lighting Control System
	module & distribution block)	6501	(includes mount, communication cables, hardware)
8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
	(1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or	8898X	Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®,
	9212 series bodies)		complete with power module (contains headlights, tail lights,
8135	Tail lights, left & right (assembled)/ tail light retainers, left & right/ side	0022	roof lights, & distribution block) (fits #8811 or 8825 body)
	marker lights (assembled) (2)/ side marker retainers (2)/ mounting	8822 8816X	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4 Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS
	tane (2)/ 1 6v5 BCS (self-tanning) (4)/ 2 6v9 BCS (2) (fite #0120		
	tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or 9212 series bodies)	00107	(self-tapping) (2)
	tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or 9212 series bodies)	8814X	

Page 3 TRX-4® 1979 Chevrolet® Blazer®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 82276-4) Parts List

	Dody (Tootical Unit)		Dady Jacobskies
3211X	Body (Tactical Unit)	1026	Body Accessories
8019	Body, Tactical Unit, night camo (painted)/ decals Fender brace, inner, front & rear	1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna tubo (1)/ vinyl antenna cap (1)/ wire retainer (1)
019 017		1834	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
017	Fender flares, front & rear (2 each) (fits #8011 or #8211 series bodies)	1834A	Body Clips (12) (standard size)
018	Fenders, inner, front & rear (2 each)/ rock light covers (8)	3934	Body clips, black (12) (standard size) Body clips, heavy duty (12)
020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)
	#8011 series bodies)	8215	Body mounts & posts, front & rear (complete set)
021	Spare tire mount/ mounting bracket/ screw pins (2)	8115	Body posts, front & rear
	Body (TRX-4® Sport)	4915	Body washers, foam adhesive (10)
		2514	Decal sheet, racing sponsors
112	Body with camper, TRX-4® Sport (clear, trimmed, requires	8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #808
	painting)/window masks/ decal sheet		narrow inner fenders)
213	Body, TRX-4® Sport (clear, trimmed, die-cut for clipless	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
111R	mounting, requires painting)/ window masks/ decal sheet		(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6
ITIK	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet		(10)
111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window	8080X	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
	masks/ decal sheet		(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6
13-GRAY	Body, TRX-4® Sport, complete, gray (painted, decals applied)		(10) (for clipless body mounting)
13-GRAT	(includes grille, side mirrors, door handles, windshield wipers,	8072X	Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/
	expedition rack, & clipless mounting) (requires #8080X inner		battery plate/ 3x8 flat-head screws (4) (for clipless body mounting)
	fenders)	8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ batt
13-RED	Body, TRX-4® Sport, complete, red (painted, decals applied)		plate/ 3x8 flathead screws (4)
	(includes grille, side mirrors, door handles, windshield wipers,	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
	expedition rack, & clipless mounting) (requires #8080X inner		Bumpers & Skidplates
	fenders)	8234	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)
13	Decal Sheet, TRX-4® Sport	8234R	Bumper D-rings, grey (front or rear)/ 2.0x12 CS (4)
93	Distribution block, Pro Scale® Advanced Lighting Control	8067	Bumper mounts, front & rear
	System	8067X	·
20X	Expedition rack, complete (includes traction boards, shovel, axe,	8237	Bumper mounts, front & rear/ bumper mount, rear (offset) Bumper mounts, front & rear/ screw pins (4)
	jack, fire extinguisher, fuel cans, & mounting hardware) (fits		, , , , , , , , , , , , , , , , , , , ,
	#8111 or #8111R body)	8124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
20R	Expedition rack, complete (includes traction boards, shovel, axe,	8137	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
	jack, fire extinguisher, fuel cans, & mounting hardware) (fits	8235	Bumper, front/ winch/ 2.6x8 BCS (1)
	#8111, 8111R, or 8213 series bodies)	8236	Bumper, rear
20	Expedition rack/ mounting hardware (fits #8111 or #8111R body)	8125	Bumper, rear (176mm wide)
20A	Expedition rack/ mounting hardware (fits #8111, 8111R, or 8213	8136	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
	series bodies)	8138	Push bar, bumper, chrome (assembled) (fits #8137 bumper)
22-BLK	Fire extinguisher, black (2)	8238	Skidplate/ lower gear cover
22	Fire extinguisher, red (2)		Chassis & Attachments
)22T	Fuel canisters (black) (2)/ screw pin	8327-BLUE	Battery hold-down, 6061-T6 aluminum (blue-anodized)
)22R	Fuel canisters (blue) (2)/ screw pin	8327-GRAY	Battery hold-down, 6061-T6 aluminum (gray-anodized)
22-GRN	Fuel canisters (green) (2)/ screw pin	8327-GRN	Battery hold-down, 6061-T6 aluminum (green-anodized)
)22	Fuel canisters (red) (2)/ screw pin	8327-ORNG	Battery hold-down, 6061-T6 aluminum (orange-anodized)
)22X			
	Fuel canisters (white) (2)/ screw pin	8327-RED	, , ,
	Fuel canisters (yellow) (2)/ screw pin	8327-RED 8327	Battery hold-down, 6061-T6 aluminum (red-anodized)
	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6)	8327-RED 8327	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256r
16	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body)	8327	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase)
16	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System,	8327 8215	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256i wheelbase) Body mounts & posts, front & rear (complete set)
16	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn	8327	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8
16 983	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware)	8327 8215 8224	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
16 83	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series	8327 8215	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256 wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase)
16 83 86	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply)	8327 8215 8224	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in
16 83 86	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires	8327 8215 8224	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256 wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3xt BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in
16 83 86 84	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)	8327 8215 8224 8058	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256 wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3xt BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4))
16 83 86 84	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires	8327 8215 8224 8058 8057	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase)
16 83 86 84	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply)	8327 8215 8224 8058	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear
16 83 86 84	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies,	8327 8215 8224 8058 8057	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808)
16 883 886 884 888	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply)	8327 8215 8224 8058 8057 8220 8081	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right)
16 883 886 884 888	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights,	8327 8215 8224 8058 8057	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover
116 1883 1886 1884 1888 1887	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)	8327 8215 8224 8058 8057 8220 8081	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4/) 2.5x6
116 1883 1886 1884 1888 1887	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	8327 8215 8224 8058 8057 8220 8081 8080	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10)
116 183 186 184 188 187 185	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)	8327 8215 8224 8058 8057 8220 8081	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256 wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3xt BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #806 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover
16 83 86 84 88 87 85	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System	8327 8215 8224 8058 8057 8220 8081 8080	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6
16 83 86 84 88 87 85 19	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)	8327 8215 8224 8058 8057 8220 8081 8080	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mountf) 3x8 flat-head screws (4)/ 2.5x6
16 83 86 84 88 87 85 19	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power	8327 8215 8224 8058 8057 8220 8081 8080	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers
16 883 886 884 888 887 885 19	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8327 8215 8224 8058 8057 8220 8081 8080 8080X	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ covers (8)/ battery plate/ 3x8 flat-head screws (4)/ for clipless body mounting)
16 83 86 84 88 87 85 19	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power	8327 8215 8224 8058 8057 8220 8081 8080 8080X	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ rock light covers (8)/
16 83 86 84 88 87 85 19	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits	8327 8215 8224 8058 8057 8220 8081 8080 8080X 8072X	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting)
16 83 86 84 88 87 85 19 92 91 85X	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)	8327 8215 8224 8058 8057 8220 8081 8080 8080X 8072X 8072 8218	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
16 83 86 84 88 87 85 19 92 91 85X 22-BLK	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light spt, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Shovel/ axe (black)/ accessory mount/ mounting hardware	8327 8215 8224 8058 8057 8220 8081 8080 8080X 8072X	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256 wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #806 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ flor clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ Floor pans, left & right Receiver box cover (for use only with #8224 receiver box &
16 83 86 84 88 87 85 19 92 91 85X 22-BLK 22	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® LED light set, TRX-4® Sport, complete with power module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Shovel/ axe (black)/ accessory mount/ mounting hardware	8327 8215 8224 8058 8057 8220 8081 8080 8080X 8072X 8072 8218 8224X	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256 wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #806 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) (for clipless body mounting)
16 83 86 84 88 87 85 19 92 91 85X 22-BLK 22	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Shovel/ axe (black)/ accessory mount/ mounting hardware Shovel/ axe/ accessory mount/ mounting hardware	8327 8215 8224 8058 8057 8220 8081 8080 8080X 8072X 8072 8218 8224X 8219	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256 wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #800 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mountif 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) Floor pans, left & right Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease Rock sliders, left & right
16 83 86 84 88 87 85 19 92 91 85X 22-BLK 22 18	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® LED light set, TRX-4® Sport, complete with power module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Shovel/ axe (black)/ accessory mount/ mounting hardware Spare tire mount/ mounting hardware Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens	8327 8215 8224 8058 8057 8220 8081 8080 8080X 8072X 8072 8218 8224X	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256 wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #800 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mountif 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) Floor pans, left & right Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease Rock sliders, left & right
116 183 186 184 188 187 185 19 192 191 185 185 22-BLK 22 18	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Shovel/ axe (black)/ accessory mount/ mounting hardware Shovel/ axe/ accessory mount/ mounting hardware Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	8327 8215 8224 8058 8057 8220 8081 8080 8080X 8072X 8072 8218 8224X 8219	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mounti/ 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) Floor pans, left & right Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease Rock sliders, left & right
116 183 186 188 188 187 185 19 192 191 185 185 19 185 17 21 21	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light sat, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® LED light set, TRX-4® Sport, complete with power module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Shovel/ axe (black)/ accessory mount/ mounting hardware Shovel/ axe/ accessory mount/ mounting hardware Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body) Traction boards, blue/ mounting hardware	8327 8215 8224 8058 8057 8220 8081 8080 8080X 8072X 8072 8218 8224X 8219	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mounti/ 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) Floor pans, left & right Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease Rock sliders, left & right
116 183 186 188 188 187 185 19 19 19 19 19 19 19 19 19 19	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Shovel/ axe (black)/ accessory mount/ mounting hardware Spare tire mount/ mounting hardware Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body) Traction boards, green/ mounting hardware	8327 8215 8224 8058 8057 8220 8081 8080 8080X 8072X 8072 8218 8224X 8219 8225	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256) wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear infenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) Floor pans, left & right Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease Rock sliders, left & right Seal kit, receiver box (includes o-ring, seals, and silicone grease
022A 116 083 086 084 088 087 085 119 592 591 085X 122-BLK 122 118 117	Fuel canisters (yellow) (2)/ screw pin Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply) LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies, requires #8028 power supply) LED light sat, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® LED light set, TRX-4® Sport, complete with power module & distribution block) Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body) Shovel/ axe (black)/ accessory mount/ mounting hardware Shovel/ axe/ accessory mount/ mounting hardware Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body) Traction boards, blue/ mounting hardware	8327 8215 8224 8058 8057 8220 8081 8080 8080X 8072X 8072 8218 8224X 8219 8225 8240X	Battery hold-down, 6061-T6 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for 256r wheelbase) Body mounts & posts, front & rear (complete set) Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inr fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) Fenders, inner (narrow), front & rear (2 each)/ rock light cover (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (10) (for clipless body mounting) Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ for clipless body mounting) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)/ Floor pans, left & right Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease Rock sliders, left & right Seal kit, receiver box (includes o-ring, seals, and silicone grease

Page 4 TRX-4® 1979 Chevrolet® Blazer®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 82276-4) Parts List

	Differential Components	2582	Screws, 3x30mm button-head machine (hex drive) (6)
8281	Carrier, differential/ differential slider/ T-Lock fork	2575	Screws, 3x6mm button-head machine (hex drive) (6)
8280A	Differential cover, front or rear (black)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
8280X	Differential cover, front or rear (chrome plated)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
8280-GRN	Differential cover, front or rear (green)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
8280	Differential cover, front or rear (grey)	3933	Screws, 4x16mm button-head machine (hex drive) (6)
8280R	Differential cover, front or rear (red)		LED Light Accessories
8195	Differential, locking, front and rear (assembled) (includes T-Lock	8031	3-in-1 wire harness, LED light kit
	cables and servos)	8089	4-in-2 wire harness, LED light kit
8282	Gear set, differential (output gears (2), spider gears (4), spider gear	6589	Distribution block, LED light set
0005	shaft (2))	6593	Distribution block, Pro Scale® Advanced Lighting Control
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)		System
	(1) 3x6 BCS with threadlock (1))	8082	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1979) (includes mount, reverse lights
8279	Ring gear, differential/ pinion gear, differential		harness, hardware)
8279R	Ring gear, differential/ pinion gear, differential (machined)	8039	LED light set (contains headlights, tail lights, side marker lights,
8287	Ring gear, differential/ pinion gear, differential (overdrive,		& distribution block) (fits #8130 series bodies, requires #8028
	machined)		power supply)
8288	Ring gear, differential/ pinion gear, differential (underdrive,	8038	LED light set, complete with power supply (contains headlights,
	machined)		tail lights, side marker lights, & distribution block) (fits #8130
8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4)	8028	series bodies) LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire
		0020	harness
	Driveline Components	8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply
8139	Half shafts, center (external splined) (2)/ pin retainer (4) (plastic parts		and #8018, #8072, or #8080 inner fenders)
0050	only)	6592	Power module, Pro Scale® Advanced Lighting Control System
8250	Half shafts, center (internal splined, front (2) & internal splined, rear		(includes mount, communication cables, hardware)
8250X	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Half shafts, center (internal splined, short (3) & internal splined, long	6591	Pro Scale® Advanced Lighting Control System (includes power
023UA	(2))		module & distribution block)
8255A	Stub axle, extended thread (portal drive) (2)	8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)		(1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/		9212 series bodies)
	3x10 screw pin (4)	6594	Receiver communication cable, Pro Scale® Advanced Lighting
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-		Control System
	anodized) (4)/ 3x10 screw pin (4)		Long Arm Lift Kit
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/	8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use
8269R	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/	0.02.1	with #8140R TRX-4® Long Arm Lift Kit)
020310	3x10 screw pin (4)	8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140
	Hardware		TRX-4® Long Arm Lift Kit)
1		8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)
1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)	8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long
1834 1834A	Body Clips (12) (standard size)	0450	Arm Lift Kit)
3934	Body clips, black (12) (standard size) Body clips, heavy duty (12)	8150	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1))
3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)		(for use with TRX-4® Long Arm Lift Kit)
4859	CS 3x10 flathead (hex drive)	8140	Long arm lift kit, TRX-4®, complete
8167X	Hardware kit, stainless steel, beadlock rings (contains stainless	8140X	Long arm lift kit, TRX-4®, complete (includes blue powder coated
	steel hardware for 4 wheels)		links, blue-anodized shocks)
8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel	8140-GRN	Long arm lift kit, TRX-4®, complete (includes green powder
	hardware used on TRX-4®)	04400	coated links, green-anodized shocks)
8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all	8140R	Long arm lift kit, TRX-4®, complete (includes red powder coated
8217	stainless steel hardware used on TRX-4® High Lift Kit)		
U4 I I	Hardward kit TDY_A(R) (contains all hardward used on TDY 460)	8149	links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow halls (8)
	Hardware kit, TRX-4® (contains all hardware used on TRX-4®) Hex wrenches: 1 5mm, 2mm, 2 5mm, 3mm, 2 5 hall	8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball	8149 8141	
5476X 1747P	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)		Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball	8141	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)
5476X 1747P 3647	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8)	8141	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without
5476X 1747P 3647 8347	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)	8141 8161 8160X	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747G 1747T	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	8141 8161	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	8141 8161 8160X 8160-GRN	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	8141 8161 8160X	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6)	8141 8161 8160X 8160-GRN 8160R	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6)	8141 8161 8160X 8160-GRN	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6)	8141 8161 8160X 8160-GRN 8160R	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6)	8141 8161 8160X 8160-GRN 8160R 8160 8153	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (6)	8141 8161 8160X 8160-GRN 8160R	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)	8141 8160X 8160C 8160-GRN 8160R 8160 8153	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215 2524	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8 countersunk machine (hex drive) (6)	8141 8161 8160X 8160-GRN 8160R 8160 8153	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)	8141 8161 8160X 8160-GRN 8160R 8160 8153 8154 8155	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks (GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215 2524 2617	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (hex drive) (6) Screws, 2.5x86 countersunk machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6)	8141 8160X 8160C 8160-GRN 8160R 8160 8153	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215 2524 2617 3965	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6)	8141 8161 8160X 8160-GRN 8160R 8160 8153 8154 8155	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks (GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215 2524 2617 3965 8299	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (hex drive) (6)	8141 8160X 8160CRN 8160CRN 8160 8153 8154 8155 8156	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215 2524 2617 3965 8299 8167	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6) Screws, 2.5x8mm cap-head machine (hex drive) (6) Screws, 2.5x8mm button-head machine (6) Screws, 2.5x8mm button-head machine (6) Screws, 2.5x8mm button-head machine (6) Screws, 2.5x8mm button-head, self-tapping (hex drive) (6) Screws, 2.5x10mm cap-head, self-tapping (hex drive) (10)	8141 8160X 8160CRN 8160CRN 8160 8153 8154 8155 8156	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, blue stripe)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215 2524 2617 3965 8299 8167 2564 2577 2578	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (6) Screws, 2.5x8mm cap-head machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6) Screws, 2.5x8mm cap-head machine (6) Screws, 2.5x8mm cap-head machine (6) Screws, 2.5x12mm button-head, self-tapping (hex drive) (6) Screws, 2.5x12mm button-head, self-tapping (hex drive) (6) Screws, 2.5x8mm cap-head machine (hex drive) (6)	8141 8160X 8160C 8160-GRN 8160R 8160 8153 8154 8155 8156 8157	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215 2524 2617 3965 8299 8167 2564 2577 2578 2579	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x8mm cap-head machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6) Screws, 2.5x12mm button-head, self-tapping (hex drive) (6) Screws, 2x10mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6)	8141 8160X 8160CRN 8160CR 8160 8153 8154 8155 8156 8157 8146X	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747G 1747T 1747A 1985 8221 2523 3229 3236 2618 3215 2524 2617 3965 8299 8167 2564 2577 2578 2579 2591	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (hex drive) (6) Screws, 2x10mm cap-head, self-tapping (hex drive) (6) Screws, 2x10mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)	8141 8160X 8160C 8160-GRN 8160R 8160 8153 8154 8155 8156 8157	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
5476X 1747P 3647 8347 1747R 1747R 1747A 1985 8221 2523 3229 3236 2618 3215 2524 2617 3965 8299 8167 2564 2577 2578 2579	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x8mm cap-head machine (hex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6) Screws, 2.5x12mm button-head, self-tapping (hex drive) (6) Screws, 2x10mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6)	8141 8160X 8160CRN 8160CR 8160 8153 8154 8155 8156 8157 8146X	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)

	Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow halls) (for use with #8140X TRX-4®	2280	Servo, digital high-torque 600 brushless, metal gear (ball
	steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	2075X	bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
8144R	Suspension link, front upper, 5x68mm (1) (red powder coated	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
	steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)		Servo, sub-micro, waterproof
8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with	2065R 3025	Servo, sub-micro, waterproof, metal gear XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	0020	detection, fwd/rev/brake)
8143	Suspension links, front lower (2) (5x104mm, steel) (assembled	2261	Y-harness, BEC
8143R	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower, red (2) (5x104mm, powder coated		Pro Scale® Winch & Accessories
	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8867	Bumper, front, winch, medium (includes bumper mount, D-
04.45	Long Arm Lift Kit)		Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979
8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8859	Blazer with 8855 winch) (217mm wide) Fairlead, winch
8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated		Fairlead, winch, aluminum (blue-anodized) (use with front
	steel) (assembled with hollow balls) (for use with #8140X TRX-4®		bumpers #8865, 8866, 8867, 8869, or 9224)
8145R	Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated	8870A	Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
01431	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8870G	Fairlead, winch, aluminum (green-anodized) (use with front
	Long Arm Lift Kit)		bumpers #8865, 8866, 8867, 8869, or 9224)
8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled	8870T	Fairlead, winch, aluminum (orange-anodized) (use with front
8142R	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated	8870R	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (red-anodized) (use with front
014210	steel) (assembled with hollow balls) (for use with #8140R TRX-4®		bumpers #8865, 8866, 8867, 8869, or 9224)
	Long Arm Lift Kit)	8862	Gearmotor, winch
8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock		Hook, winch (steel)/ line retainer/ washer
	2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)	8858	Housings (front & rear), winch/ decal
8181-BLUE	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue	8864X 8864	Line, winch (blue) Line, winch (gray)
	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8864R	Line, which (gray) Line, winch (red)
8181-GRN	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green	8860	Spool shaft assembly, winch
0404 BED	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8861	Spool, winch
8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8855	Winch kit with wireless controller, TRX-4® and TRX-6®
8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels,	8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)
	Canyon Trail 5.3x2.2" tires) (2)	8857	Wireless remote, winch, TRX-4® and TRX-6®
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)		Radio System, Batteries & Chargers
8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)	2823X	1400mah 11.1v 3-Cell 25C LiPo Battery
8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal	2820X	2200mah 7.4v 2-Cell 25C LiPo Battery
	gray, beadlock) (beadlock rings sold separately)	2827X 2923X	3000mah 7.4v 2-Cell LiPo Battery
8180	Wheels, TRX-4® Sport 2.2 (2)		3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell 3300mAh 8.4V 7-cell flat NiMH Battery. Series 3 Power Cell
8180-BLUE	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)	2940X 2849X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery
8180-BLUE 8180-GRN	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)	2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
8180-BLUE	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)	2940X 2849X 2950X 2872X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery
8180-BLUE 8180-GRN 8180-RED	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) MOTORS ELECTION GS	2940X 2849X 2950X 2872X 2842X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery
8180-BLUE 8180-GRN 8180-RED	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)	2940X 2849X 2950X 2872X 2842X 2960X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell
8180-BLUE 8180-GRN 8180-RED 1926 1726	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)	2940X 2849X 2950X 2872X 2842X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery
8180-BLUE 8180-GRN 8180-RED	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)	2940X 2849X 2950X 2872X 2842X 2960X 2844R	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell
8180-BLUE 8180-GRN 8180-RED 1926 1726	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### ### ### #### ###################	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### ### ### ### ### ### ### ### ### #	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 5800mah 7.4v 2-cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### ### ### #### #### ##############	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 5800mah 7.4v 2-cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### DEC	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### ### ### ### ### ### ### ### ### #	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 5800mah 7.4v 2-cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### DEC	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X 1726 2943 6548	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) MDIOTS & FIGURE (SPECIAL STATE	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X 1726 2943	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) MD101'S & F16F1011'GS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X 1726 2943 6548 8222	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery 5000mAh 7.4v 2-cell 35C LiPo Battery 5800mAh 7.4v 2-cell 35C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries)
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### ### ### #### #### ##############	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X 1726 2943 6548	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### DIO S & FRAME Gelf Oll GS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized)	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X 1726 2943 6548 8222	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 5800mah 7.4v 2-cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R 3975R	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### DIO S & FICTION GS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X 1726 2943 6548 8222 2914 2983	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM iD® battery (1))
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### DIO S & FRAME Gelf Oll GS Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized)	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X 1726 2943 6548 8222	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery 5000mAh 7.4v 2-cell 35C LiPo Battery 5800mAh 7.4v 2-cell 35C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM iD® battery (1))) Battery/charger completer pack (includes #2970 iD® charger (1))
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2277 2278 8290X 8290A 8290G 8290R 3975R 8290 2254 2253	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### Interview of the style of th	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X 1726 2943 6548 8222 2914 2983	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-cell 35C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### DIOTS & FIGHTON Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2969X 2976 2938X 1726 2943 6548 8222 2914 2983	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-cell 35C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### DIOTS & FIGHTON Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2969X 2976 2938X 1726 2943 6548 8222 2914 2983	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/Charger completer pack (includes #2970 iD® charger (1) #2844X 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (11)) Battery/charger completer pack (includes #2970 iD® charger (1) #2844X 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (11)) Battery/charger completer pack (includes #2970 iD® charger (1)
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2277 2278 8290X 8290A 8290G 8290R 3975R 8290 2254 2253	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### DIOTS & FIGHTON Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X 1726 2943 6548 8222 2914 2983 2992 2970-2SR	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2844X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2844X 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2844X 5200mAh 7.4V 2-cell 35C LiPo iD® battery (1))
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### DIOTS & FIGETONIES Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2969X 2976 2938X 1726 2943 6548 8222 2914 2983 2992	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 8 (adapter 7 Traxxas® iD® 2000mah 7.4v 2-Cell 25C LiPo 3000mah 7.4v 2-Cell 25C LiPo 3000mah 7.4v 2-Cell 35C LiPo 3000mah 8.4v 7-Cell NiM 3000mah 7.4v 2-Cell 35C LiPo 3000mah 7.4v 3-Cell 25C LiPo 3000mah 7.4v 3-Cell 25C LiPo 3000mah 7.4v 3-Cell 35C LiPo 3000mah 3.4v 7-Cell 35C LiPo 3000mah 3.4v 3-Cell 35C LiPo 3000mah 3.4v 3-Cel
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### Internation of the provided style of the prov	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2869X 2976 2938X 1726 2943 6548 8222 2914 2983 2992 2970-2SR	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2849X 4000mAh 11.1v 3-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2849X 4000mAh 11.1v 3-cell 25C LiPo iD® battery (1))
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) **Military Sport 2.2 (gray, red beadlock style) (2) **Military Sport 2.2 (gray, green beadlock style) (1) **Military Sport 2.2 (gray, green beadlock style) (2) **Military Sport 2.2 (gray, green sport green (1) **Military Spor	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2960X 2976 2938X 1726 2943 6548 8222 2914 2983 2992 2970-2SR 2994 2970-3S	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2849X 4000mAh 11.1V 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® battery (1))
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) ### DIOTS & FIGHTON BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065K metal gear, waterproof, sub-micro servo)	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2966 2938X 1726 2943 6548 8222 2914 2983 2992 2970-2SR 2994 2970-3S	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery 8000mAh 8.4v 7-cell 8000mAh 800mAh 8
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) **Military Sport 2.2 (gray, red beadlock style) (2) **Military Sport 2.2 (gray, green beadlock style) (1) **Military Sport 2.2 (gray, green beadlock style) (2) **Military Sport 2.2 (gray, green sport green (1) **Military Spor	2940X 2849X 2950X 2872X 2842X 2842X 2960X 2844R 2843X 2976 2938X 1726 2943 6548 8222 2914 2983 2992 2970-2SR 2994 2970-3S 2991 2985-2S	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) 7600mah 7.4v 2-Cell 25C LiPo 10mah 76516, 6517 7600mah 76516, 6517 7
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063R	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) **MOTOTS & FIGURION (2) **MOTOTS & FIGURION (2) **Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2270, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065K metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065K metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065K metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065K metal gear, waterproof, sub-micro servo)	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2960X 2976 2938X 1726 2943 6548 8222 2914 2983 2992 2970-2SR 2994 2970-3S	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2872X 5000mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2872X 5000mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2872X 5000mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2950 iD® charger (1) #2872X 5000mAh 7.4V 2-cell 25C LiPo iD® Battery (1)) Battery/charger completer pack (includes #2950 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290R 3975R 8290 2254 2253 2251 2271 2063A 2063X 5669	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) ### Miles of the style	2940X 2849X 2950X 2872X 2842X 2842X 2960X 2844R 2843X 2976 2938X 1726 2943 6548 8222 2914 2983 2992 2970-2SR 2994 2970-3S 2991 2985-2S	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery (adapts Traxxas® iD® 5400mah 7.4v 2-Cell 25C LiPo 6400mah 7.4v 6400mah 7400mah 7400m
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290B 3975R 8290 2254 2253 2251 2271 2063A 2063X 5669 2075R	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) ### DIOTS & FIGHTON Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2058R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Gear set, metal (for 2280 servo) Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) Motor mount plate, 6061-T6 aluminum (red-anodized) Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (blue-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2265A waterproof servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 ext	2940X 2849X 2950X 2872X 2842X 2960X 2844R 2843X 2960X 2976 2938X 1726 2943 6548 8222 2914 2983 2992 2970-2SR 2994 2970-3S 2991 2985-2S 2262	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-Cell 35C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiM iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2849X 4000mAh 11.1V 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2849X 4000mAh 11.1V 3-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1) #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (1)) Battery/charger completer pack (includes #2985 charger (1), #287X 3000mAh 7.4V 2-cell 25C LiPo iD® Battery (2)) Battery/charger completer pack (includes #2985 charger (1), #28727X 3000mAh 7.4V 2-cell 25C LiPo iD® Battery (1)) Battery/charger completer pack (includes #2985 charger (1), #28727X 3000mAh 7.4V 2-cell 25C LiPo iD® Battery (1))
8180-BLUE 8180-GRN 8180-RED 1926 1726 2262 2064A 2064R 2072X 2252 2272 2287 2072R 8290X 8290A 8290G 8290B 3975R 8290 2254 2253 2251 2271 2063A 2063X 5669 2075R	Wheels, TRX-4® Sport 2.2 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) ### Miles of the style	2940X 2849X 2950X 2872X 2842X 2950X 2872X 2844R 2843X 2960X 2976 2938X 1726 2943 6548 8222 2914 2983 2992 2970-2SR 2994 2970-3S 2991 2985-2S 2262 2975	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell 4000mah 11.1v 3-Cell 25C LiPo Battery 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell 5200mAh 7.4v 2-cell 35C LiPo Battery 5800mAh 7.4v 2-cell 35C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery 8000mAh 8.4V 7-Cell 8000mAh 8000mA

2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	8022T	Fuel canisters (black) (2)/ screw pin
2981	Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	8022R 8022-GRN	Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin
985	Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	8022	Fuel canisters (red) (2)/ screw pin
.303	Battery Identification	8022X	Fuel canisters (white) (2)/ screw pin
525	Communication link, telemetry expander	8022A 8023	Fuel canisters (yellow) (2)/ screw pin Jack (1)/ 2x8 BCS (1)
512	Cover plate, Traxxas® Link Bluetooth® module	8023T	Jack (1)/ 2x8 BCS (1) Jack (black) (1)/ 2x8 BCS (1)
565	Data link, telemetry expander (connects #6550X telemetry	8122-BLK	Shovel/ axe (black)/ accessory mount/ mounting hardware
	expander 2.0 to the #6590 high-voltage power amplifier)	8122	Shovel/ axe/ accessory mount/ mounting hardware
971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto	8121X	Traction boards, blue/ mounting hardware
070	Battery Identification and Bluetooth®	8121G	Traction boards, green/ mounting hardware
978 0644	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	8121A	Traction boards, yellow/ mounting hardware
064A 064R	Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo)	8121	Traction boards/ mounting hardware
1072X	Gear set, metal (for 2070, 2075 servos)		Shock Oil
252	Gear set, metal (for 2250, 2255 servos)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
272	Gear set, metal (for 2270 waterproof servo)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
072R	Gear set, metal, high-speed (for 2070, 2075 servos)	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
	Traxxas® iD® batteries)	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
968	LiPo cell voltage checker/balancer (requires #2938X adapter for	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
F04	Traxxas® iD® batteries)	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
561 535	Mount, telemetry expander Mount, temperature sensor (electric motors)/ wire tie/ thermal	5029	Shock oil bottle (60cc) (for mixing shock oil)
333	pad	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, 8
533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)	5038	80 wt premium shock oils with spinning carousel rack) Spinning carousel rack
552	Seal kit, expander box (includes o-ring, seals, and silicone	3030	
	grease)		Shocks (GTS)
526	Sensor, auto-detectable, temperature	8266	Body, GTS shock (aluminum, silver-anodized) (1)
527	Sensor, auto-detectable, voltage	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
521	Sensor, temperature and voltage (long)	8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4
254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	0074	bottom cap (2)/ upper retainer (2)/ lower retainer (2))
253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	8274 5475	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic)
251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	8 261	Piston, damper (red) (4)/ e-clips (8)
271	2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)	8262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e
271 063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	0202	clips, rod ends, and travel limiters)
063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro	8263	Shock shaft, 3x47mm (GTS) (2)
	servo)	8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro	8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies wit
	servo)		TiN shafts (assembled with spring retainers) (2)
075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8260A	Shocks, GTS, blue-anodized (assembled with spring retainers)
250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		(2)
	waterproof (#2262 external BEC and #8247X metal servo horn	8260G	Shocks, GTS, green-anodized (assembled with spring retainers (2)
255	recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball	8260R	Shocks, GTS, red-anodized (assembled with spring retainers) (2
200	bearing), waterproof (#2262 external BEC and #8247X metal	8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
	servo horn recommended for optimal performance)		Slipper Clutch Components
075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2000	
270	Servo, digital high-torque, metal gear (ball bearing), waterproof	8292	Input shaft/ output shaft (transmission)
:065A	Servo, sub-micro, waterproof	8286	Output shafts (transfer case), front & rear
065R	Servo, sub-micro, waterproof, metal gear	8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2))
553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	8249	Slipper eliminator plate
550X	Telemetry expander 2.0, TQi radio system (for use only with		
551X	#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with		Springs
33 IX	#6550X telemetry expander)	8041	Springs, shock (GTS) (front) (0.45 rate) (2)
509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	8040	Springs, shock (GTS) (rear) (0.54 rate) (2)
••••	enabled, TSM® (2-ch transmitter, 5-ch micro receiver)	0042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2
507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®	8043 8044	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (
	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro	8045	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
	receiver)	JU70	
530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-		Spur Gears & Pinion Gears
511	channel (transmitter only) Traxxas® Link Bluetooth® module	6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
261	Y-harness, BEC	6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
201	·	3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)
	Ready-To-Race Model	3943X	(fits 3mm shaft)/ set screw
2276-4	TRX-4® Scale and Trail® Crawler with 1979 Chevrolet® Blazer Body:		Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
	4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio	3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)
	System	J	(fits 3mm shaft)/ set screw
	Scale Details	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)
120X	Expedition rack, complete (includes traction boards, shovel, axe,		(fits 3mm shaft)/ set screw
	jack, fire extinguisher, fuel cans, & mounting hardware) (fits	3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)
	#8111 or #8111R body)		(fits 3mm shaft)/ set screw
120R	Expedition rack, complete (includes traction boards, shovel, axe,	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel
	jack, fire extinguisher, fuel cans, & mounting hardware) (fits	20.427	(fits 3mm shaft)/ set screw
4204	#8111, 8111R, or 8213 series bodies)	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel
120A	Expedition rack/ mounting hardware (fits #8111, 8111R, or 8213	3040Y	(fits 3mm shaft)/ set screw
	series bodies) Fire extinguisher, black (2)	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3422-BLK			THE STREET STREET, SELECTION

Page 7	TRX-4® 1979 Chevrolet® Blazer®: TQi™ Traxxas Li	nk™ Enabl	led 2.4GHz Radio (Model 82276-4) Parts List
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8164X	Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255A extended stub axle)
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
8052	Spur gear, 39-tooth (32-pitch)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
8053	Spur gear, 45-tooth (32-pitch)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
	Steering Components	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
8232	Caster blocks (portal drive), left & right	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	8174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left		1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
	and right	8182	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right		1.9" satin black chrome, blue beadlock style wheels, Canyon
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right		Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
2072X	Gear set, metal (for 2070, 2075 servos)	8166	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail
2072R 8274	Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8177	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
3333	adjustment shims; 3.5mm (2), 1.17mm (2)	0177	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset		#8255A extended thread stub axle)
	(4))	8166X	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
8276	Rod ends (10)		Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires
8277	Rod ends, angled 10-degrees (8)	04007	#8255A extended thread stub axle)
2742	Rod ends, long (6)/ hollow ball connectors (6)	8183X	Tires & wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet
8278	Rod ends, offset (4)		(requires #8255A extended thread stub axle)
8247X 2075R	Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof	8273	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		Trail 4.6x1.9" tires) (2)
2200	waterproof	8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
2255	Servo, digital high-torque 400 brushless, metal gear (ball		wheels, Canyon Trail 4.6x1.9" tires) (2)
	bearing), waterproof	8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	8179	Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels,
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	0173	Canyon Trail 4.6x1.9" tires) (2)
8246	captured (4) Steering link 5x60mm (1)/ draglink 5x117mm (1) (atacl)	8181-BLUE	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue
8243	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2)		beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8181-GRN	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	0404 BEB	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
	Suspension Linkage	8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase)	8172	Tires and wheels, assembled (Method 105 2.2™ black chrome
0030	(includes rear upper & lower suspension links, front & rear inner		beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))		left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)	8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels,
	(includes rear upper & lower suspension links, front & rear		Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit)
8274	shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8170	Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-
0000	adjustment shims; 3.5mm (2), 1.17mm (2)		4 Long-Arm Lift Kit)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
	(4))	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
8276	Rod ends (10)	02C0A	3x10 screw pin (4)
8277	Rod ends, angled 10-degrees (8)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4)
2742	Rod ends, long (6)/ hollow ball connectors (6)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
8278 5529	Rod ends, offset (4) Shim set 3x7x1mm (2) 3x6x0 5mm (4) 3x7x2mm (2)/ hollow holls		3x10 screw pin (4)
JJZ8	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
8243	Suspension link, front, 5x100mm (lower) (steel) (2)	04=5	3x10 screw pin (4)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)	8165	#8255A extended thread stub axle) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	3100	#8255A extended thread stub axle)
	Team Traxxas Items	8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black
9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)		chrome, beadlock) (beadlock rings sold separately)
2514	Decal sheet, racing sponsors	8173A	Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, &	9174	gray, beadlock) (beadlock rings sold separately)
0050	similar)	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
9909	Traxxas® racing banner, red & black (3x7 feet)		rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
	Tires & Wheels	8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)	007/	Kit)
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)	8271	Wheels, TRX-4® 1.9 (2)
8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)	8271X 8178	Wheels, TRX-4® 1.9 (satin beadlock) (2) Wheels, TRX-4® Sport 1.9 (2)
8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)	8178 8180-BLUE	Wheels, TRX-4® Sport 1.9 (2) Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)
8168G 8169R	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)	8180-BEGE 8180-GRN	Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)
8168R	Beadlock rings, red (1.9) (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)	8180-RED	Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)
8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)	8268	Wheels, TRX-4® Tactical 1.9 (2)
8168	Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48)		• •
	, ., , ,		

Page 8 TRX-4® 1979 Chevrolet® Blazer®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 82276-4) Parts List

. age o		
	Transmission Components	8882
8283	Cable, T-lock (front)	8883
8284	Cable, T-lock (rear)	
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)	8884
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage	8880
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T	
0004	output gear, 2x9.8 pins (5))	
8291	Gearbox housing (includes main housing, front housing, & cover)	
8285 5041	Gears, transfer case (3) Grease, premium high performance (20cc)	
8292	Input shaft/ output shaft (transmission)	
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)	
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)	
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)	
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)	
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)	
	(1) 3x6 BCS with threadlock (1))	
8294	Output gear, high range, 24T (metal)	
8286	Output shafts (transfer case), front & rear	
8290	Plate, motor/ upper spur gear cover	
8249	Slipper eliminator plate	
8296 8196	Transmission gears, single speed, metal Two speed conversion kit	
8190		
0.4007	Traxxas Tools	
3433X 3433	Body reamer (aluminum handle) Body reamer (plastic handle)	
3436	Cap, body reamer	
3432	Scissors, curved tip	
3431	Scissors, straight tip	
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes	
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,	
	and 8.0mm), 1/4" drive	
8720	Speed bit handle, large (overmolded)	
8721	Speed bit handle, medium (one piece)	
8722	Speed bit handle, premium (rubber overmold)	
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:	
	1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,	
	3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,	
8711	8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end,	
0711	includes premium handle (medium), travel pouch, hex drivers	
	(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,	
0740	2.5mm, 3.0mm), 1/4" drive	
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,	
	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive	
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"	
074 CV	drive	
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive	
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,	
	2.5mm), 1/4" drive	
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive	
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1	
•	Phillips, and #2 Phillips bits), 1/4" drive	
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /	
	2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)	
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,	
	3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut	
	drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,	
	#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)	
	TRX-4® Traxx®	
8889	Bearing retainers, inner (2)/ outer (2)	
8890	Drive wheel (1)	
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1	
	each, front (left & right), rear (left & right))	
8888	Spring (4)	
8887	Stub axle (1)	
8886 8891	Stub axle nut (4) Tension wheels (6)/ road wheels (4)	
8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061	
	CTD shock 9 #9905 without trooks	

GTR shock, & #8895 rubber track)

Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
Traxx®, TRX-4® (4) (complete set, front & rear)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM