

TRX-4M[™] 1/18 Land Rover® Defender® (Model 97054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	9711-RED	Body, Ford Bronco, complete, red (includes grille, side
9787-BLUE	Axle cover, 6061-T6 aluminum (blue-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)		mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front & rear bumpers)
9787-GRAY	Axle cover, 6061-T6 aluminum (dark titanium-anodized) (2)/	9794	Display stand (155mm wheelbase)
9787-GRN	1.6x12mm BCS (with threadlock) (8) Axle cover, 6061-T6 aluminum (green-anodized) (2)/ 1.6x12mm	9713 9718	Frame, body (fender flares)/ spare tire mount (fits #9711 body)
	BCS (with threadlock) (8)	9716	LED lenses, body, front & rear (complete set) (fits #9711 body) Roof rack/ spare tire cover/ cowl/ grille (fits #9711 body)
9787-ORNG	Axle cover, 6061-T6 aluminum (orange-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9716	Roof, body (black) (fits #9711 body)
9787-RED	Axle cover, 6061-T6 aluminum (red-anodized) (2)/ 1.6x12mm	9717	Trail sights (left & right)/ door handles (left, right, & rear)/ front bumper covers (left & right) (fits #9711 body)
9787	BCS (with threadlock) (8) Axle cover, brass (8 grams each) (2)/ 1.6x12mm CS (with	9714	Windows, body (fits #9711 body)
3707	threadlock) (8)	9714X	Windows, body (tinted) (fits #9711 body)
	Axle cover, front or rear (black chrome) (2)		ly & Accessories (Land Rover® Defender®)
9738 9738-BLUE	Axle cover, front or rear (black) (2) Axle cover, front or rear (blue) (2)	9712	Body, Land Rover® Defender®, complete (unassembled) (white, requires painting) (includes grille, side mirrors, door
	Axle cover, front or rear (gray) (2)		handles, fender flares, fuel canisters, jack, spare tire mount, &
9738-RED 9738-SATIN	Axle cover, front or rear (red) (2) Axle cover, front or rear (satin chrome) (2)	9712-BLUE	clipless mounting) (requires #9734 front & rear bumpers) Body, Land Rover® Defender®, complete, blue (includes grille, side
9741	Axle housing, front & rear		mirrors, door handles, fender flares, fuel canisters, jack, spare tire
9729X 9730X	Axle shaft, front (hardened steel) (1)	9712-GRN	mount, & clipless mounting) (requires #9734 front & rear bumpers) Body, Land Rover® Defender®, complete, green (includes grille,
9756 9756	Axle shaft, rear (hardened steel) (1) Axle shafts, front (2), rear (2)/ stub axles, front (2) (hardened	0.12 0.11	side mirrors, door handles, fender flares, fuel canisters, jack, spare
	steel)/ 1.5x7.8mm pins (2)/ 1.5x6mm pins (4)/ cross pins (2)		tire mount, & clipless mounting) (requires #9734 front & rear bumpers)
9729 9730	Axle shafts, front, outer (2) Axle shafts, rear, outer (2)	9712-RED	Body, Land Rover® Defender®, complete, red (includes grille, side
9743	Axle, front (assembled)/ M2.5x0.45 NL (2)		mirrors, door handles, fender flares, fuel canisters, jack, spare tire mount, & clipless mounting) (requires #9734 front & rear bumpers)
9744 9779	Axle, rear (assembled)/ M2.5x0.45 NL (2)	9712-SLVR	Body, Land Rover® Defender®, complete, silver (includes grille,
9777	Gears, axle (metal, front & rear) Ring gear, axle (2)/ pinion gear, axle (2)		side mirrors, door handles, fender flares, fuel canisters, jack, spare tire mount, & clipless mounting) (requires #9734 front & rear
9765	Skidplate, axle, front or rear (stainless steel) (2)		bumpers)
9753 9753X	Stub axle, front (2)/ cross pins (2)/ drive pins (4) Stub axle, front (hardened steel) (1)	9794 9731	Display stand (155mm wheelbase) Door handles (4)/ light mounts, front (left & right)/ light retainers,
	Bearings & Bushings	9/31	front bumper (left & right)/ fuel cap/ snorkel/ spare tire mount (fits
9745X	Ball bearing set, black rubber sealed, complete (3x6x2.5mm	0720	#9712 body) EveCage/reaf hasket /ten_hattam_% sides (left % right)) /fits #0712
	(8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9728	ExoCage/ roof basket (top, bottom, & sides (left & right)) (fits #9712 body)
9745	Bushing set, self-lubricating, complete (3x6x2.5mm (8), 5x8x2.5mm	9724	Frame, body (fender flares) (fits #9712 body)
	(4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	9721 9720	Fuel canisters (left & right)/ jack (red) (fits #9712 body) Grille/ mirrors, side (left & right)/ spare tire cover/ light retainers,
	Body & Accessories (Ford® Bronco®)	0740	body (front & rear, left & right)/ decal sheet (fits #9712 body)
9711-WHT	Body, Ford Bronco, complete (assembled) (white) (includes grille, side mirrors, door handles, fender flares, windshield	9719 9788	LED lenses, headlight (2), tail light (2) (fits #9712 body) Roof, body (black) (fits #9712 body)
	wipers, spare tire mount, & clipless mounting) (requires #9735	9725	Windows, body (fits #9712 body)
9711	front & rear bumpers) Body, Ford Bronco, complete (unassembled) (white, requires	9725X	Windows, body (tinted) (fits #9712 body) Bumners & Skidnlates
	painting) (includes grille, side mirrors, door handles, fender	9734	
	flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front & rear bumpers)	9734 9765	Bumper, front (1)/ rear (1) Skidplate, axle, front or rear (stainless steel) (2)
9711-ARE51	Body, Ford Bronco, complete, Area 51 (includes grille, side	9736	Skidplate, center/ bumper mount, front/ bumper mount, rear
	mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front & rear	9766	Skidplate, chassis (stainless steel)
0744 DL16	bumpers)	9727	Chassis & Attachments Battery strap
9711-BLK	Body, Ford Bronco, complete, black (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare	9722	Chassis rails, 202mm (steel) (left & right)
	tire mount, & clipless mounting) (requires #9735 front & rear	9794	Display stand (155mm wheelbase)
9711-BLUE	bumpers) Body, Ford Bronco, complete, blue (includes grille, side	9739-BLUE 9739-GRAY	Servo mount, 6061-T6 aluminum (blue-anodized) Servo mount, 6061-T6 aluminum (dark titanium-anodized)
	mirrors, door handles, fender flares, windshield wipers, spare	9739-GRN	Servo mount, 6061-T6 aluminum (green-anodized)
	tire mount, & clipless mounting) (requires #9735 front & rear bumpers)	9739-ORNG 9739-RED	Servo mount, 6061-T6 aluminum (orange-anodized) Servo mount, 6061-T6 aluminum (red-anodized)
9711-GRAY	Body, Ford Bronco, complete, Cactus Gray (includes grille,	9739 9739	Servo mount, steering/ servo horn
	side mirrors, door handles, fender flares, windshield wipers, spare tire mount, & clipless mounting) (requires #9735 front &	9726	Shock mounts (front & rear)/ battery tray
0744 OVDED	rear bumpers)	9736 9766	Skidplate, center/ bumper mount, front/ bumper mount, rear Skidplate, chassis (stainless steel)
STIT-CYBER	Body, Ford Bronco, complete, Cyber Orange (includes grille, side mirrors, door handles, fender flares, windshield wipers,		Driveline Components
	spare tire mount, & clipless mounting) (requires #9735 front &	9755	Driveshafts, center, assembled (front & rear)
9723-DKGRY	rear bumpers) Body, Ford Bronco, complete, dark gray (includes grille, side	9752-BLUE	Driveshafts, center, female, 6061-T6 aluminum (blue-anodized) (front & rear) (for use with #9751 metal center driveshafts)
	mirrors, door handles, fender flares, windshield wipers, spare	9752-GRAY	Driveshafts, center, female, 6061-T6 aluminum (dark titanium-
	tire mount, & clipless mounting) (requires #9735 front & rear bumpers)		anodized) (front & rear) (for use with #9751 metal center driveshafts)
			arresians)

Page 2	TRX-4M™ 1/18 Land Rover® Defender® (Model 970	54-1) Parts	s List
9752-GRN	Driveshafts, center, female, 6061-T6 aluminum (green- anodized) (front & rear) (for use with #9751 metal center	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
	driveshafts)	5038	Spinning carousel rack
9752-ORNG		3030	
	anodized) (front & rear) (for use with #9751 metal center		Shocks
	driveshafts)	9763-BLUE	Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2)
9752-RED	Driveshafts, center, female, 6061-T6 aluminum (red-anodized) (front & rear) (for use with #9751 metal center driveshafts)	9763-GRAY	
9751-BLUE	Driveshafts, center, male (steel) (4)/ driveshafts, center, female, 6061-T6 aluminum (blue-anodized) (front & rear)/ 1.6x7mm BCS (with threadlock) (4)	9763-GRN	Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2)
9751-GRAY	, , , ,	9763-ORNG	
	rear)/ 1.6x7mm BCS (with threadlock) (4)	9763-RED	Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes
9754	Rebuild kit, constant-velocity driveshaft (includes pins for 2	07044	spring pre-load spacers) (2)
	driveshaft assemblies) (for front driveshafts or #9751 metal	9761A	Lower retainer, shock, brass (1 gram each) (4)
	center driveshafts)	9762	Rebuild kit, GTM shock (o-rings, spacers, bladders, bottom caps) (renews 2 shocks)
	Hardware	9762A	Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload spacer
9746	Hardware kit, complete (contains all hardware used on 1/18-scale TRX-4M™) (includes clear plastic storage container)	9764	(4) Shocks, GTM (assembled w/o springs) (2)
9746X	Hardware kit, stainless steel, complete (contains all stainless	9764-BLUE	Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully
	steel hardware used on 1/18-scale TRX-4M™) (includes body hardware and clear plastic storage container)	9764-GRAY	assembled w/o springs) (4)
	LED Lights		(fully assembled w/o springs) (4)
9784	LED light set, front & rear, complete (includes light harness, 1.6x5mm BCS (self-tapping) (4), zip ties (2)) (fits #9712 body)	9764-GRN	Shocks, GTM, 6061-T6 aluminum (green-anodized) (fully assembled w/o springs) (4)
9786	Wire harness, LED lights (front)/ zip ties (2)	9764-ORNG	Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully assembled w/o springs) (4)
	Motors & Electronics	9764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully
9785	ECM-2.5 Electronic Control Module, waterproof (low voltage	9757	assembled w/o springs) (4)
2064R	detection, fwd/rev/brake) Gear set, metal (for 2065R waterproof sub-micro servo)	9757 9758	Spring, shock (GTM) (0.072 rate) (1 pair) Spring, shock (GTM) (0.095 rate) (1 pair)
9793-BLUE	Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-	9759	Spring, shock (GTM) (0.095 fate) (1 pair)
3730-BEGE	anodized)	9760	Spring, shock (GTM) (0.125 rate) (1 pair)
9793-GRAY	Heat sink, Titan® 87T motor (6061-T6 aluminum, dark titanium- anodized)	0.00	Springs
9793-GRN	Heat sink, Titan® 87T motor (6061-T6 aluminum, green-	9757	Spring, shock (GTM) (0.072 rate) (1 pair)
	anodized)	9758	Spring, shock (GTM) (0.095 rate) (1 pair)
9793-ORNG	Heat sink, Titan® 87T motor (6061-T6 aluminum, orange- anodized)	9759 9760	Spring, shock (GTM) (0.123 rate) (1 pair) Spring, shock (GTM) (0.155 rate) (1 pair)
9793-RED	Heat sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)	0.00	Steering Components
9775	Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)		<u> </u>
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	9733-BLUE	Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right)
9740	Servo horn (metal)	9733-GRAY	Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)
2065T	Servo, sub-micro, waterproof	9733-GRN	Caster blocks, 6061-T6 aluminum (green-anodized) (left &
2065R	Servo, sub-micro, waterproof, metal gear	0.00 0	right)
	Radio System, Batteries & Chargers	9733-ORNG	
2821	750mAh 7.4V 2-Cell 20C LiPo Battery	0700 DED	right)
2914	Battery, Power Cell AA Alkaline (4)	9733-RED	Caster blocks, 6061-T6 aluminum (red-anodized) (left & right)
9767	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector	9733 9737-BLUE	Caster blocks, brass (4 grams each) (left & right) Steering blocks, 6061-T6 aluminum (blue-anodized) (left &
9785	only) ECM-2.5 Electronic Control Module, waterproof (low voltage	9/3/-BLUE	right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
2064R	detection, fwd/rev/brake) Gear set, metal (for 2065R waterproof sub-micro servo)	9737-GRAY	Steering blocks, 6061-T6 aluminum (dark titanium-anodized)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)		(left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS
9740	Servo horn (metal)		(with threadlock) (4)
2065T	Servo, sub-micro, waterproof	9737-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left &
2065R	Servo, sub-micro, waterproof, metal gear		right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
	Ready-To-Race Model	9737-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized) (left &
97054-1	TRX-4M™ Scale and Trail® Crawler with Land Rover® Defender® Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio	0727 DED	right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4) Steering blocks, 6061-T6 aluminum (red-anodized) (left &
	System	9737-RED	right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with
9796	Scale Accessories	9737	threadlock) (4)
9796	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1)	9737	Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9797	Trailer wheels (2)/ tires (2)/ mounting hardware	9732	Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)
9795	Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)	9748-BLUE	Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm
	Shock Oil		SS (with threadlock) (1)
5024		9748-GRAY	Steering link, 6061-T6 aluminum (dark titanium-anodized)/
5031 5032	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)		servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)		(1)/ 2.5x7mm SS (with threadlock) (1)

9748-GRN

9748-ORNG

5033

5034

5035

5036

5037

5029

Oil, shock (30 wt, 350 cSt, 60cc) (silicone)

Oil, shock (40 wt, 500 cSt, 60cc) (silicone)

Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
Oil, shock (70 wt, 900 cSt, 60cc) (silicone)

Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)

Shock oil bottle (60cc) (for mixing shock oil)

Steering link, 6061-T6 aluminum (green-anodized)/ servo horn metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)

(1)/ 2.5x7mm SS (with threadlock) (1)

9748-RED	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)	9791R	Transmission, complete (low range (crawl) gearing) (40.3:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
9742R	SS (with threadlock) (1) Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4))	9791X	Transmission, complete (speed gearing) (9.7:1 reduction ratio (assembled with ball bearings) (includes Titan® 87T motor)
	(assembled with hollow balls)		
	Suspension Linkage		Traxxas Tools
000		3433X	Body reamer (aluminum handle)
028 028X	Hollow balls (20) Hollow balls, steel (machined) (22)	3433	Body reamer (plastic handle)
059	Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory	3436 3432	Cap, body reamer Scissors, curved tip
000	suspension links)	3431	Scissors, straight tip
9749-BLUE	Suspension link set, 6061-T6 aluminum (blue-anodized)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, include
	(includes 5x53mm front lower links (2), 5x46mm front upper		premium handle (medium), travel pouch, hex drivers (straight
	links (2), 5x68mm rear lower or upper links (4))		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mi
9749-GRAY	Suspension link set, 6061-T6 aluminum (dark titanium-		and 8.0mm), 1/4" drive
	anodized) (includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))	8720	Speed bit handle, large (overmolded)
749-GRN	Suspension link set, 6061-T6 aluminum (green-anodized)	8721	Speed bit handle, medium (one piece)
	(includes 5x53mm front lower links (2), 5x46mm front upper	8722 8710	Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes
	links (2), 5x68mm rear lower or upper links (4))	0710	premium handle (medium), travel pouch, hex drivers (straight
749-ORNG	Suspension link set, 6061-T6 aluminum (orange-anodized)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
	(includes 5x53mm front lower links (2), 5x46mm front upper		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm,
749-RED	links (2), 5x68mm rear lower or upper links (4)) Suspension link set, 6061-T6 aluminum (red-anodized)		7.0mm, 8.0mm), 1/4" drive
749-RED	(includes 5x53mm front lower links (2), 5x46mm front upper	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end includes premium handle (medium), travel pouch, hex drivers
	links (2), 5x68mm rear lower or upper links (4))		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
742R	Suspension link set, complete (front & rear) (includes steering link		2.5mm, 3.0mm), 1/4" drive
	(1), front lower links (2), front upper links (2), rear links (4))	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
	(assembled with hollow balls)		handle (medium), travel pouch, and nut drivers (4.0mm,
749	Suspension link set, steel (includes 4x53mm front lower links		4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	(2), 4x46mm front upper links (2), 4x68mm rear lower or upper links (4))	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm),
		0746V	1/4" drive
_	Team Traxxas Items	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
2514	Decal sheet, racing sponsors	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
950 909	Official Team Traxxas® racing decal set(flag logo/ 6-color)		2.5mm), 1/4" drive
9909	Traxxas® racing banner, red & black (3x7 feet)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
	Tires & Wheels	0744	2.5mm, 3.0mm), 1/4" drive
774	Tires & wheels, assembled (black 1.0" wheels, BFGoodrich®	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
770	Mud-Terrain™ T/A® KM3 2.2x1.0" tires) (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
773	Tires & wheels, assembled (black 1.0" wheels, Canyon Trail 2.2x1.0" tires) (2)		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-
771	Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" (2)		joint wrench)
769	Tires, Canyon Trail 2.2x1.0" (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
782	Tires, Mickey Thompson® Baja Pro X® 2.2x1.0" (2)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
750	Wheel hubs, 7mm hex (4)/ axle pins (8)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00
750A	Wheel hubs, 7mm hex (steel) (4)/ axle pins (8)		Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
750X	Wheel hubs, 7mm hex, brass (1 gram each) (4)/ axle pins (8)		onini wiononos, arror narialo,
780	Wheel weights, brass (31 grams each) (2) (requires #9781		
770 DI KOD	series wheels)		
	Wheels, 1.0" (black chrome) (2) Wheels, 1.0" (black chrome) (2)		
768-BLKCK	Wheels, 1.0" (black) (2)		
770	Wheels, 1.0" (black) (2)		
	Wheels, 1.0" (satin chrome) (2)		If you have questions or need technical assistance, call Traxxas at:
	Wheels, 1.0" (satin chrome) (2)		1-000-TDAYYAC
781	Wheels, 1.0", Method Race Wheels® 105 Beadlock (black, beadlock) (2)		1-888-TRAXXAS (1-888-872-9927) (U.S. residents only)
781-BLKBL	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2)		For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
781-SATIN	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2)		
	Transmission Components		
745R			

pinion gear, 11-tooth

gear, 11-tooth

3x16mm pins (2)

motor)

ratio)/ pinion gear, 11-tooth

Output shaft, transmission

Gear set, transmission, low range (crawl) (40.3:1 reduction

Gear set, transmission, speed (9.7:1 reduction ratio)/ pinion

Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (2)/ 2x8mm BCS (4)/ 3x6x2.5mm bushings, self-lubricating (6)/

Transmission, complete (high range (trail) gearing) (16.6:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T

9776R

9776X

9747

9747X

9791