



## Ford® F-150® Raptor R™ 4X4 Ultimate (Model 101177-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

2728	Ball bearings (5x8x2.5mm) (2)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
3934	Body clips, heavy duty (12)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

### Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
10124	Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting)
10125	Body mount, rear/ inserts (2) (for clipless body mounting)
<b>10111</b>	<b>Body, Ford Raptor R (clear, requires painting)/ window masks/ decal sheets</b>
<b>10112-BLK</b>	<b>Body, Ford Raptor R, complete (black) (includes grille, tailgate trim, side mirrors, decals, &amp; clipless mounting) (requires #10124 &amp; 10125 body mounts)</b>
<b>10112-BLUE</b>	<b>Body, Ford Raptor R, complete (blue) (includes grille, tailgate trim, side mirrors, decals, &amp; clipless mounting) (requires #10124 &amp; 10125 body mounts)</b>
10112-FOXSE	Body, Ford Raptor R, complete (Fox® Special Edition) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10112-ORNG	Body, Ford Raptor R, complete (Fox® Edition) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
10112-FOX	Body, Ford Raptor R, complete (Fox® Edition) (includes grille, tailgate trim, side mirrors, decals, & clipless mounting) (requires #10124 & 10125 body mounts)
<b>10112-RED</b>	<b>Body, Ford Raptor R, complete (red) (includes grille, tailgate trim, side mirrors, decals, &amp; clipless mounting) (requires #10124 &amp; 10125 body mounts)</b>
10120	Grille/ grille mount/ 3x10 BCS (7) (fully assembled, includes installed headlight lenses and decals) (fits #10111 body)
10142	Latch, body mount, front/ hood insert/ 3x8mm BCS (5) (for clipless body mounting) (attaches to #10111 body)
10144	Latch, body mount, rear/ rear latch mount (2)/ 3x8mm BCS (4) (for clipless body mounting) (attaches to #10111 body)
10143	Side mirrors (left & right)/ mirror mounts (left & right)/ 3x14mm BCS (2) (attaches to #10111 body)
10121	Tailgate trim/ trim mount/ 3x10mm BCS (7)/ decals (attaches to #10111 body)

### Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
6841	Cover, center driveshaft (clear)
<b>6877A</b>	<b>Cover, gear (clear)</b>
6877	Cover, gear/ motor wire hold-down clip
<b>6780</b>	<b>Differential kit, center (complete) (aluminum carrier)</b>
<b>6780A</b>	<b>Differential kit, center (complete) (assembled with 500K wt differential fluid &amp; 54T spur gear)</b>
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
<b>10155</b>	<b>Driveshaft, center, 6061-T6 aluminum (blue-anodized) (274mm)</b>
10155-GRAY	Driveshaft, center, 6061-T6 aluminum (gray-anodized) (274mm)
10155-ORNG	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (274mm)
<b>6783</b>	<b>Gear set, differential (spider gears (4)/ spider gear shaft (2))</b>
5148	Grease, white lithium
<b>6781</b>	<b>Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)</b>
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
<b>6782</b>	<b>Output gears, center differential, hardened steel (2)</b>
<b>6890</b>	<b>Plate, motor</b>

<b>6890X</b>	<b>Plate, motor, 6061-T6 aluminum (blue-anodized)</b>
6890-GRAY	Plate, motor, 6061-T6 aluminum (gray-anodized)
6890-ORNG	Plate, motor, 6061-T6 aluminum (orange-anodized)
<b>6890R</b>	<b>Plate, motor, 6061-T6 aluminum (red-anodized)</b>
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
1647	Silicone Grease

### Chassis & Attachments

3698	Access plug, rubber (receiver box)
10119	Battery expansion kit (allows for installation of taller battery packs in #10122 chassis)
8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
10124	Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting)
10125	Body mount, rear/ inserts (2) (for clipless body mounting)
7424	Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)
10151	Bumper, front/ bumper mount, front/ light covers (left & right)/ 2.5x10mm BCS (4) (fits Ford Raptor R)
10152	Bumper, rear/ bumper mounts, rear (upper & lower) (fits Ford Raptor R)
10122	Chassis/ adapter, center driveshaft cover
6841	Cover, center driveshaft (clear)
7423	Nerf bars, chassis (2)
7425	Seal kit, receiver box (includes o-ring, seals, and silicone grease)

### Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
<b>6780</b>	<b>Differential kit, center (complete) (aluminum carrier)</b>
<b>6780A</b>	<b>Differential kit, center (complete) (assembled with 500K wt differential fluid &amp; 54T spur gear)</b>
<b>5136X</b>	<b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b>
<b>6788</b>	<b>Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally &amp; 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)</b>
<b>6789</b>	<b>Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally &amp; 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)</b>
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
<b>6783</b>	<b>Gear set, differential (spider gears (4)/ spider gear shaft (2))</b>
<b>6781</b>	<b>Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)</b>
<b>9081</b>	<b>Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)</b>
6881	Housings, differential, front
6880	Housings, differential, rear
<b>6782</b>	<b>Output gears, center differential, hardened steel (2)</b>
5379X	Ring gear, differential/ pinion gear, differential
<b>5379R</b>	<b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)</b>
<b>6879R</b>	<b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)</b>
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)
1647	Silicone Grease

### Driveline Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
<b>9059X</b>	<b>Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)</b>
<b>9057X</b>	<b>Differential output shafts, steel-splined constant-velocity (2)</b>
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)

9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
10155	<b>Driveshaft, center, 6061-T6 aluminum (blue-anodized) (274mm)</b>	9051R	<b>Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)</b>
10155-GRAY	Driveshaft, center, 6061-T6 aluminum (gray-anodized) (274mm)	9052R	<b>Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)</b>
10155-ORNG	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (274mm)	9080	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, black</b>
9051R	<b>Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)</b>	9080X	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, blue</b>
9052R	<b>Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)</b>	9080-GRAY	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, gray</b>
9056X	<b>Half shaft, internal splined (steel-spline constant velocity) (1)</b>	9080G	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, green</b>
9058X	<b>Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)</b>	9080T	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, orange</b>
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)	9080R	<b>Outer Driveline &amp; Suspension Upgrade Kit, extreme heavy duty, red</b>
5452X	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm headed pin (4)/ 4x15mm screw pin (2)/ hex pin (2)/ e-clips (10)/ 3x6x0.5 MW (8)) (metal parts for 2 driveshafts)	9043	<b>Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)</b>
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)	9038	<b>Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)</b>
9086	<b>Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)</b>	9038X	<b>Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)</b>
9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)
9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038G	<b>Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)</b>
9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038T	<b>Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)</b>
9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038R	<b>Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)</b>
<b>Extreme HD Upgrade Kit</b>			
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039	<b>Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)</b>
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039X	<b>Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)</b>
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039G	<b>Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)</b>
9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039T	<b>Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)</b>
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039R	<b>Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)</b>
9032	<b>Caster blocks (c-hubs), extreme heavy duty, black (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>	9037	<b>Steering blocks, extreme heavy duty, black (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9032X	<b>Caster blocks (c-hubs), extreme heavy duty, blue (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>	9037X	<b>Steering blocks, extreme heavy duty, blue (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9032-GRAY	<b>Caster blocks (c-hubs), extreme heavy duty, gray (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>	9037-GRAY	<b>Steering blocks, extreme heavy duty, gray (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9032G	<b>Caster blocks (c-hubs), extreme heavy duty, green (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>	9037G	<b>Steering blocks, extreme heavy duty, green (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9032T	<b>Caster blocks (c-hubs), extreme heavy duty, orange (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>	9037T	<b>Steering blocks, extreme heavy duty, orange (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9032R	<b>Caster blocks (c-hubs), extreme heavy duty, red (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>	9037R	<b>Steering blocks, extreme heavy duty, red (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)	9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
		9054	<b>Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)</b>
		9053	<b>Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)</b>
		9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
		9042X	<b>Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)</b>
		9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
		9086	<b>Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)</b>
		9086-GRAY	<b>Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)</b>

<b>9086-GRN</b>	<b>Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)</b>
<b>9086-ORNG</b>	<b>Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)</b>
<b>9086-RED</b>	<b>Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)</b>

### Front Suspension & Steering

<b>6823</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (blue-anodized)</b>
<b>6823-GRAY</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (gray-anodized)</b>
<b>6823G</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (green-anodized)</b>
<b>6823-ORNG</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (orange-anodized)</b>
<b>6823R</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (red-anodized)</b>
<b>6830X</b>	<b>Bulkhead, front</b>
<b>3643X</b>	<b>Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>3643G</b>	<b>Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>3643R</b>	<b>Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>9063-BLUE</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left &amp; right (for use with #9080 upgrade kit)</b>
<b>9063-GRAY</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left &amp; right (for use with #9080 upgrade kit)</b>
<b>9063-GRN</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left &amp; right (for use with #9080 upgrade kit)</b>
<b>9063-ORNG</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left &amp; right (for use with #9080 upgrade kit)</b>
<b>9063-RED</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left &amp; right (for use with #9080 upgrade kit)</b>
<b>9032</b>	<b>Caster blocks (c-hubs), extreme heavy duty, black (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032X</b>	<b>Caster blocks (c-hubs), extreme heavy duty, blue (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032-GRAY</b>	<b>Caster blocks (c-hubs), extreme heavy duty, gray (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032G</b>	<b>Caster blocks (c-hubs), extreme heavy duty, green (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032T</b>	<b>Caster blocks (c-hubs), extreme heavy duty, orange (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9032R</b>	<b>Caster blocks (c-hubs), extreme heavy duty, red (left &amp; right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>6845A</b>	<b>Drag link, machined 6061-T6 aluminum (blue-anodized)</b>
<b>6845G</b>	<b>Drag link, machined 6061-T6 aluminum (green-anodized)</b>
<b>6845T</b>	<b>Drag link, machined 6061-T6 aluminum (orange-anodized)</b>
<b>6845R</b>	<b>Drag link, machined 6061-T6 aluminum (red-anodized)</b>
<b>6846</b>	<b>Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)</b>
<b>3646</b>	<b>Screws, 3x15mm flat-head machine (hex drive) (6)</b>
<b>9038</b>	<b>Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)</b>
<b>9038X</b>	<b>Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)</b>
<b>9038-GRAY</b>	<b>Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)</b>
<b>9038G</b>	<b>Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)</b>
<b>9038T</b>	<b>Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)</b>
<b>9038R</b>	<b>Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)</b>
<b>9064-BLUE</b>	<b>Steering blocks, 6061-T6 aluminum (blue-anodized), left &amp; right (for use with #9080 upgrade kit)</b>
<b>9064-GRAY</b>	<b>Steering blocks, 6061-T6 aluminum (gray-anodized), left &amp; right (for use with #9080 upgrade kit)</b>
<b>9064-GRN</b>	<b>Steering blocks, 6061-T6 aluminum (green-anodized), left &amp; right (for use with #9080 upgrade kit)</b>
<b>9064-ORNG</b>	<b>Steering blocks, 6061-T6 aluminum (orange-anodized), left &amp; right (for use with #9080 upgrade kit)</b>
<b>9064-RED</b>	<b>Steering blocks, 6061-T6 aluminum (red-anodized), left &amp; right (for use with #9080 upgrade kit)</b>

<b>9037</b>	<b>Steering blocks, extreme heavy duty, black (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9037X</b>	<b>Steering blocks, extreme heavy duty, blue (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9037-GRAY</b>	<b>Steering blocks, extreme heavy duty, gray (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9037G</b>	<b>Steering blocks, extreme heavy duty, green (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9037T</b>	<b>Steering blocks, extreme heavy duty, orange (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9037R</b>	<b>Steering blocks, extreme heavy duty, red (left &amp; right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9056</b>	<b>Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)</b>
<b>3655-BLK</b>	<b>Suspension arms, black, front/rear (left &amp; right), heavy duty (2)</b>
<b>3655-BLUE</b>	<b>Suspension arms, blue, front/rear (left &amp; right), heavy duty (2)</b>
<b>3655-GRN</b>	<b>Suspension arms, green, front/rear (left &amp; right), heavy duty (2)</b>
<b>3655-ORNG</b>	<b>Suspension arms, orange, front/rear (left &amp; right), heavy duty (2)</b>
<b>3655-RED</b>	<b>Suspension arms, red, front/rear (left &amp; right), heavy duty (2)</b>
<b>6834</b>	<b>Suspension pin set, complete (front and rear)</b>
<b>9042</b>	<b>Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)</b>
<b>9042X</b>	<b>Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)</b>
<b>6742X</b>	<b>Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)</b>
<b>6742G</b>	<b>Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)</b>
<b>6742R</b>	<b>Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)</b>
<b>3643</b>	<b>Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)</b>
<b>5539</b>	<b>Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)</b>

### Hardware

<b>1926</b>	<b>Antenna caps, vinyl (2)/ antenna spool</b>
<b>1726</b>	<b>Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)</b>
<b>3935</b>	<b>Body clip (mounting clip), angled, 90-degrees (10)</b>
<b>3934</b>	<b>Body clips, heavy duty (12)</b>
<b>1589</b>	<b>Double-sided adhesive tape (25mm x 25mm)</b>
<b>2745</b>	<b>Nuts, 3mm nylon locking (12)</b>
<b>1747P</b>	<b>Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)</b>
<b>3647</b>	<b>Nuts, 4mm flanged nylon locking (steel, serrated) (8)</b>
<b>1747</b>	<b>Nuts, 4mm nylon locking (10)</b>
<b>1747R</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
<b>1747G</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
<b>1747T</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)</b>
<b>1747A</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)</b>
<b>1985</b>	<b>PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)</b>
<b>3981</b>	<b>PTFE-coated Washers, 6x9.5x0.5mm (10) (use with ball bearings)</b>
<b>5525</b>	<b>Rod ends (12)/ hollow balls (12)</b>
<b>2742X</b>	<b>Rod ends, short (6)/ hollow balls (6)</b>
<b>3347</b>	<b>Screws, 2.5x5mm button-head machine (hex drive) (6)</b>
<b>3215</b>	<b>Screws, 2.5x6mm cap-head machine (hex drive) (6)</b>
<b>3965</b>	<b>Screws, 2.5x8mm cap-head machine (6)</b>
<b>2577</b>	<b>Screws, 3x10mm button-head machine (hex drive) (6)</b>
<b>2578</b>	<b>Screws, 3x12mm button-head machine (hex drive) (6)</b>
<b>2552</b>	<b>Screws, 3x12mm countersunk machine (6) (hex drive)</b>
<b>2579</b>	<b>Screws, 3x15mm button-head machine (hex drive) (6)</b>
<b>2586</b>	<b>Screws, 3x15mm cap-head machine (hex drive) (6)</b>
<b>3646</b>	<b>Screws, 3x15mm flat-head machine (hex drive) (6)</b>
<b>2583</b>	<b>Screws, 3x18 button-head machine (hex drive) (6)</b>
<b>2580</b>	<b>Screws, 3x20mm button-head machine (hex drive) (6)</b>
<b>2591</b>	<b>Screws, 3x23mm button-head machine (hex drive) (6)</b>
<b>2582</b>	<b>Screws, 3x30mm button-head machine (hex drive) (6)</b>
<b>2592</b>	<b>Screws, 3x40mm button-head machine (hex drive) (6)</b>
<b>2575</b>	<b>Screws, 3x6mm button-head machine (hex drive) (6)</b>
<b>2534</b>	<b>Screws, 3x6mm countersunk machine (6) (hex drive)</b>
<b>3932</b>	<b>Screws, 3x6mm flat-head machine (hex drive) (6)</b>
<b>2576</b>	<b>Screws, 3x8mm button-head machine (hex drive) (6)</b>
<b>1552</b>	<b>Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench</b>
<b>3931</b>	<b>Screws, 3x8mm flat-head machine (hex drive) (6)</b>
<b>3937</b>	<b>Screws, 4x12mm button-head machine (hex drive) (6)</b>

2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

### LED Lights

10156	LED light harness, front (fits #10151 bumper) (requires #2263 Y-harness)
5893	LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
<b>10190</b>	<b>LED light set, Ford Raptor R (contains front bumper with LED light bar and headlights harness) (fits #10111 series bodies)</b>
<b>10191</b>	<b>Pro Scale® LED light set (contains headlights harness) (fits #10111 series bodies)</b>
2263	Y-harness, BEC to LED light set

### Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3340	Cooling fan, electronic speed control, Velineon® VXL-3s, VXL-4s or BL-2s™
10189	Gear adapter, fixed
2277	Gear set, metal (for 2275 servo)
<b>3458</b>	<b>Heat sink (fits #3351R and #3461 motors)</b>
6860A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
<b>6860R</b>	<b>Motor mount, 6061-T6 aluminum (blue-anodized)</b>
3461	Motor, Velineon® 540XL, 2400Kv 70mm, brushless (assembled with 6.5mm gold-plated bullet connectors) (for Maxx®/Hoss®) (not for use in marine models)
<b>6890</b>	<b>Plate, motor</b>
<b>6890X</b>	<b>Plate, motor, 6061-T6 aluminum (blue-anodized)</b>
6890-GRAY	Plate, motor, 6061-T6 aluminum (gray-anodized)
6890-ORNG	Plate, motor, 6061-T6 aluminum (orange-anodized)
<b>6890R</b>	<b>Plate, motor, 6061-T6 aluminum (red-anodized)</b>
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2278	Servo case, aluminum (black-anodized) (middle) (for 2275 servo)
2276	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2275 servo)
2275	Servo, digital high-torque, metal gear (ball bearing), waterproof
3440	Velineon® VXL-4s Brushless Power System, waterproof (includes VXL-4s ESC and 2400Kv, 70mm motor)
3445	Velineon® VXL-4s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

### Radio System, Batteries & Chargers

<b>2849X</b>	<b>4000mah 11.1v 3-Cell 25C LiPo Battery</b>
<b>2872X</b>	<b>5000mah 11.1v 3-Cell 25C LiPo Battery</b>
<b>2889X</b>	<b>5000mah 14.8v 4-Cell 25C LiPo Battery (long)</b>
<b>2844R</b>	<b>5200mAh 7.4v 2-cell 35C LiPo Battery</b>
<b>2869X</b>	<b>7600mah 7.4v 2-Cell 25C LiPo Battery</b>
<b>2976</b>	<b>AC to DC adapter</b>
<b>2938X</b>	<b>Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)</b>
<b>2943</b>	<b>Battery charge indicators, green (4), grey (4), blue (4)</b>
<b>2914</b>	<b>Battery, Power Cell AA Alkaline (4)</b>
<b>2983</b>	<b>Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))</b>
<b>2992</b>	<b>Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))</b>
<b>2970-2SR</b>	<b>Battery/Charger complete pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))</b>
<b>2975</b>	<b>Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)</b>
<b>2972</b>	<b>Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2973</b>	<b>Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2970</b>	<b>Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2981</b>	<b>Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification</b>
<b>2985</b>	<b>Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification</b>
<b>6512</b>	<b>Cover plate, Traxxas® Link Bluetooth® module</b>
<b>2971</b>	<b>EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®</b>
<b>2978</b>	<b>Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)</b>
<b>2277</b>	<b>Gear set, metal (for 2275 servo)</b>

<b>2968X</b>	<b>LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)</b>
<b>2968</b>	<b>LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)</b>
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
<b>6520</b>	<b>Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)</b>
6521	Sensor, temperature and voltage (long)
2278	Servo case, aluminum (black-anodized) (middle) (for 2275 servo)
2276	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2275 servo)
2275	Servo, digital high-torque, metal gear (ball bearing), waterproof
<b>2075X</b>	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>
<b>6538</b>	<b>Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)</b>
<b>6540</b>	<b>Telemetry trigger magnet, 5X2mm (1)</b>
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
<b>6507R</b>	<b>TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)</b>
6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
<b>6529X</b>	<b>Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)</b>
6511	Traxxas® Link Bluetooth® module
3440	Velineon® VXL-4s Brushless Power System, waterproof (includes VXL-4s ESC and 2400Kv, 70mm motor)
3445	Velineon® VXL-4s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

### Ready-To-Race Model

101177-4	Ford® F-150® Raptor R™ 4X4: 1/10 Scale 4WD Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
----------	--

### Rear Suspension

<b>6823</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (blue-anodized)</b>
6823-GRAY	Bulkhead tie bars, front & rear, aluminum (gray-anodized)
<b>6823G</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (green-anodized)</b>
6823-ORNG	Bulkhead tie bars, front & rear, aluminum (orange-anodized)
<b>6823R</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (red-anodized)</b>
6829	Bulkhead, rear
<b>3644X</b>	<b>Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>3644G</b>	<b>Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>3644R</b>	<b>Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)</b>
<b>9065-RED</b>	<b>Carriers, stub axle, 6061-T6 aluminum, left &amp; right (red-anodized) (for use with #9080 upgrade kit)</b>
<b>9065-BLUE</b>	<b>Carriers, stub axle, rear, 6061-T6 aluminum, left &amp; right (blue-anodized) (for use with #9080 upgrade kit)</b>
9065-GRAY	Carriers, stub axle, rear, 6061-T6 aluminum, left & right (gray-anodized) (for use with #9080 upgrade kit)
<b>9065-GRN</b>	<b>Carriers, stub axle, rear, 6061-T6 aluminum, left &amp; right (green-anodized) (for use with #9080 upgrade kit)</b>
9065-ORNG	Carriers, stub axle, rear, 6061-T6 aluminum, left & right (orange-anodized) (for use with #9080 upgrade kit)
<b>9050</b>	<b>Carriers, stub axle, rear, extreme heavy duty, black (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050X</b>	<b>Carriers, stub axle, rear, extreme heavy duty, blue (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050-GRAY</b>	<b>Carriers, stub axle, rear, extreme heavy duty, gray (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050G</b>	<b>Carriers, stub axle, rear, extreme heavy duty, green (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050T</b>	<b>Carriers, stub axle, rear, extreme heavy duty, orange (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>
<b>9050R</b>	<b>Carriers, stub axle, rear, extreme heavy duty, red (left &amp; right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)</b>

<b>9039</b>	<b>Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)</b>
<b>9039X</b>	<b>Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)</b>
9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
<b>9039G</b>	<b>Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)</b>
<b>9039T</b>	<b>Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)</b>
<b>9039R</b>	<b>Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)</b>
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
<b>9054</b>	<b>Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)</b>
<b>9053</b>	<b>Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)</b>
3655-BLK	Suspension arms, black, front/rear (left & right), heavy duty (2)
<b>3655-BLUE</b>	<b>Suspension arms, blue, front/rear (left &amp; right), heavy duty (2)</b>
<b>3655-GRN</b>	<b>Suspension arms, green, front/rear (left &amp; right), heavy duty (2)</b>
<b>3655-ORNG</b>	<b>Suspension arms, orange, front/rear (left &amp; right), heavy duty (2)</b>
<b>3655-RED</b>	<b>Suspension arms, red, front/rear (left &amp; right), heavy duty (2)</b>
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
<b>9042X</b>	<b>Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))// M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)</b>
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)

### Shock Oil

<b>5031</b>	<b>Oil, shock (20 wt, 200 cSt, 60cc) (silicone)</b>
<b>5032</b>	<b>Oil, shock (30 wt, 350 cSt, 60cc) (silicone)</b>
<b>5033</b>	<b>Oil, shock (40 wt, 500 cSt, 60cc) (silicone)</b>
<b>5034</b>	<b>Oil, shock (50 wt, 600 cSt, 60cc) (silicone)</b>
<b>5035</b>	<b>Oil, shock (60 wt, 700 cSt, 60cc) (silicone)</b>
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
<b>5037</b>	<b>Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)</b>
<b>5029</b>	<b>Shock oil bottle (60cc) (for mixing shock oil)</b>
<b>5038X</b>	<b>Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &amp; 80 wt premium shock oils with spinning carousel rack)</b>
<b>5038</b>	<b>Spinning carousel rack</b>

### Shocks (GTR)

7466X	Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
<b>7466-PINK</b>	<b>Body, GTR long (pink-anodized, PTFE-coated aluminum) (1)</b>
<b>7466</b>	<b>Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)</b>
<b>7466G</b>	<b>Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)</b>
<b>7466A</b>	<b>Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)</b>
<b>7466R</b>	<b>Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)</b>
7467X	Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
<b>7467-PINK</b>	<b>Body, GTR xx-long (pink-anodized, PTFE-coated aluminum) (1)</b>
<b>7467</b>	<b>Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)</b>
<b>7467G</b>	<b>Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)</b>
<b>7467A</b>	<b>Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)</b>
<b>7467R</b>	<b>Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)</b>
<b>7468X</b>	<b>Caps &amp; spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))</b>
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
<b>5475</b>	<b>Multi-tool (plastic)</b>
<b>5158</b>	<b>Nuts, 2.5mm nylon locking (12)</b>
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)

<b>5469</b>	<b>Rod ends (GTR shocks)</b>
7464T	Shaft, GTR long, TiN-coated (2)
<b>7461</b>	<b>Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)</b>
<b>7461G</b>	<b>Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)</b>
<b>7461-ORNG</b>	<b>Shocks, GTR long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)</b>
<b>7461-PINK</b>	<b>Shocks, GTR long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)</b>
<b>7461-RED</b>	<b>Shocks, GTR long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)</b>
7461X	Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
<b>7462-GRAY</b>	<b>Shocks, GTR xx-long (gray) (assembled) (2) (without springs)</b>
<b>7462</b>	<b>Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)</b>
<b>7462G</b>	<b>Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)</b>
<b>7462-ORNG</b>	<b>Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)</b>
<b>7462-PINK</b>	<b>Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)</b>
<b>7462-RED</b>	<b>Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)</b>
7462X	Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
8459	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
5431	Spring, shock (GTR) (rear) (1.2 rate silver) (1 pair)
<b>7440</b>	<b>Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)</b>
<b>7441</b>	<b>Spring, shock, white (GTR long) (0.653 rate green) (1 pair)</b>
<b>7444</b>	<b>Spring, shock, white (GTR long) (0.767 rate black) (1 pair)</b>
<b>7445</b>	<b>Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)</b>
<b>7448</b>	<b>Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)</b>
<b>7442</b>	<b>Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)</b>
<b>7443</b>	<b>Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)</b>
<b>7446</b>	<b>Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)</b>
<b>7447</b>	<b>Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)</b>
<b>7449</b>	<b>Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)</b>

### Spur Gears & Pinion Gears

10189	Gear adapter, fixed
<b>3942X</b>	<b>Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw</b>
<b>3943X</b>	<b>Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw</b>
<b>3944X</b>	<b>Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw</b>
<b>3945X</b>	<b>Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw</b>
<b>3946X</b>	<b>Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw</b>
<b>3947X</b>	<b>Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw</b>
<b>3948X</b>	<b>Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw</b>
5646	Gear, 20-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
<b>6842X</b>	<b>Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)</b>
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

### Steering Components

<b>6845A</b>	<b>Drag link, machined 6061-T6 aluminum (blue-anodized)</b>
<b>6845G</b>	<b>Drag link, machined 6061-T6 aluminum (green-anodized)</b>
<b>6845T</b>	<b>Drag link, machined 6061-T6 aluminum (orange-anodized)</b>
<b>6845R</b>	<b>Drag link, machined 6061-T6 aluminum (red-anodized)</b>
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
<b>6742X</b>	<b>Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)</b>
<b>6742G</b>	<b>Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)</b>
<b>6742R</b>	<b>Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)</b>
2746	Washers, 3x6mm metal (12)

## Suspension Linkage

2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
6834	Suspension pin set, complete (front and rear)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

## Team Traxxas Items

2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

## Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone Grease
2754	Stub axle pins (4)
10186-BLKCR	Tires & wheels, assembled, glued (Ford Raptor R black chrome wheels, BFGoodrich® All-Terrain™ T/A® KO2 tires, foam inserts) (2) (2WD front)
10187-BLKCR	Tires & wheels, assembled, glued (Ford Raptor R black chrome wheels, BFGoodrich® All-Terrain™ T/A® KO2 tires, foam inserts) (2) (4WD front/rear, 2WD rear)
10181	Tires, BFGoodrich® All-Terrain™ T/A® KO2 (dual profile 4.5x1.7-2.2/3.0") (2)/ foam inserts (2)
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)

## Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3425	Rubber pit mat, 16x24x0.28
3426	Rubber pit mat, 36x20
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive

8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

## Turnbuckles & Threaded Rods

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**