

4-Tec® Drift Nissan® 240SX (Model 105247-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	10539-GRN	Shock tower, rear, 6061-T6 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with
120A	Ball bearings, black rubber sealed (12x18x4mm) (2)		threadlock) (2)
116A	Ball bearings, black rubber sealed (5x11x4mm) (2)	10539-ORNG	Shock tower, rear, 6061-T6 aluminum (orange-anodized)/
105A	Ball bearings, black rubber sealed (6x10x3mm) (2)		3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with
119	Ball bearings, blue rubber sealed (10x15x4mm) (2)		threadlock) (2)
20	Ball bearings, blue rubber sealed (12x18x4mm) (2)	10539-RED	Shock tower, rear, 6061-T6 aluminum (red-anodized)/ 3x15r
16	Ball bearings, blue rubber sealed (5x11x4mm) (2)		BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2
05	Ball bearings, blue rubber sealed (6x10x3mm) (2)	10532	Splitter, front
18	Ball bearings, blue rubber sealed (8x16x5mm) (2)		
14	Ball bearings, blue rubber shield (5x8x2.5mm) (2)		Differential Components
		5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/
	Body & Accessories		6x10x0.5 TW
522	Body mount, rear/ 3x8mm FCS (1) (for clipless body mounting) (fits	5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
	#10515 body)	8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)
515	Body, Nissan® 240SX (clear, trimmed, requires painting)/ decal	8353	Drive cups, inner (2)/ screw pins (2)
	sheet (includes side mirrors, spoiler, grilles, hardware, &	8379	Housing, spool / spool shaft/ bushing
	clipless mounting)	10579	Ring gear, differential/ pinion gear, differential
515-BLK	Body, Nissan® 240SX, complete (black) (painted, decals applied)		Driveline Components
	(includes side mirrors, spoiler, grilles, & clipless mounting)		-
515-RED	Body, Nissan® 240SX, complete (red) (painted, decals applied)	10554	Axles (front) (2)
	(includes side mirrors, spoiler, grilles, & clipless mounting)	8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)
523	Latch, body mount, front (for clipless body mounting) (fits #10515	8353	Drive cups, inner (2)/ screw pins (2)
	body)	8351	Driveshaft, rear (2)
519	Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler, black/	8351X	Driveshafts, steel constant-velocity (assembled), rear (2)
	bumper inserts (left & right)/ 3x10mm BCS (8)/ 2.5x10mm BCS (2)	2754	Stub axle pins (4)
	(fits #10515 body)	8354	Stub axles (front or rear) (2)
	Brake Components	8356	Wheel hubs, hex (disk brake rotors) (4)
67	Brake calipers (red), front (2)/ rear (2)		Front Suspension & Steering
56	Wheel hubs, hex (disk brake rotors) (4)	10554	Axles (front) (2)
	Chassis & Attachments	8330	Bulkhead, front
27-BLUE		10581	Bulkhead, front (upper) (2WD)
	Battery hold-down, 6061-T6 aluminum (blue-anodized)	8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
27-GRAY	Battery hold-down, 6061-T6 aluminum (gray-anodized)	8334X	Mounts, suspension arms, aluminum (blue-anodized) (fron
27-GRN	Battery hold-down, 6061-T6 aluminum (green-anodized)		rear)/ hinge pin retainers (12)/ inserts (6)
27-ORNG	Battery hold-down, 6061-T6 aluminum (orange-anodized)	8334G	Mounts, suspension arms, aluminum (green-anodized) (fro
27-RED	Battery hold-down, 6061-T6 aluminum (red-anodized)		rear)/ hinge pin retainers (12)/ inserts (6)
27	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)	8334R	Mounts, suspension arms, aluminum (red-anodized) (front rear)/ hinge pin retainers (12)/ inserts (6)
314	Body mount, rear (for clipless body mounting)	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings
518	Body mounts, front & rear/ body mount posts/ body mount	10538	Shock tower, front & rear
	sliders		Shock tower, front, 6061-T6 aluminum (blue-anodized)/ 3x1
24	Box, receiver (sealed)(steering servo mount)/ receiver cover/ access	10330-DLUE	• • • • • • • • • • • • • • • • • • • •
	plug/ foam pads/ silicone grease/ 2.5x10 CS (3)	40520 CDAV	BCS (with threadlock) (2)
328	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)	10556-GRA 1	Shock tower, front, 6061-T6 aluminum (gray-anodized)/ 3x1
330	Bulkhead, front	40500 ODN	BCS (with threadlock) (2)
)581	Bulkhead, front (upper) (2WD)	10538-GRN	Shock tower, front, 6061-T6 aluminum (green-anodized)/
329	Bulkhead, rear		3x15mm BCS (with threadlock) (2)
536	Bumper, front (1 each, upper, lower, & foam)	10538-ORNG	Shock tower, front, 6061-T6 aluminum (orange-anodized)/
322			3x15mm BCS (with threadlock) (2)
	Chassis Chassis brace (front)	10538-RED	Shock tower, front, 6061-T6 aluminum (red-anodized)/ 3x15
21	Chassis brace (front)		BCS (with threadlock) (2)
	Chassis brace, front, 6061-T6 aluminum (blue-anodized)	10543-BLUE	Steering bellcranks, drag link (blue-anodized 6061-T6
21-GRAY			aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball
21-GRN	Chassis brace, front, 6061-T6 aluminum (green-anodized)		bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BC
21-ORNG	, ,		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
21-RED	Chassis brace, front, 6061-T6 aluminum (red-anodized)	10543-GRAY	Steering bellcranks, drag link (gray-anodized 6061-T6
23	Gear cover (rear chassis brace)		aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball
80	Housing, differential (rear)		bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BC
90	Plate, motor	40540 05	(with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
538	Shock tower, front & rear	10543-GRN	Steering bellcranks, drag link (green-anodized 6061-T6
538-BLUE	Shock tower, front, 6061-T6 aluminum (blue-anodized)/ 3x15mm BCS (with threadlock) (2)		aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BC
538-GRAY	Shock tower, front, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2)	10543-ORNG	(with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) Steering bellcranks, drag link (orange-anodized 6061-T6
538-GRN	Shock tower, front, 6061-76 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2)		aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BC
538-ORNG	Shock tower, front, 6061-T6 aluminum (orange-anodized)/ 3x15mm BCS (with threadlock) (2)	10543-RED	(with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) Steering bellcranks, drag link (red-anodized 6061-T6
538-RED	Shock tower, front, 6061-T6 aluminum (red-anodized)/ 3x15mm BCS (with threadlock) (2)		aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BC (with threadlock) (2)/ 3x18mm BC
539-BLUE	Shock tower, rear, 6061-T6 aluminum (blue-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)	10543	(with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) Steering bellcranks/ hardware
539-GRAY	Shock tower, rear, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)	10537 10537-BLUE	Steering block (2) Steering blocks, 6061-T6 aluminum (blue-anodized), left & 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with

10537-GRAY	Steering blocks, 6061-T6 aluminum (gray-anodized), left & right/ 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with		Radio System, Batteries & Chargers
	threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)	2922X 2827X	3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell 3000mah 7.4v 2-Cell LiPo Battery
10537-GRN	Steering blocks, 6061-T6 aluminum (green-anodized), left & right/ 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with	2827X 2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
	threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)	2942X	3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell
10537-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized), left &	2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
	right/ 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2)	2952X 2950X	4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
10537-RED	Steering blocks, 6061-T6 aluminum (red-anodized), left & right/	2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
	3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with	2960X	5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell
2754	threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2) Stub axle pins (4)	2844R	5200mAh 7.4v 2-cell 35C LiPo Battery
10534-GRN	Suspenion arms, lower, front, 6061-T6 aluminum (green-	2843X 2869X	5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery
40504 DED	anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)	2976	AC to DC adapter
10534-RED	Suspenion arms, lower, front, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
10533-RED	Suspenion arms, upper, front, 6061-T6 aluminum (red-	2943	batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4)
10535	anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)	6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517
10534	Suspension arm, front (lower left) Suspension arm, front (lower right)	2914	transmitter) Rettery Rever Cell AA Alkeline (4)
10533	Suspension arm, front, upper (left or right)	2983	Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH
10534-BLUE	Suspension arms, lower, front, 6061-T6 aluminum (blue- anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)	-	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell
10534-GRAY	Suspension arms, lower, front, 6061-T6 aluminum (gray-	2992	NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger
	anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)	2332	(1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
10534-ORNG	Suspension arms, lower, front, 6061-T6 aluminum (orange- anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)	2970-2SR	Battery/Charger completer pack (includes #2970 iD® charger
10533-BLUE	Suspension arms, upper, front, 6061-T6 aluminum (blue-	2991	(1), #2844R 5200mAh 7.4V 2-cell 35C LiPo ID® Battery (1)) Battery/charger completer pack (includes #2972 Dual iD
	anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)	2001	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery
10533-GRAY	Suspension arms, upper, front, 6061-T6 aluminum (gray- anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)	2005.00	(2))
10533-GRN	Suspension arms, upper, front, 6061-T6 aluminum (green-	2985-2S	Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
	anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)	2969	Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt,
10533-ORNG	Suspension arms, upper, front, 6061-T6 aluminum (orange- anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)	2075	NiMH only)
8340	Suspension pin set, complete (front & rear)	2975 2972	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
10542	Toe links, steel (36mm) (2)		Identification
	Hardware	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
4859	CS 3x10 flathead (hex drive)	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
8347 1985	Nuts, 4mm flanged nylon locking, serrated (black) (10) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)		Identification
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
3236	Screws, 2.5x12mm cap-head machine (6)	2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto
3215 2577	Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)		Battery Identification
2587	Screws, 3x10mm caphead machine (6) (no washer)	2982 6525	Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander
2551	Screws, 3x10mm countersunk machine (6) (hex drive)	6512	Cover plate, Traxxas® Link Bluetooth® module
2578	Screws, 3x12mm button-head machine (hex drive) (6)	2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto
2552 2593	Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x14mm button-head machine (hex drive) (6)	2978	Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2579	Screws, 3x15mm button-head machine (hex drive) (6)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for
2553	Screws, 3x15mm countersunk machine (6) (hex drive)		Traxxas® iD® batteries)
2575 3931	Screws, 3x6mm button-head machine (hex drive) (6) Screws, 3x8mm flat-head machine (hex drive) (6)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
8356	Wheel hubs, hex (disk brake rotors) (4)	6560	Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)
	LED Lights	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
10590-BLUE	LED light set, blue, complete (underbody) (fits 4-Tec® 2.0 or 4-	2912	pad Power adapter, AC, USB-C (45W) (110 volt, North America only)
	Tec® Drift)	2912	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
10590-GRN	LED light set, green, complete (underbody) (fits 4-Tec® 2.0 or 4-Tec® Drift)	6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
10590-RED	LED light set, red, complete (underbody) (fits 4-Tec® 2.0 or 4-	6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
10590-WHT	Tec® Drift) LED light set, white, complete (underbody) (fits 4-Tec® 2.0 or 4-	6521	Sensor, temperature and voltage (long)
.0000-77111	Tec® Drift)	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with
	Motors & Electronics	6550X	#6551X GPS module)
3382	BL-2s™ Brushless Power System, waterproof (includes BL-	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
20724	2s™ ESC & BL-2s™ 3300 motor)	6507A	#6550X telemetry expander) TQi 2.4 GHz High Output radio system, 4-channel with
2072A 10530	Gear set (for 2070, 2075 servos) Motor, Titan® Drift 550, (21-turns/ 14 volts) (1)	0001A	Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	05005	ch micro receiver)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	6529R	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (with brake button) (transmitter only)
2075 2075X	Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	6530X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
3350R	Velineon® VXL-3s Brushless Power System, waterproof	GE14	channel (transmitter only)
	(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and	6511	Traxxas® Link Bluetooth® module
3018R	speed control mounting plate (part #3725)) XL-5 Electronic Speed Control, waterproof (land version, low-voltage	105047.4	Ready-To-Race Model
-	detection, fwd/rev/brake)	105247-4	4-Tec® Drift Nissan® 240SX: 1/10 Scale RWD Drift Car with TQi™ Radio System, Traxxas Link™ Wireless Module, & Traxxas Stability
			Management (TSM)®

	Rear Suspension		Shocks (Ultra Shocks)
8329	Bulkhead, rear	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball
8348	Camber links, steel, rear (28mm) (2)		screws (2)
8352	Carriers, stub axle (left & right)	2742X	Rod ends, short (6)/ hollow balls (6)
8352X-BLUE	Carriers, stub axle, 6061-T6 aluminum (blue-anodized), (left &	8361	Shock caps (black) (4) (assembled with hollow balls)
	right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with	2362	Shock rebuild kit (for 2 shocks)
	threadlock) (2)	8360	Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)
8352X-GRAY	Carriers, stub axle, 6061-T6 aluminum (gray-anodized), left &		Springs
	right/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with	10560	Spring, shock (1.057 rate) (2)
OOFOY ODN	threadlock) (2)	8362X	Spring, shock (blue) (2)
8352X-GRN	Carriers, stub axle, 6061-T6 aluminum (green-anodized) (left & right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with	8362G	Spring, shock (green) (2)
	threadlock) (2)	8362P	Spring, shock (gireen) (2)
8352X-ORNG	Carriers, stub axle, 6061-T6 aluminum (orange-anodized) (left &	8366	Spring, shock (red) (2.8 rate, white stripe) (2)
0002/1 011110	right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with	8365	Spring, shock (red) (3.325 rate, orange stripe) (2)
	threadlock) (2)	8362	Spring, shock (red) (3.7 rate) (2)
8352X-RED	Carriers, stub axle, 6061-T6 aluminum (red-anodized), (left &	8363	Spring, shock (red) (4.075 rate, green stripe) (2)
	right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with	8364	Spring, shock (red) (4.4 rate, black stripe) (2)
	threadlock) (2)		Spur Gears & Pinion Gears
8380	Housing, differential (rear)		-
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)	2728	Ball bearings (5x8x2.5mm) (2)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front &	1918	Gear, 18-T pinion (48-pitch) / set screw
	rear)/ hinge pin retainers (12)/ inserts (6)	2419	Gear, 19-T pinion (48-pitch) / set screw
8334G	Mounts, suspension arms, aluminum (green-anodized) (front &	2421	Gear, 21-T pinion (48-pitch) / set screw
000 4B	rear)/ hinge pin retainers (12)/ inserts (6)	2422	Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw
8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)	2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	2424	Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw
10538	Shock tower, front & rear	2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
	Shock tower, rear, 6061-T6 aluminum (blue-anodized)/ 3x15mm	4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
10333-DEGE	BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)	4725	Gear, pinion (25-tooth) (48-pitch) / set screw
10539-GRAY	Shock tower, rear, 6061-T6 aluminum (gray-anodized)/ 3x15mm	8359 8357	Spur gear, 62-tooth
	BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2)		Spur gear, 70-tooth
10539-GRN	Shock tower, rear, 6061-T6 aluminum (green-anodized)/	8368	Spur gear, 72 tooth (48 pitch)
	3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with		Steering Components
	threadlock) (2)	10543-BLUE	Steering bellcranks, drag link (blue-anodized 6061-T6
10539-ORNG	Shock tower, rear, 6061-T6 aluminum (orange-anodized)/		aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball
	3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with		bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS
40500 DED	threadlock) (2)		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
10539-RED	Shock tower, rear, 6061-T6 aluminum (red-anodized)/ 3x15mm	10543-GRAY	Steering bellcranks, drag link (gray-anodized 6061-T6
2754	BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2) Stub axle pins (4)		aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS
8354	Stub axles (front or rear) (2)		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
8331	Suspension arms, rear (left & right)	10543-GRN	Steering bellcranks, drag link (green-anodized 6061-T6
8340	Suspension pin set, complete (front & rear)		aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball
0040			bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS
	Shock Oil		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	10543-ORNG	Steering bellcranks, drag link (orange-anodized 6061-T6
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)		aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)		bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	10543-RED	(with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) Steering bellcranks, drag link (red-anodized 6061-T6
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	10343-KED	aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)		bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)		(with threadlock) (2)/ 3x15mm BCS (with threadlock) (2)
5029	Shock oil bottle (60cc) (for mixing shock oil)	10543	Steering bellcranks/ hardware
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)	10542	Toe links, steel (36mm) (2)
5038	Spinning carousel rack		Suspension Linkage
3038		0040	
	Shocks (Pro-level Aluminum)	8348	Camber links, steel, rear (28mm) (2)
2658	Big-bore shocks (short) (hard-anodized & PTFE-coated T-6	10534-GRN	Suspenion arms, lower, front, 6061-T6 aluminum (green- anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
	aluminum)(assembled with TiN shafts) with springs (f/r) (2)	10534-RED	Suspenion arms, lower, front, 6061-T6 aluminum (red-anodized)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting	.0007-I\LD	(left & right)/ 2.5x5mm BCS (with threadlock) (2)
10.10	bushings & washers (2) (Big Bore Shocks)	10533-RED	Suspenion arms, upper, front, 6061-T6 aluminum (red-
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)		anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
2742		10535	Suspension arm, front (lower left)
2742X 8361	Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls)	10534	Suspension arm, front (lower right)
2667	Shock caps, aluminum (2) (Big Bore Shocks)	10533	Suspension arm, front, upper (left or right)
4262	Shock shaft, hard chrome (32mm) (rear) (2)	10534-BLUE	Suspension arms, lower, front, 6061-T6 aluminum (blue-
4262 4261T	Shock shaft, hard chrome (32mm) (rear) (2) Shock shaft, hardend steel, Titanium Nitride coated (29mm)		anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
	(front) (2)	10534-GRAY	Suspension arms, lower, front, 6061-T6 aluminum (gray-
4262T	Shock shafts, hardened steel, titanium nitride coated (32mm)		anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
	(2)	10534-ORNG	Suspension arms, lower, front, 6061-T6 aluminum (orange-
1765	Silicone diaphragms (4)	40500 5: :-	anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:	10533-BLUE	Suspension arms, upper, front, 6061-T6 aluminum (blue-
	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	10533 CDAY	anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) Suspension arms, upper, front, 6061-T6 aluminum (gray-
	Shocks)	IUUUU-GINAT	anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
		10533-GRN	Suspension arms, upper, front, 6061-T6 aluminum (green-
		Jill	anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
		10533-ORNG	Suspension arms, upper, front, 6061-T6 aluminum (orange-
			anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2)
		10542	Toe links, steel (36mm) (2)

Page 4 4-Tec® Drift Nissan® 240SX: TQi™ Radio, Traxxas Link™ Wireless Module, & TSM® (Model 105247-4) Parts List

	·	2748R	
2010	Team Traxxas Items	-: TUIN	
9916 2514	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)		
9917	Decal sheet, racing sponsors Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, &		
	similar)		
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)		
9909	Traxxas® racing banner, red & black (3x7 feet)		
1000	Tires & Wheels		
10574	Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (1 dot, hard, rough surfaces)) (front) (2)		
10575	Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (1 dot, hard, rough surfaces)) (wide, rear) (2)		
10577	Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (2 dots, soft, smooth surfaces)) (front) (2)		
10576	Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (2 dots, soft, smooth surfaces)) (wide, rear) (2)		
8378	Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Drift tires) (front and rear)		
8376G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (front)		
8377G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (rear)		
8376A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (front)		
8377A 10573	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (rear)		
	Tires, 1.9" Drift (1 dot, hard, rough surfaces) (rear) (2)/ rubber inserts (2)		
10570	Tires, 1.9" Drift (1 dot, hard, rough surfaces)) (front) (2)/ rubber inserts (2)		
10578	Tires, 1.9" Drift (2 dots, soft, smooth surfaces)) (front) (2)/ rubber inserts (2)		
10580	Tires, 1.9" Drift (2 dots, soft, smooth surfaces)) (rear) (2)/ rubber inserts (2)		
10571 10572	Wheels, 1.9" six spoke (graphite gray w/chrome rim) (front) (2) Wheels, 1.9" six spoke (graphite gray w/chrome rim) (wide, rear) (2)		
10012	Traxxas Tools		
3433X	Body reamer (aluminum handle)		
3433	Body reamer (plastic handle)		
3436	Cap, body reamer		
3425	Rubber pit mat, 16x24x0.28		
3426	Rubber pit mat, 36x20		
3432 3431	Scissors, curved tip Scissors, straight tip		
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,		
8720	and 8.0mm), 1/4" drive Speed bit handle, large (overmolded)		
8721	Speed bit handle, medium (one piece)		
8722	Speed bit handle, premium (rubber overmold)		
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive		
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive		
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive		
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive		
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive		
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive		
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive		
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive		

Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)

Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/2mm, 3mm, and 4mm slotted screwdrivers/#00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM