

## TRX-4® 1988 Nissan® Pathfinder® (Model 110056-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	9131	Body, Chevrolet Blazer (1969) (clear, requires painting)/
8241	Axle housing, front		decals/ window masks (includes grille, side mirrors, door
8242	Axle housing, from Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		handles, windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders)
8227	Axle mount set (complete) (front & rear) (for suspension links)	9131-BLK	Body, Chevrolet Blazer (1969), complete, black (painted)
8228	Axle shaft, front (left)/ drive pin/ cross pin	0.0. 52.0	(includes grille, side mirrors, door handles, windshield
8229	Axle shaft, front (right)/ drive pin/ cross pin		wipers, front & rear bumpers, clipless mounting) (requires
8060	Axle shaft, front, heavy duty (left & right) (requires #8064		#8072X inner fenders)
	front portal drive input gear)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input	9127	2.7mm drill bit (fits #9126 or #9127 front bumpers) Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8230	gear, front (machined) (2) (assembled)  Axle shaft, rear (left)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8231	Axle shaft, rear (right)	9113	Decal sheets, Chevrolet Blazer (1969 - 1972)
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065	6593	Distribution block, Pro Scale® Advanced Lighting Control
	rear portal drive input gear)		System
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
0000	gear, rear (machined) (2) (assembled)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	9123	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1) Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
8256 <b>8256X</b>	Portal drive axle mount, rear (left & right)  Portal drive axle mount, rear, 6061-T6 aluminum (blue-	3123	headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
0230A	anodized) (left and right)/ 2.5x16 CS (4)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal		BCS (4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
	gray-anodized) (left and right)/ 2.5x16 CS (4)	8091	Installation kit, Pro Scale® Advanced Lighting Control
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-		System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes
0050	anodized) (left and right)/ 2.5x16 CS (4)	9114-BLK	mount, reverse lights and turn signal harnesses, hardware) Interior, Chevrolet Blazer (1969 -1972) (black) (includes
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	3114-DER	rollbar, gauge bezel, steering wheel and column, shifter,
8253 8251	Portal drive housing, inner, rear (left or right) (2)		armrest, decals) (fits #9111, 9112, 9130, or 9131 series
8064	Portal drive housing, outer (front or rear) (2)  Portal drive input gear, front (machined) (left or right)		bodies) (#9111 or 9112 series bodies require #9128 body
0004	(requires #8060 front axle shaft)		cage for installation)
8257	Portal drive input gear, front/ drive pin/ cross pin	9114-BLUE	Interior, Chevrolet Blazer (1969 -1972) (blue) (includes
8259	Portal drive input gear, rear		rollbar, gauge bezel, steering wheel and column, shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series
8065	Portal drive input gear, rear (machined) (left or right)		bodies) (#9111 or 9112 series bodies require #9128 body
	(requires #8063 rear axle)		cage for installation)
8258	Portal drive output gear, front or rear	9114	Interior, Chevrolet Blazer (1969 -1972) (clear, requires
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue- anodized) (2)/ 3x12 BCS (2)		painting) (includes rollbar, gauge bezel, steering wheel and
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal		column, shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112 series bodies require
020274	gray-anodized) (2)/ 3x12 BCS (2)		#9128 body cage for installation)
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-	9116	Marker light housing (4)/ marker light mount (4)/ marker light
	anodized) (2)/ 3x12 BCS (2)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-		BCS (self-tapping) (8)
00504	anodized) (2)/ 3x12 BCS (2)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4)
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2)	6592	(fits #9112 body) Power module, Pro Scale® Advanced Lighting Control
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized)	0392	System (includes mount, communication cables, hardware)
	(2)/ 2.5x10 CS (12)	6591	Pro Scale® Advanced Lighting Control System (includes
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-		power module & distribution block)
	anodized) (2)/ 2.5x10 CS (12)	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized)		2.6x8 BCS (self-tapping) (4)
8251R	(2)/ 2.5x10 CS (12)		Body (1972 Chevrolet® Blazer)
025 IK	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)	9111	Body, Chevrolet Blazer (1972) (clear, requires painting)
8255A	Stub axle, extended thread (portal drive) (2)		(includes grille, side mirrors, side trim, door handles,
8267	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6)		windshield wipers, decals, window masks)
	(requires #8251X, 8251R, 8251A, or 8251G outer portal	9130-BLWT	Body, Chevrolet Blazer (1972), complete, blue & white
	housing)		(painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting)
	Bearings & Bushings		(requires #8072X inner fenders)
8214	Ball bearing kit, stainless steel, TRX-4® (complete)	9130-BLUE	Body, Chevrolet Blazer (1972), complete, blue (painted)
8265	Ball bearing kit, TRX-4® (complete)		(includes grille, side mirrors, door handles, windshield
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)		wipers, front & rear bumpers, clipless mounting) (requires
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)	0444	#8072X inner fenders)
5102A	Ball bearings, black rubber sealed (15x21x4mm) (2)	9111X	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes grille, side mirrors, door handles, windshield
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)		wipers, front & rear bumpers, decals)
5115A 5116A	Ball bearings, black rubber sealed (5x10x4mm) (2)	9130-RED	Body, Chevrolet Blazer (1972), complete, red (painted)
5116A 5114A	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, black rubber sealed (5x8x2.5mm) (2)		(includes grille, side mirrors, door handles, windshield
5114A 5117A	Ball bearings, black rubber sealed (5x6x2.5mm) (2) Ball bearings, black rubber sealed (6x12x4mm) (2)		wipers, front & rear bumpers, clipless mounting) (requires
5117A 5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)	0405	#8072X inner fenders)
5100A 5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm drill bit (fits #9126 or #9127 front bumpers)
	Body (1969 Chevrolet® Blazer)	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right)
0112		0.20	(2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS
9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting) (includes grille, side mirrors, door handles,		(4)
	windshield wipers, decals, window masks)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
	, , , , , , , , , , , , , , , , , , , ,	9113	Decal sheets, Chevrolet Blazer (1969 - 1972)

Page 2	TRX-4® 1988	Nissan® Pathfinder®:	: TQi™ Traxxas l	Link™ Enabled 2.4	4GHz Radio	(Model 110056-4	Parts List
--------	-------------	----------------------	------------------	-------------------	------------	-----------------	------------

rage 2	IX-46 1300 Hissaile Fatilillucie. 1 Qi Tiaxxas	LIIIK LIIAD	ieu 2.49112 Naulo (Model 110030-4) Faits List
6593	Distribution block, Pro Scale® Advanced Lighting Control System	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)	8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution
9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111	8135	block) (fits #8130 or 9212 series bodies) Tail lights, left & right (assembled)/ tail light retainers, left &
0004	body)	0133	right/ side marker lights (assembled) (2)/ side marker
8091	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes		retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or 9212 series bodies)
9114-BLK	mount, reverse lights and turn signal harnesses, hardware) Interior, Chevrolet Blazer (1969 -1972) (black) (includes		Body (1979 Ford® Bronco)
	rollbar, gauge bezel, steering wheel and column, shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series	9240	Body, Ford Bronco (1979), complete (clear, trimmed, requires painting) (includes grille, side mirrors, door
	bodies) (#9111 or 9112 series bodies require #9128 body		handles, windshield wipers, spare tire mount, decals, window masks) (requires #8072X inner fenders) (for clipless
9114-BLUE	cage for installation) Interior, Chevrolet Blazer (1969 -1972) (blue) (includes	8188	mounting)
	rollbar, gauge bezel, steering wheel and column, shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series	0100	Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side
	bodies) (#9111 or 9112 series bodies require #9128 body cage for installation)		mirrors, door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072X inner fenders) (for
9114	Interior, Chevrolet Blazer (1969 -1972) (clear, requires painting) (includes rollbar, gauge bezel, steering wheel and	8078R	clipless mounting) Decal sheet, Bronco, red (fits #8010 body)
	column, shifter, armrest, decals) (fits #9111, 9112, 9130, or	6593	Distribution block, Pro Scale® Advanced Lighting Control System
	9131 series bodies) (#9111 or 9112 series bodies require #9128 body cage for installation)	8075	Door handles, left & right/ windshield wipers, left & right/
9116	Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5		retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies)
9118	BCS (self-tapping) (8) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4)	8070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010
	(fits #9111 body)	8032R	or 9230 series bodies) Installation kit, Pro Scale® Advanced Lighting Control
6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)	000211	System, TRX-4® Ford Bronco (1979), Ford F-150 (1979), or
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)		Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware)
9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper & lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/	8036R	LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 or 9230 series
0110	1.6x5 BCS (self-tapping) (5) (fits #9111 body)	8035A	bodies, requires #8028 power supply) LED light set, complete with power supply (contains
9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)		headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies)
0000	Body (1979 Chevrolet® Blazer)	8037	LED lights, high/low switch (for #8035 or #8036 LED light
9226 9228	Body cage (fits #9212 body) Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212	8073	kits) Mirrors, side, black (left & right)/ retainers (2)/ body clips (4)
8126-BLK	body) Body, Chevrolet Blazer (1979), complete (black) (includes	8073X	(fits #8010 or 9230 series bodies) Mirrors, side, chrome (left & right)/ retainers (2)/ body clips
	grille, side mirrors, door handles, windshield wipers, front & rear bumper, decals, clipless mounting) (requires #8072X	6592	(4) (fits #8010 or 9230 series bodies) Power module, Pro Scale® Advanced Lighting Control
8126	inner fenders) Body, Chevrolet Blazer (1979), complete (clear, requires	6591	System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes
0120	painting) (includes grille, side mirrors, door handles,		power module & distribution block)
	windshield wipers, front & rear bumper, decals, clipless mounting) (requires #8072X inner fenders)	8035R	Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains
8126-ORNG	Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front &		headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies)
	rear bumper, decals, clipless mounting) (requires #8072X inner fenders)	8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 series bodies)
8126-RED	Body, Chevrolet Blazer (1979), complete (red) (includes grille, side mirrors, door handles, windshield wipers, front &	8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware
	rear bumper, decals, clipless mounting) (requires #8072X inner fenders)	8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 series bodies)
8131	Decal sheet, Chevrolet Blazer (1979)	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010
6593	Distribution block, Pro Scale® Advanced Lighting Control System		series bodies) Body (1988 Nissan® Pathfinder®)
8132	Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits	11026	Body cage (front & rear) (fits #11011 body)
8134	#8130 series bodies) Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers	11011	Body, Nissan Pathfinder (1988) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door
	(4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 or 9212 series bodies)		handles, windshield wipers, clipless mounting, hardware) (requires #8080X inner fenders)
8082	Installation kit, Pro Scale® Advanced Lighting Control	11011-RED	Body, Nissan Pathfinder (1988), complete, red (painted, decals applied) (includes grille, side mirrors, door handles, windshield
	System, TRX-4® Chevrolet Blazer (1979) (includes mount, reverse lights harness, hardware)		wipers, front & rear bumpers, clipless mounting) (requires
9216 8039	Latch, body mount (2)/ 3x8 BCS (8) LED light set (contains headlights, tail lights, side marker	11011-SLVR	#8080X inner fenders) Body, Nissan Pathfinder (1988), complete, silver (painted,
-	lights, & distribution block) (fits #8130 series bodies, requires #8028 power supply)		decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting)
8038	LED light set, complete with power supply (contains	11019	(requires #8080X inner fenders) Fender flares, front & rear (2 each)/ flare mounts (4)/ 2x8mm CS
	headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies)		(30) (fits #11011 body)
8133X 8133	Mirrors, side (folding) (fits #8130 series bodies) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4)	11015	Grille, Nissan Pathfinder/ grille retainer/ headlight housing (2)/ lens (2)/ 2.6x10 BCS (8) (fits #11011 body)
6592	(fits #8130 series bodies) Power module, Pro Scale® Advanced Lighting Control	11017	Mirrors, side, black (left & right)/ windshield wipers (left & right)/ wiper retainer/ door handles (left & right)/ handle retainers (2)/
300 <u>F</u>	System (includes mount, communication cables, hardware)		2.6x10 BCS (2)/ 1.6x6 CS (6) (fits #11011 body)

Page 3 T	TRX-4® 1988 N	Nissan® Pathfinder®: TQi	™ Traxxas Link™	" Enabled 2.4GHz Radio (	(Model 110056-4)	) Parts List
----------	---------------	--------------------------	-----------------	--------------------------	------------------	--------------

11023	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware	8120A	Expedition rack/ mounting hardware (fits #8111, 8111R, or 8213 series bodies)
11024	Spoiler/ spoiler retainer/ 2.6x10mm BCS (2)	8422-BLK	Fire extinguisher, black (2)
1016	Tailgate panel/ tailgate retainer/ tail light lens (left & right)/ door	8422	Fire extinguisher, red (2)
	handle/ rear windshield wiper/ 2.6x10mm BCS (3)/ 2x6mm CS	8022T	Fuel canisters (black) (2)/ screw pin
	(4)/ 1.6x6mm CS (3) (fits #11011 body)	8022R	Fuel canisters (blue) (2)/ screw pin
	Body (Mercedes-Benz® G 500®)	8022-GRN	Fuel canisters (green) (2)/ screw pin
811	Body, Mercedes-Benz® G 500® (clear, requires painting)/	8022	Fuel canisters (red) (2)/ screw pin
	decals/ window masks (includes rear body post, grille, side	8022X	Fuel canisters (white) (2)/ screw pin
	mirrors, door handles, windshield wipers)	8022A	Fuel canisters (yellow) (2)/ screw pin
812	Decals, Mercedes-Benz® G 500®	8116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS
593	Distribution block, Pro Scale® Advanced Lighting Control		(6) (fits #8111 or #8112 body)
813X	System Grille, Mercedes-Benz® G 500® 4x4²/grille mount &	8083	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse
	insert/lens, headlight (2 ea)/reflector (2)/bumperette & mounts, front (2 ea)/turn signal housing & lens (2 ea)/	8086	lights and turn signal harnesses, hardware) LED expedition rack scene light kit (fits #8111 or 8213 serie
893	hardware (fits #8811/8825 body) Installation kit, Pro Scale® Advanced Lighting Control	8084	bodies, requires #8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)
	System, TRX-4® Mercedes® G 500® & G 63® (includes	0000	requires #8028 power supply)
	mount, rear bumper lens, turn signal, reverse light, & fog	8088	LED light bar, front bumper (fits #8866 front bumper, requires #8028 power supply)
	light harnesses, hardware)	8087	
899	LED light set (contains headlights, tail lights, roof lights,	0007	LED light bar, roof lights (fits #8111 or 8213 series bodies,
	and distribution block) (fits #8811 body, requires #8028	0005	requires #8028 power supply)
	power supply)	8085	LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or
898	LED light set, complete with power supply (contains		#8112 body)
	headlights, tail lights, roof lights, & distribution block) (fits #8811 body)	8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield		#8111 or #8112 body)
017	wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/	6592	Power module, Pro Scale® Advanced Lighting Control
	1.6x5 BCS (self-tapping) (3)		System (includes mount, communication cables, hardware
592	Power module, Pro Scale® Advanced Lighting Control	6591	Pro Scale® Advanced Lighting Control System (includes
332	System (includes mount, communication cables, hardware)		power module & distribution block)
591	Pro Scale® Advanced Lighting Control System (includes	8085X	Pro Scale® LED light set, TRX-4® Sport, complete with
331	power module & distribution block)		power module (contains headlights, tail lights, &
898X	Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G		distribution block) (fits #8111 or #8112 body)
330X	63®, complete with power module (contains headlights, tail	8122-BLK	Shovel/ axe (black)/ accessory mount/ mounting hardware
	lights, roof lights, & distribution block) (fits #8811 or 8825	8122	Shovel/ axe/ accessory mount/ mounting hardware
	body)	8118	Spare tire mount/ mounting hardware
822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4	8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail ligh
	GS (4)	0	lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112
816X	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS		body)
	(self-tapping) (2)	8121X	Traction boards, blue/ mounting hardware
814X	Tail light lens (2)/ tail light housing (2)/ tail light housing	8121G	Traction boards, green/ mounting hardware
	mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)	8121A	Traction boards, yellow/ mounting hardware
	Body (Tactical Unit)	8121	Traction boards/ mounting hardware
			•
211X	Body, Tactical Unit, night camo (painted)/ decals		Body Accessories
019	Fender brace, inner, front & rear	1926	Antenna caps, vinyl (2)/ antenna spool
017	Fender flares, front & rear (2 each) (fits #8011 or #8211	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
	series bodies)	8215	Body mounts & posts, front & rear (complete set)
018	Fenders, inner, front & rear (2 each)/ rock light covers (8)	2514	Decal sheet, racing sponsors
020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires
	#8011 series bodies)		#8080 narrow inner fenders)
021	Spare tire mount/ mounting bracket/ screw pins (2)	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light
	Body (TRX-4® Sport)		covers (8)/ battery plate/ body mount/ 3x8 flat-head screws
112	-		(4)/ 2.5x6 CS (10)
112	Body with camper, TRX-4® Sport (clear, trimmed, requires	8080X	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
242	painting)/window masks/ decal sheet		(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6
213	Body, TRX-4® Sport (clear, trimmed, die-cut for clipless		CS (10) (for clipless body mounting)
4440	mounting, requires painting)/ window masks/ decal sheet	8072X	Fenders, inner (wide), front & rear (2 each)/ rock light cover
111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet		(8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body
444	· · · · · · · · · · · · · · · · · · ·		mounting)
111	Body, TRX-4® Sport (clear, trimmed, requires painting)/	8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/
242 CDAV	window masks/ decal sheet  Body, TRX-4® Sport, complete, gray (painted, decals		battery plate/ 3x8 flathead screws (4)
213-GRAY	applied) (includes grille, side mirrors, door handles,	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
	windshield wipers, expedition rack, & clipless mounting)		<b>Bumpers &amp; Skidplates</b>
	(requires #8080X inner fenders)	0007	
213-RED	Body, TRX-4® Sport, complete, red (painted, decals applied)	8237	Bumper mounts, front & rear/ screw pins (4)
213-KLD	(includes grille, side mirrors, door handles, windshield	11036	Bumper, front/ bumper mount (assembled)
	wipers, expedition rack, & clipless mounting) (requires	11035	Bumper, rear/ bumper mount (assembled)
	#8080X inner fenders)	11037	Push bar, bumper (fits #11036 bumper)
113	Decal Sheet, TRX-4® Sport	8238	Skidplate/ lower gear cover
			Chassis & Attachments
593	Distribution block, Pro Scale® Advanced Lighting Control	2600	
120V	System  Expedition rock, complete (includes treation beards above)	3698	Access plug, rubber (receiver box)
120X	Expedition rack, complete (includes traction boards, shovel,	8327-BLUE	Battery hold-down, 6061-T6 aluminum (blue-anodized)
	axe, jack, fire extinguisher, fuel cans, & mounting hardware)	8327-GRAY	Battery hold-down, 6061-T6 aluminum (gray-anodized)
4005	(fits #8111 or #8111R body)	8327-GRN	Battery hold-down, 6061-T6 aluminum (green-anodized)
	Expedition rack, complete (includes traction boards, shovel,	8327-ORNG	Battery hold-down, 6061-T6 aluminum (orange-anodized)
120R			Date of the late of control of the first of the late o
1120K	axe, jack, fire extinguisher, fuel cans, & mounting hardware)	8327-RED	Battery hold-down, 6061-T6 aluminum (red-anodized)
	(fits #8111, 8111R, or 8213 series bodies)	<b>8327-RED</b> 8327	Battery hold-down, 6061-16 aluminum (red-anodized) Battery hold-down/ battery clip/ hold-down post/screw pin (for
3120R 3120			· · · · · · · · · · · · · · · · · · ·

Page 4	TRX-4® 1988	Nissan® Pathfinder®: TQi	™ Traxxas Link™	Enabled 2.4GHz Radio	(Model 110056-4	Parts List
--------	-------------	--------------------------	-----------------	----------------------	-----------------	------------

2004	D	2000	Hard and Market and TRV 48 (and the all 42) have
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit)
	inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))	8217	Hardware kit, TRX-4® (contains all hardware used on TRX-4®)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear	5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
	shock towers, long female half shaft)	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
8220	Chassis rails, 448mm (steel) (left & right)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)	8347 <b>1747R</b>	Nuts, 4mm flanged nylon locking, serrated (black) (10)  Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
8080X	(4)/ 2.5x6 CS (10) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
	CS (10) (for clipless body mounting)	<b>1747A</b> 1985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8072X	Fenders, inner (wide), front & rear (2 each)/ rock light covers	8221	Screw pin, 3x10mm (6)
	(8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting)	2523	Screws, 2.5x10 countersunk machine (hex drive) (6)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/	3229 3236	Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6)
0040	battery plate/ 3x8 flathead screws (4)	2618	Screws, 2.5x16mm cap-head machine (6)
8218 <b>8224X</b>	Floor pans, left & right  Receiver box cover (for use only with #8224 receiver box &	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
	#2260 BEC)/ foam pads/ seals/ silicone grease	2524	Screws, 2.5x8 countersunk machine (hex drive) (6)
8219	Rock sliders, left & right	2617 3965	Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)
8225	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	3965 8299	Screws, 2.5x8mm cap-nead machine (6) Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
8239	Servo mount, steering/ chassis crossmember	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
8216	Shock towers, front & rear (left & right)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
8226	Tray, battery	2578 2579	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)
	Differential Components	2591	Screws, 3x23mm button-head machine (hex drive) (6)
8281	Carrier, differential/ differential slider/ T-Lock fork	2581	Screws, 3x25mm button-head machine (hex drive) (6)
<b>8280A</b> 8280X	Differential cover, front or rear (black) Differential cover, front or rear (chrome plated)	2616	Screws, 3x27mm button-head machine (hex drive) (6)
8280-GRN	Differential cover, front or rear (green)	2582 2575	Screws, 3x30mm button-head machine (hex drive) (6) Screws, 3x6mm button-head machine (hex drive) (6)
8280	Differential cover, front or rear (grey)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
8280R	Differential cover, front or rear (red)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
8282	Gear set, differential (output gears (2), spider gears (4), spider	3933	Screws, 4x16mm button-head machine (hex drive) (6)
8295	gear shaft (2)) Output drive, transmission or differential (pin retainer (1)/ drive	8031	3-in-1 wire harness, LED light kit
0200	cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin	8089	4-in-2 wire harness, LED light kit
	(black) (1) 3x6 BCS with threadlock (1))	6589	Distribution block, LED light set
8279 <b>8279R</b>	Ring gear, differential/ pinion gear, differential  Ring gear, differential/ pinion gear, differential (machined)	6593	Distribution block, Pro Scale® Advanced Lighting Control System
8287	Ring gear, differential/pinion gear, differential (inachined) Ring gear, differential/ pinion gear, differential (overdrive, machined)	8082	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1979) (includes mount,
8288	Ring gear, differential/ pinion gear, differential (underdrive,		reverse lights harness, hardware)
8297	machined) Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with	8039	LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies,
	threadlock) (4)  Driveline Components	8038	requires #8028 power supply) LED light set, complete with power supply (contains
8139	Half shafts, center (external splined) (2)/ pin retainer (4) (plastic		headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies)
8250	parts only) Half shafts, center (internal splined, front (2) & internal splined,	8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness
8250X	rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Half shafts, center (internal splined, short (3) & internal splined, long (2))	8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)
8255A	Stub axle, extended thread (portal drive) (2)	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	6591	Pro Scale® Advanced Lighting Control System (includes
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)	0000	power module & distribution block)
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4)	8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)	6594	block) (fits #8130 or 9212 series bodies) Receiver communication cable, Pro Scale® Advanced
8269R	(4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)	0034	Lighting Control System
	Hardware		Long Arm Lift Kit
1552		8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for
1552 <b>1834</b>	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)  Body Clips (12) (standard size)	8162	use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with
	Body clips (12) (standard size)		#8140 TRX-4® Long Arm Lift Kit)
1834A		0447	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift
3934	Body clips, heavy duty (12)	8147	• • • • • • • • • • • • • • • • • • • •
3934 3934A	Body clips, heavy duty (black) (12)		Kit)
3934		8148	• • • • • • • • • • • • • • • • • • • •

Page 5 TRX	4® 1988 Nissan®	)Pathfinder®: TQi™	′ Traxxas Link™	Enabled 2.4GHz Radio	(Model 110056-4)	Parts List
------------	-----------------	--------------------	-----------------	----------------------	------------------	------------

rage 5	IKA-40 1300 Hissailo Fatilillidelo. I VI - I I I I I I I I I I I I I I I I	Link Lines	700 21-70112 Radio (Model 110000 -7) 1 arts 213t
8150	Driveshaft extension kit, center (includes internal splined, x- long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)	8171 8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal
8140	Long arm lift kit, TRX-4®, complete	OII IA	gray, beadlock) (beadlock rings sold separately)
8140X	Long arm lift kit, TRX-4®, complete (includes blue powder	8180	Wheels, TRX-4® Sport 2.2 (2)
	coated links, blue-anodized shocks)	8180-BLUE	Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)
8140-GRN	Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks)	8180-GRN 8180-RED	Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)
8140R	Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)		Motors & Electronics
8149	Rod ends, extended (standard (4), angled (4))/ hollow balls	1926	Antenna caps, vinyl (2)/ antenna spool
	(8) (for use with TRX-4® Long Arm Lift Kit)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)	2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for	2064A	Gear set (for 2065A waterproof sub-micro servo)
	use with TRX-4® Long Arm Lift Kit)	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	2072X	Gear set, metal (for 2070, 2075 servos)
8160-GRN	Shocks, GTS, aluminum (green-anodized) (assembled	2252 2272	Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo)
0100-GIXI4	without springs) (4) (for use with #8140 TRX-4® Long Arm	2287	Gear set, metal (for 2280 servo)
	Lift Kit)	2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
8160R	Shocks, GTS, aluminum (red-anodized) (assembled without	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-
8160	Shocks, GTS, silver aluminum (assembled without springs)		anodized)
0450	(4) (for use with #8140 TRX-4® Long Arm Lift Kit)	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white	8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
8154	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange	3975R	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
0134	stripe) (for use with TRX-4® Long Arm Lift Kit)	8290	Plate, motor/ upper spur gear cover
8155	Springs, shock, long (natural finish) (GTS) (0.47 rate)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250
	(included with TRX-4® Long Arm Lift Kit)	2252	Servo)
8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
	stripe) (for use with TRX-4® Long Arm Lift Kit)	2271	Servo case/ gaskets (for 2270 waterproof servo)
8146X	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
	link, 5x63mm (blue powder coated steel) (assembled with	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-
8146R	hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard		micro servo)
014010	link, 5x63mm (red powder coated steel) (assembled with	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-
	hollow balls) (for use with #8140R TRX-4® Long Arm Lift		micro servo)
	Kit)	5669	Servo horn (with built-in spring and hardware) (for Summit
8144X	Suspension link, front upper, 5x68mm (1) (blue powder	2075R	locking differential)  Servo, digital high-speed, metal gear (ball bearing),
	coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)		waterproof
8144R	Suspension link, front upper, 5x68mm (1) (red powder	2250	Servo, digital high-torque 330 coreless, metal gear (ball
014410	coated steel) (assembled with hollow balls) (for use with		bearing), waterproof (#2262 external BEC and #8247X metal
	#8140R TRX-4® Long Arm Lift Kit)		servo horn recommended for optimal performance)
8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal
	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift		servo horn recommended for optimal performance)
8143	Kit) Suspension links, front lower (2) (5x104mm, steel)	2280	Servo, digital high-torque 600 brushless, metal gear (ball
0143	(assembled with hollow balls) (for use with #8140 TRX-4®		bearing), waterproof
	Long Arm Lift Kit)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8143R	Suspension links, front lower, red (2) (5x104mm, powder	2270	Servo, digital high-torque, metal gear (ball bearing),
	coated steel) (assembled with hollow balls) (for use with		waterproof
	#8140R TRX-4® Long Arm Lift Kit)	2065A	Servo, sub-micro, waterproof
8145	Suspension links, rear lower (2) (5x115mm, steel)	2065R	Servo, sub-micro, waterproof, metal gear
	(assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
8145X	Suspension links, rear lower, blue (2) (5x115mm, powder	2261	Y-harness, BEC
014020	coated steel) (assembled with hollow balls) (for use with		
	#8140X TRX-4® Long Arm Lift Kit)		Pro Scale® Winch & Accessories
8145R	Suspension links, rear lower, red (2) (5x115mm, powder	8867	Bumper, front, winch, medium (includes bumper mount, D-
	coated steel) (assembled with hollow balls) (for use with		Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979 Blazer with 8855 winch) (217mm wide)
04.40	#8140R TRX-4® Long Arm Lift Kit)	8859	Fairlead, winch
8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4®	8870X	Fairlead, winch, aluminum (blue-anodized) (use with front
	Long Arm Lift Kit)		bumpers #8865, 8866, 8867, 8869, or 9224)
8142R	Suspension links, rear upper, red (2) (5x115mm, powder	8870A	Fairlead, winch, aluminum (gray-anodized) (use with front
	coated steel) (assembled with hollow balls) (for use with		bumpers #8865, 8866, 8867, 8869, or 9224)
	#8140R TRX-4® Long Arm Lift Kit)	8870G	Fairlead, winch, aluminum (green-anodized) (use with front
8172	Tires & wheels, assembled (Method Race Wheels® 105		bumpers #8865, 8866, 8867, 8869, or 9224)
	Beadlock 2.2" black chrome beadlock wheels, Canyon Trail	8870T	Fairlead, winch, aluminum (orange-anodized) (use with front
8184 BITTE	5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (TRY-4® Sport 2.2" gray	8870R	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (red-anodized) (use with front
8181-BLUE	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	007 UK	bumpers #8865, 8866, 8867, 8869, or 9224)
8181-GRN	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray,	8862	Gearmotor, winch
	green beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8863	Hook, winch (steel)/ line retainer/ washer
8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray,	8864X	Line, winch (blue)
	red beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	8864	Line, winch (gray)
8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2"	8864R	Line, winch (red)
0470	wheels, Canyon Trail 5.3x2.2" tires) (2)	8860	Spool shaft assembly, winch
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)	8861	Spool, winch

## Page 6 TRX-4® 1988 Nissan® Pathfinder®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 110056-4) Parts List

8855	Winch kit with wireless controller, TRX-4® and TRX-6®	2272 2072B	Gear set, metal (for 2270 waterproof servo)
8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)	2072R 2968X	Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter
8857	Wireless remote, winch, TRX-4® and TRX-6®	2500%	for Traxxas® iD® batteries)
	Radio System, Batteries & Chargers	2968	LiPo cell voltage checker/balancer (requires #2938X adapter
2823X	1400mah 11.1v 3-Cell 25C LiPo Battery	6561	for Traxxas® iD® batteries) Mount, telemetry expander
2820X	2200mah 7.4v 2-Cell 25C LiPo Battery	6535	Mount, temperature sensor (electric motors)/ wire tie/
2922X	3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell		thermal pad
2827X 2923X	3000mah 7.4v 2-Cell LiPo Battery 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell	2912	Power adapter, AC, USB-C (45W) (110 volt, North America
2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Power Cell	2916	only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery	6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
2952X	4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell	6552	Seal kit, expander box (includes o-ring, seals, and silicone
2872X 2842X	5000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery	6526	grease)
2960X	5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell	6527	Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage
2844R	5200mAh 7.4v 2-cell 35C LiPo Battery	6521	Sensor, temperature and voltage (long)
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery		servo)
2976	AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2938X	batteries to separate balance ports)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware
1726 <b>2943</b>	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2271	(for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
6548	Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
-0.0	transmitter)	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-		micro servo)
2014	cell LiPo batteries)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-
2914 2983	Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp	2075R	micro servo) Servo, digital high-speed, metal gear (ball bearing),
2000	NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V		waterproof
	7-cell NiMH iD® battery (1))	2250	Servo, digital high-torque 330 coreless, metal gear (ball
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))		bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2970-2SR	Battery/Charger completer pack (includes #2970 iD®	2255	Servo, digital high-torque 400 brushless, metal gear (ball
	charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo ID®		bearing), waterproof (#2262 external BEC and #8247X metal
	Battery (1))		servo horn recommended for optimal performance)
2994	Battery/charger completer pack (includes #2970 iD® charger	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2970-3S	(1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
	(1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® battery (1))	2065A	Servo, sub-micro, waterproof
2991	Battery/charger completer pack (includes #2972 Dual iD	2065R	Servo, sub-micro, waterproof, metal gear
	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD®	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio
2990	Battery (2)) Battery/charger completer pack (includes #2972 Dual iD	6550X	system Telemetry expander 2.0, TQi radio system (for use only with
	charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD®		#6551X GPS module)
	Battery (2))	6551X	Telemetry GPS module 2.0, TQi radio system (for use only
2985-2S	Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))	0544	with #6550X telemetry expander)
2985-3S	Battery/charger completer pack (includes #2985 charger (1),	6511 2261	Traxxas® Link Bluetooth® module Y-harness. BEC
	#2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (1))		Ready-To-Race Model
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)	110056.4	_
2969	(includes receiver box cover and seals) Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4	110056-4	TRX-4® Scale and Trail® Crawler with 1988 Nissan® Pathfinder® Body: 4WD Electric Truck with TQi™ Traxxas
2303	volt, NiMH only)		Link™ Enabled 2.4GHz Radio System
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)		Scale Details
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto	8120X	Expedition rack, complete (includes traction boards, shovel,
2973	Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	-	axe, jack, fire extinguisher, fuel cans, & mounting hardware)
2313	Battery Identification	04000	(fits #8111 or #8111R body)
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto	8120R	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware)
	Battery Identification		(fits #8111, 8111R, or 8213 series bodies)
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification	8120A	Expedition rack/ mounting hardware (fits #8111, 8111R, or
2985	Battery Identification		8213 series bodies)
	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	8422-BLK	Fire extinguisher, black (2)
2082	Battery Identification	8422-BLK 8422	•
2982	Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with	8422 8022T	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin
2982 6525	Battery Identification	8422 8022T 8022R	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin Fuel canisters (blue) (2)/ screw pin
<b>6525</b> 6512	Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module	8422 8022T 8022R 8022-GRN	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin
6525	Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry	8422 8022T 8022R 8022-GRN 8022	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin Fuel canisters (red) (2)/ screw pin
<b>6525</b> 6512 <b>6565</b>	Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)	8422 8022T 8022R 8022-GRN	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin
<b>6525</b> 6512	Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier) EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto	8422 8022T 8022R 8022-GRN 8022 8022X 8022X 8022A 8023	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin Fuel canisters (red) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (yellow) (2)/ screw pin Jack (1)/ 2x8 BCS (1)
<b>6525</b> 6512 <b>6565</b>	Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)	8422 8022T 8022R 8022-GRN 8022 8022X 8022X 8022A 8023	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin Fuel canisters (red) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (yellow) (2)/ screw pin Jack (1)/ 2x8 BCS (1) Jack (black) (1)/ 2x8 BCS (1)
6525 6512 6565 2971 2978 2064A	Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier) EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo)	8422 8022T 8022R 8022-GRN 8022 8022X 8022X 8022A 8023 8023T 8122-BLK	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin Fuel canisters (red) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (yellow) (2)/ screw pin Jack (1)/ 2x8 BCS (1) Jack (black) (1)/ 2x8 BCS (1) Shovel/ axe (black)/ accessory mount/ mounting hardware
6525 6512 6565 2971 2978 2064A 2064R	Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier) EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo)	8422 8022T 8022R 8022-GRN 8022 8022X 8022X 8022A 8023 8023T 8122-BLK 8122	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin Fuel canisters (red) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (yellow) (2)/ screw pin Jack (1)/ 2x8 BCS (1) Jack (black) (1)/ 2x8 BCS (1) Shovel/ axe (black)/ accessory mount/ mounting hardware Shovel/ axe/ accessory mount/ mounting hardware
6525 6512 6565 2971 2978 2064A 2064R 2072X	Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier) EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)	8422 8022T 8022R 8022-GRN 8022 8022X 8022A 8023 8023T 8122-BLK 8122 8121X	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin Fuel canisters (red) (2)/ screw pin Fuel canisters (red) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (yellow) (2)/ screw pin Jack (1)/ 2x8 BCS (1) Jack (black) (1)/ 2x8 BCS (1) Shovel/ axe (black)/ accessory mount/ mounting hardware Shovel/ axe/ accessory mount/ mounting hardware Traction boards, blue/ mounting hardware
6525 6512 6565 2971 2978 2064A 2064R	Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier) EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo)	8422 8022T 8022R 8022-GRN 8022 8022X 8022X 8022A 8023 8023T 8122-BLK 8122	Fire extinguisher, black (2) Fire extinguisher, red (2) Fuel canisters (black) (2)/ screw pin Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin Fuel canisters (red) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (white) (2)/ screw pin Fuel canisters (yellow) (2)/ screw pin Jack (1)/ 2x8 BCS (1) Jack (black) (1)/ 2x8 BCS (1) Shovel/ axe (black)/ accessory mount/ mounting hardware Shovel/ axe/ accessory mount/ mounting hardware

	Shock Oil	6745 8052	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch)
031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	8053	Spur gear, 45-tooth (32-pitch)
032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)		Steering Components
033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)		<u> </u>
34	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	8232	Caster blocks (portal drive), left & right
)35 )36	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
)36 )37	Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized
029	Shock oil bottle (60cc) (for mixing shock oil)	020271	left and right
038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)	8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left an right
038	Spinning carousel rack	8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and
	Shocks (GTS)	00701/	right
266	Body, GTS shock (aluminum, silver-anodized) (1)	2072X	Gear set, metal (for 2070, 2075 servos)
266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum)	2072R 8274	Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coate)
	(1)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump
264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))	8275	steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8),
			offset (4))
274 475	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8276	Rod ends (10)
475 264	Multi-tool (plastic)	8277	Rod ends, angled 10-degrees (8)
<b>261</b> 262	Piston, damper (red) (4)/ e-clips (8) Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings,	2742	Rod ends, long (6)/ hollow ball connectors (6)
202	e clips, rod ends, and travel limiters)	8278	Rod ends, offset (4)
263	Shock shaft, 3x47mm (GTS) (2)	8247X	Servo horn, steering, metal/3x14 BCS (1)
263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies	2250	Servo, digital high-torque 330 coreless, metal gear (ball
	with TiN shafts (assembled with spring retainers) (2)	2230	bearing), waterproof
260A	Shocks, GTS, blue-anodized (assembled with spring	2255	Servo, digital high-torque 400 brushless, metal gear (ball
	retainers) (2)		bearing), waterproof
260G	Shocks, GTS, green-anodized (assembled with spring	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2000	retainers) (2)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow
260R	Shocks, GTS, red-anodized (assembled with spring retainers) (2)	00.40	balls, captured (4)
260	Shocks, GTS, silver aluminum (assembled with spring retainers)	8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
200	(2)	8243 8244	Suspension link, front, 5x100mm (lower) (steel) (2)
	Slipper Clutch Components	8245	Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2
000		0245	
292 286	Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear		Suspension Linkage
254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm	8058	Chassis conversion kit, TRX-4® (long to short wheelbase)
249	NL (1)/ spring washers (2)) Slipper eliminator plate		(includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm
	Springs	8057	FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase)
		0037	(includes rear upper & lower suspension links, front & real
041	Springs, shock (GTS) (front) (0.45 rate) (2)		shock towers, long female half shaft)
040 042	Springs, shock (GTS) (rear) (0.54 rate) (2)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coate
042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.30 rate, white stripe)	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
044	(2) Springs, shock (natural finish) (GTS) (0.39 rate, orange	8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
	stripe) (2)	8276 8277	Rod ends (10)
045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe)	8277	Rod ends, angled 10-degrees (8)
	(2)	2742 8278	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4)
	Spur Gears & Pinion Gears	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow
746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	3329	balls, captured (4)
747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened	8244	Suspension link, front, 5x63mm (upper) (steel) (2)
	steel) (fits 3mm shaft)/ set screw	8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
919	Gear, 12-T pinion (32-pitch)/ set screw	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2
943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened		Team Traxxas Items
944X	steel) (fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened	9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
045	steel) (fits 3mm shaft)/ set screw	2514	Decal sheet, racing sponsors
945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-
917	Gear, 15-T pinion (32-pitch) (fits 3mm shaft)/ set screw		4®, & similar)
946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
	steel) (fits 3mm shaft)/ set screw	9909	Traxxas® racing banner, red & black (3x7 feet)
	Gear, 17-T pinion (32-p), heavy duty (machined, hardened		Tires & Wheels
947X	steel) (fits 3mm shaft)/ set screw	8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
	Gear, 18-T pinion (32-p), heavy duty (machined, hardened	8168T	Beadlock rings, black (1.3") (aluminum) (4)/ 2x10 CS (48)
			Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
948X	steel) (fits 3mm shaft)/ set screw	8169X	Deadlock Illigs, blue (1.5 ) (aldillillidill) (4)/ 2x lo Co (40)
948X	steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened	8169X 8168X	Beadlock rings, blue (1.3") (aluminum) (4)/ 2x10 CS (48)
948X 949X	steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw		
948X 949X	steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened	8168X 8168G 8169R	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
947X 948X 949X 950X 951X	steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8168X 8168G 8169R 8168R	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
948X 949X 950X	steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8168X 8168G 8169R	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)

Page 8	TRX-4® 1988	Nissan® Pathfinder®:	: TQi™ Traxxas	Link™ Enabled 2	.4GHz Radio	(Model 110056-4	Parts List
--------	-------------	----------------------	----------------	-----------------	-------------	-----------------	------------

8164	Center caps, wheel (chrome) (4)/ decal sheet (requires	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock)
	#8255A extended thread stub axle)		(beadlock rings sold separately) (for use with TRX-4 Long
8176	Center caps, wheel (chrome) (4)/ decal sheet (requires		Arm Lift Kit)
	#8255A extended thread stub axle)	8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm
8164X	Center caps, wheel (chrome) (front (2), rear (2)) (requires		Lift Kit)
	#8255A extended stub axle)	8271	Wheels, TRX-4® 1.9 (2)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized)	8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
	(4)	8178	Wheels, TRX-4® Sport 1.9 (2)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	8180-BLUE	Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized)	8180-GRN	Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)
	(4)	8180-RED	Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized)	8268	Wheels, TRX-4® Tactical 1.9 (2)
	(4)		Transmission Components
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)		=
8174	Tires & wheels, assembled (Method Race Wheels® 105	8283	Cable, T-lock (front)
	Beadlock 1.9" black chrome beadlock wheels, Canyon Trail	8284	Cable, T-lock (rear)
	4.6x1.9" tires, foam inserts) (1 left, 1 right)	8195	Differential, locking, front and rear (assembled) (includes T-Lock
8182	Tires & wheels, assembled (Method Race Wheels® 105		cables and servos)
	Beadlock 1.9" satin black chrome, blue beadlock style	8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
	wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1	8293X	Gear set, transmission, metal (includes 18T, 30T input gears,
	right)		36T output gear, 2x9.8 pins (5))
8166	Tires & wheels, assembled, glued (1.9" chrome wheels,	8291	Gearbox housing (includes main housing, front housing, &
	Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet		cover)
	(requires #8255A extended thread stub axle)	8285	Gears, transfer case (3)
8177	Tires & wheels, assembled, glued (1.9" chrome wheels,	5041	Grease, premium high performance (20cc)
	Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet	8292	Input shaft/ output shaft (transmission)
	(requires #8255A extended thread stub axle)	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8166X	Tires & wheels, assembled, glued (1.9" chrome wheels,	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-
	Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet		anodized)
	(requires #8255A extended thread stub axle)	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
8183X	Tires & wheels, assembled, glued (1.9" classic chrome	8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
	wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/	8295	Output drive, transmission or differential (pin retainer (1)/ drive
	decal sheet (requires #8255A extended thread stub axle)	0230	cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin
8273	Tires & wheels, assembled, glued (Tactical 1.9" wheels,		(black) (1) 3x6 BCS with threadlock (1))
	Canyon Trail 4.6x1.9" tires) (2)	8294	Output gear, high range, 24T (metal)
8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin	8286	Output shafts (transfer case), front & rear
	beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)	8290	Plate, motor/ upper spur gear cover
8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels,	8249	Slipper eliminator plate
	Canyon Trail 4.6x1.9" tires) (2)	8296	··
8179	Tires & wheels, assembled, glued (TRX-4® Sport 1.9"		Transmission gears, single speed, metal
	wheels, Canyon Trail 4.6x1.9" tires) (2)	8196	Two speed conversion kit
11070-STBLK			Traxxas Tools
	chrome beadlock 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	3433X	Body reamer (aluminum handle)
8181-BLUE	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray,	3433	Body reamer (plastic handle)
	blue beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	3436	Cap, body reamer
8181-GRN	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray,	3425	Rubber pit mat, 16x24x0.28
	green beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	3426	Rubber pit mat, 36x20
8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray,	3432	Scissors, curved tip
	red beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)	3431	Scissors, straight tip
8179X	Tires & wheels, assembled, glued (TRX-4® Sport, satin	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece,
	chrome, black beadlock 1.9" wheels, Canyon Trail 4.6x1.9"	0/12	includes premium handle (medium), travel pouch, hex
	tires) (2)		drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers
8172	Tires and wheels, assembled (Method 105 2.2™ black		(5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
	chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam	9720	
	inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)	8720 8721	Speed bit handle, large (overmolded) Speed bit handle, medium (one piece)
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2™		• • • • •
	wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4	8722	Speed bit handle, premium (rubber overmold)
	Long Arm Lift Kit)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)		premium handle (medium), travel pouch, hex drivers
8170	Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm,
	TRX-4 Long-Arm Lift Kit)		5.5mm, 7.0mm, 8.0mm), 1/4" drive
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	0744	Speed Bit Master Set, hex driver, 7-piece straight and ball
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized)	8711	end, includes premium handle (medium), travel pouch, hex
	(4)/ 3x10 screw pin (4)		drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end:
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-		2.0mm, 2.5mm, 3.0mm), 1/4" drive
	anodized) (4)/ 3x10 screw pin (4)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized)	0713	handle (medium), travel pouch, and nut drivers (4.0mm,
	(4)/ 3x10 screw pin (4)		4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm),
	(4)/ 3x10 screw pin (4)	0710	1/4" drive
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet	8716X	
	(requires #8255A extended thread stub axle)	01 107	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
	(requires #8255A extended thread stub axle)	01 10	2.5mm), 1/4" drive
8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
	chrome, beadlock) (beadlock rings sold separately)	37 137	2.5mm, 3.0mm), 1/4" drive
8173A	Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted,
	gray, beadlock) (beadlock rings sold separately)	07.14	#1 Phillips, and #2 Phillips bits), 1/4" drive
8163	Wheels, 2.2", classic chrome (2)/ center caps (front (2), rear	2749P	
	Wheels, 2.2", classic chrome (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
8163 8171	Wheels, 2.2", classic chrome (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Wheels, Method 105 2.2" (black chrome, beadlock)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-
	Wheels, 2.2", classic chrome (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
	Wheels, 2.2", classic chrome (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Wheels, Method 105 2.2" (black chrome, beadlock)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-

## Page 9 TRX-4® 1988 Nissan® Pathfinder®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 110056-4) Parts List

Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips crewdrivers/ 4mm and 8mm wrenches/ driver handle)

	TRX-4® Traxx®
8889	Bearing retainers, inner (2)/ outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
8888	Spring (4)
8887	Stub axle (1)
8886	Stub axle nut (4)
8891	Tension wheels (6)/ road wheels (4)
8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8880	Traxx®, TRX-4® (4) (complete set, front & rear)

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM