

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
<b>5114</b>	<b>Ball bearings, blue rubber shield (5x8x2.5mm) (2)</b>
2545	Bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

### Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body Clips (12) (standard size)
<b>1815</b>	<b>Body washers (8)</b>
6716	Body Washers, Foam, 2mm/3mm/4mm
2417	Body, Bandit (front & rear) (clear, requires painting)/ window, lights, grille decal sheet
2433	Body, Bandit, pink (painted, decals applied)
2448	Body, Bandit, Rock n' Roll (painted, decals applied)
2430-GRN	Body, Bandit® (also fits Bandit® VXL), green/ wing (painted, decals applied)
2450X	Body, Bandit® (also fits Bandit® VXL), green/ wing (painted, decals applied)
2450T	Body, Bandit® (also fits Bandit® VXL), orange/ wing (painted, decals applied)
2439X	Body, Bandit® (also fits Bandit® VXL), ProGraphix®/ wing (graphics are printed, requires paint & final color application)/ decal sheet
2430X	Body, Bandit® (also fits Bandit® VXL), ProGraphix®/ wing (graphics are printed, requires paint & final color application)/ decal sheet
2430-RED	Body, Bandit® (also fits Bandit® VXL), red/ wing (painted, decals applied)
2450L	Body, Bandit®, ProGraphix®/ wing (graphics are printed, requires paint & final color application)/ decal sheet
2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677X	Wheelie bar mount (1) / hardware (blue)
3677A	Wheelie bar mount (1) / hardware (green)
3677P	Wheelie bar mount (1) / hardware (pink)
3677	Wheelie bar mount (1) / hardware (Stampede®, Rustler®, Bandit series)
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit series)
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit series)
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit series)
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3678	Wheelie bar, black (assembled)/ wheelie bar mount
3678X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)
2414	Wing wire

### Chassis & Attachments

3698	Access plug, rubber (receiver box)
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463A	Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)
9463R	Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)
3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)

3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
<b>2735</b>	<b>Bumper (front)</b>
<b>2735P</b>	<b>Bumper (front) (pink)</b>
3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)

<b>3728</b>	<b>Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)</b>
-------------	---

3728A	Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)

3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9462X	Side plates, wheelie bar, blue (aluminum) (2)
9462	Side plates, wheelie bar, charcoal gray (aluminum) (2)
9462G	Side plates, wheelie bar, green (aluminum) (2)
9462A	Side plates, wheelie bar, orange (aluminum) (2)
9462P	Side plates, wheelie bar, pink (aluminum) (2)
9462R	Side plates, wheelie bar, red (aluminum) (2)

5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
<b>3729-BLK</b>	<b>Upper chassis (black)</b>
<b>3729-GRAY</b>	<b>Upper chassis (gray)</b>
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)

3677X	Wheelie bar mount (1) / hardware (blue)
3677A	Wheelie bar mount (1) / hardware (green)
3677P	Wheelie bar mount (1) / hardware (pink)
3677	Wheelie bar mount (1) / hardware (Stampede®, Rustler®, Bandit series)

9464	Wheelie bar mount (heavy duty)
2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit series)
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)

3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit series)
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit series)
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)

9460	Wheelie bar, black (assembled)/ wheelie bar mount
9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)

9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))

### Differential Components

2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)

### Driveline Components

9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
------	---

## Page 2 Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts List

9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)	9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
4628X	Differential output yokes, hardened steel (w/ U-joints) (2)	2758	Suspension arms, black (rear, left & right), heavy duty
9450	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)	2758-BLUE	Suspension arms, blue (rear, left & right), heavy duty
9450R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)	2758-GRN	Suspension arms, green (rear, left & right), heavy duty
9451	Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®)	2758-ORNG	Suspension arms, orange (rear, left & right), heavy duty
2751	Half-shaft pro-pack (internal-splined (6)/external (6)) (plastic shafts only)	2758-RED	Suspension arms, red (rear, left & right), heavy duty
1651	Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4)	9192	Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
2754	Stub axle pins (4)		
2753X	Stub axles, rear (2)		

### Extreme HD Upgrade Kit

Front Suspension & Steering			
2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)		
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)		
2530-BLK	Bulkhead (front) (black)		
2530-GRAY	Bulkhead (front) (gray)		
2545	Bushings (plastic) (5x8x2.5mm) (4)		
9191	Camber links, front (molded composite) (67mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)		
9190	Camber links, rear (molded composite) (56mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)		
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135-BLUE	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9135	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	2437	Front axles (2)/ 4mm nylon locknuts (2)
9135-BLUE	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
9135-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
9135-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	2742	Rod ends, long (6)/ hollow ball connectors (6)
9135-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	5347	Rod ends, Revo® (large) with hollow balls (12)
9135-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	2742X	Rod ends, short (6)/ hollow balls (6)
9182	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Bandit® or Drag Slash®)	3744X	Servo saver w/ adapters
9182-BLUE	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Bandit® or Drag Slash®)	3639	Shock tower (front)
9182-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Bandit® or Drag Slash®)	9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9182-GRN	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Bandit® or Drag Slash®)	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9182-ORNG	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Bandit® or Drag Slash®)	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9182-RED	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Bandit® or Drag Slash®)	9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
		9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
		9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
		2531A	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
		2531L	Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)

2531G	Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)	3794	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)
2531T	Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)	2263	Y-harness, BEC to LED light set
2531R	Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)	<b>Motors &amp; Electronics</b>	
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)	2260	<b>BEC assembly (complete)</b> (12.6 volts (3s LiPo) maximum input voltage)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)	3790	Gear adapter, fixed
2532	Tie bar, fiberglass (requires suspension pins, part# 2640)	2053	Gear set (for 2055, 2056 servos)
9192	Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)	2072A	<b>Gear set (for 2070, 2075 servos)</b>
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)	2252	Gear set, metal (for 2250, 2255 servos)
<b>Hardware</b>		2272	<b>Gear set, metal (for 2270 waterproof servo)</b>
2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)	2287	Gear set, metal (for 2280 servo)
1834	Body Clips (12) (standard size)	1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench
3934	Body clips, heavy duty (12)	1275	<b>Motor, Stinger (20-turn, 540 size)</b>
3980	Glow plug wrench (Universal wrench)	3785	Motor, Titan® 12T (12-Turn, 550 size)
3787	Hardware kit, Bandit®/Stampede®/Rustler® (contains all hardware used on Bandit®, Stampede®, or Rustler®)	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench	3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	2254	<b>Servo case, aluminum (middle) (blue-anodized)</b> (for 2250 servo)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2253	<b>Servo case, aluminum (middle) (red-anodized)</b> (for 2255 servo)
1747	Nuts, 4mm nylon locking (10)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2271	<b>Servo case/ gaskets (for 2270 waterproof servo)</b>
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	2075R	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	2075	Servo, digital high-torque (ball bearing), waterproof
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
5525R	<b>Rod ends, heavy duty (Jato®/Slayer) (8)</b>	2280	Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
2742	Rod ends, long (6)/ hollow ball connectors (6)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
5347	<b>Rod ends, Revo® (large) with hollow balls (12)</b>	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2742X	Rod ends, short (6)/ hollow balls (6)	2056	Servo, high-torque, waterproof (blue case)
3288	Screw, 3x15mm washerhead self-tapping (6)	3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
3965	Screws, 2.5x8mm cap-head machine (6)	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)
2587	Screws, 3x10mm caphead machine (6) (no washer)	<b>Radio System, Batteries &amp; Chargers</b>	
2675	Screws, 3x10mm roundhead self-tapping (6)	2922X	3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell
2648	Screws, 3x12mm countersunk self-tapping (6)	2827X	3000mah 7.4v 2-Cell LiPo Battery
2676	Screws, 3x12mm roundhead self-tapping (6)	2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
3186	Screws, 3x12mm washerhead machine (6)	2926X	3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell
3286	Screws, 3x12mm washerhead self-tapping (6)	2942X	3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell
2649	Screws, 3x15mm countersunk self-tapping (6)	2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
2563	Screws, 3x15mm roundhead machine (6)	2941X	3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell
3187	Screws, 3x15mm washerhead machine (6)	2952X	4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell
2566	Screws, 3x20mm roundhead machine (6)	2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
2567	Screws, 3x23mm roundhead machine (6)	2951X	4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell
2554	Screws, 3x6mm caphead machine (hex drive) (6)	2842X	5000mah 7.4v 2-cell 25C LiPo Battery
2558	Screws, 3x6mm roundhead machine (6)	2960X	5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)	2961X	5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell
3290	Screws, 3x8mm washerhead self-tapping (6)	2844R	5200mAh 7.4v 2-cell 35C LiPo Battery
2548	Screws, 4x12mm countersunk machine (100-degree) (6)	2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
3167	Screws, 4x15mm countersunk machine (6)	2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2743	Set (grub) screws, 3mm hardened (12)	2976	AC to DC adapter
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
3642	<b>Shoulder screws, Ultra shocks (3x12) (6)</b>	2943	Battery charge indicators, green (4), grey (4), blue (4)
2754	Stub axle pins (4)	6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)	2914	<b>Battery, Power Cell AA Alkaline (4)</b>
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)	2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))
2746	<b>Washers, 3x6mm metal (12)</b>	2970-2SR	Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)	2991	Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
<b>LED Lights</b>			
3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)		
3795	LED light harness, rear (requires #2477 wheelie bar mount)		

**Page 4 Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts List**

2985-2S	Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2969	Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
2982	Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
6525	Communication link, telemetry expander
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2053	Gear set (for 2055, 2056 servos)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
2912	Power adapter, AC, USB-C (45W) (110 volt, North America only)
2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509A	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507A	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
6537	Wire retainers, gear cover/ 3x4mm BCS (2)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

**Ready-To-Race Model**

24254-8 Bandit®: 1/10 Scale Off-Road Buggy with TQ™ 2.4GHz radio system

**Rear Suspension**

9190	Camber links, rear (molded composite) (56mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9450	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
9450R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
3638X	Shock tower (rear)
2753X	Stub axles, rear (2)
2758	Suspension arms, black (rear, left & right), heavy duty
2758-BLUE	Suspension arms, blue (rear, left & right), heavy duty
2758-GRN	Suspension arms, green (rear, left & right), heavy duty
2758-ORNG	Suspension arms, orange (rear, left & right), heavy duty
2758-RED	Suspension arms, red (rear, left & right), heavy duty
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)

**Shock Oil**

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

**Shocks (Pro-level Aluminum)**

5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)
2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860	Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

**Shocks (Ultra Shocks)**

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3765A	Body, Ultra Shock (long) (grey) (2)
3766A	Body, Ultra Shock (XXL) (grey) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)

		<b>Suspension Linkage</b>	
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)	3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)	9191	Camber links, front (molded composite) (67mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)	2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)	2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)	2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2362	Shock rebuild kit (for 2 shocks)	2444T	Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
1664	Shock shafts, steel, chrome finish (long) (2)	2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
1765	Silicone diaphragms (4)	9190	Camber links, rear (molded composite) (56mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)	2443X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))	2443A	Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2457	Spring, rear(black) (2)	2443G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2458P	Springs (front) (pink) (2)	2443T	Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2458A	Springs (front) (white) (2)	2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2457P	Springs, (rear) (pink) (2)	2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2458	Springs, front (black) (2)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2457A	Springs, rear (white) (2)	5525R	<b>Rod ends, heavy duty (Jato®/Slayer) (8)</b> Rod ends, long (6)/ hollow ball connectors (6)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	2443R	<b>Rod ends, Revo® (large) with hollow balls (12)</b> Rod ends, short (6)/ hollow balls (6)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	2742	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)	5347	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	2742X	<b>Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)</b>
		2637	<b>Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)</b>
		2640	Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
		2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
		2445A	Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
		2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
		2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
		2445R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
<b>Slipper Clutch Components</b>		<b>Team Traxxas Items</b>	
3793	Input shaft (slipper shaft) / spring pin	9192	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
5552A	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))		Decal sheet, racing sponsors
2554	Screws, 3x6mm caphead machine (hex drive) (6)		Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
5556	Slipper pressure plate & hub (aluminum alloy)		
<b>Spur Gears &amp; Pinion Gears</b>			
3790	Gear adapter, fixed		
2416	Gear, 16-T pinion (48-pitch) / set screw		
1918	Gear, 18-T pinion (48-pitch) / set screw		
2419	Gear, 19-T pinion (48-pitch) / set screw		
2421	Gear, 21-T pinion (48-pitch) / set screw		
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw		
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw		
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw		
4725	Gear, pinion (25-tooth) (48-pitch) / set screw		
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)		
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)		
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)	3740	
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)	2637	
<b>Steering Components</b>			
2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)		
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)		
2545	Bushings (plastic) (5x8x2.5mm) (4)		
9191	Camber links, front (molded composite) (67mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)		
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)		
2742	Rod ends, long (6)/ hollow ball connectors (6)		
5347	<b>Rod ends, Revo® (large) with hollow balls (12)</b>		
2742X	Rod ends, short (6)/ hollow balls (6)		
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)		
3743	Steering bellcranks (18r)/ draglink		
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)		
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)		
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)		
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)		
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	9916	
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	2514	
9192	Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)	9917	

9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
9909	Traxxas® racing banner, red & black (3x7 feet)	5556	Slipper pressure plate & hub (aluminum alloy)
<b>Tires &amp; Wheels</b>			
3775	Bushings, self-lubricating (5x8x2.5mm) (12)	3195	Top drive gear, steel (22-tooth)
2475	Front wheels(2)(Bandit)	3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)		
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)		
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)		
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)		
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)		
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)		
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)		
2474	Rear wheels (2) (Bandit)		
3471	Street tread tires, 2.15"Pro-trax (f)(2)		
2754	Stub axle pins (4)	8712	
1771	Tire, front 2.1" spike (2)		
2471-BLK	Tires & wheels, assembled (2.2" black beadlock wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound with foam inserts)	8720	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
2470-BLK	Tires & wheels, assembled (2.2" black beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)	8721	Speed bit handle, large (overmolded)
2470T	Tires & wheels, assembled (2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)	8722	Speed bit handle, medium (one piece)
2471T	Tires & wheels, assembled (2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
2479T	Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2478T	Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
2470G	Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
2471G	Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
2479G	Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
2478G	Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
1770	Tires, 2.15 spiked (rear) (2)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2470	Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
2478	Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
2479	Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)		
3470	Tires, street slicks (rear) (2)		
2481A	Wheels, 2.2" (black chrome) (2) (Bandit® front)		
2480A	Wheels, 2.2" (black chrome) (2) (Bandit® rear)		
2481	Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® front)		
2480	Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® rear)		
<b>Transmission Components</b>			
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit)	2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
5478	Flat wrench, 8mm (blue anodized aluminum)	2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3790	Gear adapter, fixed	2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3691	Gearbox halves (L&R) (black) w/ idler gear shaft	2444T	Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft	2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
5148	Grease, white lithium	2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
9492	Idler gear, 30-tooth/ idler gear shaft (steel)	2443X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3696	Idler gear, steel (30-tooth)	2443A	Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)	2443G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3793	Input shaft (slipper shaft) / spring pin	2443G	Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)	2443T	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench		
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel		
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)		
9495A	Pro Series Magnum 272R™ Transmission, complete (assembled (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®))		
5552A	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))		
2554	Screws, 3x6mm caphead machine (hex drive) (6)		

**Page 7 Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts List**

2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	<b>Rod ends, Revo® (large) with hollow balls (12)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445A	Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445T	Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**