



Rustler® Brushless (Model 37454-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

3780	Body, Rustler® (also fits Rustler® VXL) (clear, requires painting)/ window, lights decal sheet (for clipless mounting)
3721-BLUE	Body, Rustler® (also fits Rustler® VXL), blue (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)
3721-GRN	Body, Rustler® (also fits Rustler® VXL), green (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)
3721-ORNG	Body, Rustler® (also fits Rustler® VXL), orange (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)
3754X	Body, Rustler® (also fits Rustler® VXL), ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet
3721X	Body, Rustler® (also fits Rustler® VXL), ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet
3780X	Body, Rustler® (also fits Rustler® VXL), ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet (for clipless mounting)
3721-RED	Body, Rustler® (also fits Rustler® VXL), red (painted, decals applied) (assembled with front & rear body mounts for clipless mounting)
3714	Body, Rustler® (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware
3734X	Chassis & body conversion kit, Rustler® (includes front & rear body mounts, latches, hardware) (for clipless mounting)
2514	Decal sheet, racing sponsors
3781	Decal sheets, Rustler®
3782	Latch, body mount, front & rear (for clipless body mounting) (attaches to #3780 body)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
6721-BLK	Wing, Rustler® (black)
6721-BLUE	Wing, Rustler® (blue)
6721-GRN	Wing, Rustler® (green)
6721-ORNG	Wing, Rustler® (orange)
6721-RED	Wing, Rustler® (red)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
9068-SLGRY	Battery hold-down (slate gray)/ battery clip/ hold-down post/ screw pin/ pivot post screw (fits #3728-BLK, 3728-GRAY or 3728-STGRY lower chassis)
3731X-BLK	Body mounts (front & rear)/ spacer, front/ body mount bracket, rear (2) (for clipless body mounting) (fits #3695A or 9495A transmission)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2735	Bumper (front)
2735P	Bumper (front) (pink)
3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)
3734X	Chassis & body conversion kit, Rustler® (includes front & rear body mounts, latches, hardware) (for clipless mounting)
3728-BLK	Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)
3728-GRAY	Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)
3728-STGRY	Lower chassis (steel gray) (166mm long battery compartment) (fits both flat and hump style battery packs)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit® or Rustler®)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
3638-BLK	Shock tower (rear) (for clipless body mounting)
3638X-SLGRY	Shock tower, rear (slate gray) (for clipless body mounting)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)

3729-BLK	Upper chassis (black)
3729-GRAY	Upper chassis (gray)
3729-STGRY	Upper chassis (steel gray)
2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
3763-BLK	Wheelie bar, assembled (black, non-adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series) (for use with #3695A or 3695X transmission)
3763-BLUE	Wheelie bar, assembled (blue, non-adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series) (for use with #3695A or 3695X transmission)
3763-GRN	Wheelie bar, assembled (green, non-adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series) (for use with #3695A or 3695X transmission)
3763-ORNG	Wheelie bar, assembled (orange, non-adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series) (for use with #3695A or 3695X transmission)
3763-PINK	Wheelie bar, assembled (pink, non-adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series) (for use with #3695A or 3695X transmission)
3763-RED	Wheelie bar, assembled (red, non-adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series) (for use with #3695A or 3695X transmission)
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Differential Components

2380R	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
2382R	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388R	Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)

Driveline Components

3637	Axles (front) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
1951R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)
6751	Half shaft, internal splined (steel-spline constant velocity) (1)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
2754	Stub axle pins (4)

6753 Stub axle, rear, steel-splined constant velocity (1)
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)

Extreme HD Upgrade Kit

9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
9194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
9150 Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9136 Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-BLUE Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-ORNG Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-RED Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9180 Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Rustler® 2WD or Stampede® 2WD)
9180-BLUE Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Rustler® 2WD or Stampede® 2WD)
9180-GRAY Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Rustler® 2WD or Stampede® 2WD)
9180-GRN Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Rustler® 2WD or Stampede® 2WD)
9180-ORNG Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Rustler® 2WD or Stampede® 2WD)
9180-RED Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Rustler® 2WD or Stampede® 2WD)
3639X-BLK Shock tower (front)
3638-BLK Shock tower (rear) (for cliplless body mounting)
3639-SLGRY Shock tower, front (slate gray)
3638X-SLGRY Shock tower, rear (slate gray) (for cliplless body mounting)
9137 Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-BLUE Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-ORNG Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-RED Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9196 Toe links (molded composite) (78mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)

Front Suspension & Steering

3637 Axles (front) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
2530-BLK Bulkhead (front) (black)
2530-GRAY Bulkhead (front) (gray)
2545 Bushings (plastic) (5x8x2.5mm) (4)
9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
9136 Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-BLUE Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-ORNG Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-RED Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
6845A Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G Drag link, machined 6061-T6 aluminum (green-anodized)
6845T Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R Drag link, machined 6061-T6 aluminum (red-anodized)
2742 Rod ends, long (6)/ hollow ball connectors (6)
3639X-BLK Shock tower (front)
3639-SLGRY Shock tower, front (slate gray)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9137 Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-BLUE Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-ORNG Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-RED Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
3631X Suspension arms, black, front, heavy duty (2)
3631A Suspension arms, blue, front, heavy duty (2)
3631G Suspension arms, green, front, heavy duty (2)
3631T Suspension arms, orange, front, heavy duty (2)
3631R Suspension arms, red, front, heavy duty (2)
3631-SLGRY Suspension arms, slate gray, front, heavy duty (2)
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2640 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
2532X-BLUE Tie bar, 6061-T6 aluminum (blue-anodized)
2532X-GRAY Tie bar, 6061-T6 aluminum (gray-anodized)
2532X-ORNG Tie bar, 6061-T6 aluminum (orange-anodized)
2532X-RED Tie bar, 6061-T6 aluminum (red-anodized)
2532-GRAY Tie bar, steel
9196 Toe links (molded composite) (78mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3139 Turnbuckles (62mm) (front tie rods) (2)

Page 3 Rustler® Brushless: TQi Sport 2.4 GHz Radio (Model 37454-4) Parts List

3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2545	Bushings (plastic) (5x8x2.5mm) (4)
3787	Hardware kit, Bandit®/Stampede®/Rustler® (contains all hardware used on Bandit®, Stampede®, or Rustler®)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2742	Rod ends, long (6)/ hollow ball connectors (6)
3739	Screw pin set (Rustler®/ Bandit®/ Stampede®)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2593	Screws, 3x14mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2754	Stub axle pins (4)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
2746	Washers, 3x6mm metal (12)

LED Lights

3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)
3795	LED light harness, rear (requires #2477 wheelie bar mount)
3794	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)
2263	Y-harness, BEC to LED light set

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3467-BLUE	Cooling fan, electronic speed control, Velineon® VX3™ (blue)
3467-GRAY	Cooling fan, electronic speed control, Velineon® VX3™ (gray)
3790	Gear adapter, fixed
2072A	Gear set (for 2070, 2075 servos)
2059	Gear set, metal (for 2057 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2287	Gear set, metal (for 2280 servo)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
3442	Motor, V3200™, brushless
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit® or Rustler®)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2280	Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2057	Servo, metal gear, waterproof
3441	Velineon® VX3™ Brushless Power System, waterproof (includes VX3™ ESC & V3200™ motor)
3446	Velineon® VX3™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))

Radio System, Batteries & Chargers

2827X	3000mah 7.4v 2-Cell LiPo Battery
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2832X	5000mah 11.1v 3-Cell 25C LiPo Battery
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2844R	5200mAh 7.4v 2-cell 35C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	Battery charge indicators, green (4), grey (4), blue (4)
2914	Battery, Power Cell AA Alkaline (4)
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))
2970-2SR	Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))
2970-3S	Battery/charger completer pack (includes #2970 iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (1))
2991	Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))

Page 4 Rustler® Brushless: TQi Sport 2.4 GHz Radio (Model 37454-4) Parts List

2990	Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))
2985-2S	Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2972	Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2072A	Gear set (for 2070, 2075 servos)
2059	Gear set, metal (for 2057 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
2912	Power adapter, AC, USB-C (45W) (110 volt, North America only)
2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6568-3CH	Receiver, micro, TQi Sport, 2.4GHz with TSM® (3-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2057	Servo, metal gear, waterproof
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6576	TQi Sport 2.4 GHz High Output radio system, 2-channel, TSM® (2-channel transmitter, 3-channel micro receiver)
6579-2CH	TQi Sport Compact 2.4 GHz High Output radio system, 2-channel, TSM® (2-channel transmitter, 3-channel micro receiver)
6505-2CH	Transmitter, TQi Sport Compact 2.4GHz, 2-channel (transmitter only)
6506-2CH	Transmitter, TQi Sport, 2.4GHz high output, 2-channel (transmitter only)
6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)

6530X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
6537	Wire retainers, gear cover/ 3x4mm BCS (2)

Ready-To-Race Model

37454-4	Rustler® Brushless: 1/10 Scale Stadium Truck with TQi™ Sport 2.4 GHz Radio System & Traxxas Stability Management (TSM)®
---------	---

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9194	Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
3638-BLK	Shock tower (rear) (for clipless body mounting)
3638X-SLGRY	Shock tower, rear (slate gray) (for clipless body mounting)
3655-BLK	Suspension arms, black, front/rear (left & right), heavy duty (2)
3655-BLUE	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655-GRN	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655-ORNG	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655-RED	Suspension arms, red, front/rear (left & right), heavy duty (2)
3655-SLGRY	Suspension arms, slate gray, front/rear (left & right), heavy duty (2)
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit®)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTR)

7466-PINK	Body, GTR long (pink-anodized, PTFE-coated aluminum) (1)
7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G	Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7469-STGRY	Body, GTR long shock, steel gray (2)
7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467A	Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7467R	Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7467-STGRY	Body, GTR xx-long shock, steel gray (2)
7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))

Page 5 Rustler® Brushless: TQi Sport 2.4 GHz Radio (Model 37454-4) Parts List

- 7468-SLGRY Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper & lower retainers (slate gray) (2 each))
- 5475 Multi-tool (plastic)
- 5158 Nuts, 2.5mm nylon locking (12)
- 7463 Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
- 5469 Rod ends (GTR shocks)
- 7464 Shaft, GTR long (steel, chrome finish) (2)
- 7464T Shaft, GTR long, TiN-coated (2)**
- 7465 Shaft, GTR xx-long (steel, chrome finish) (2)
- 7465T Shaft, GTR xx-long, TiN-coated (2)**
- 7461 Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
- 7461G Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
- 7461-ORNG Shocks, GTR long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
- 7461-PINK Shocks, GTR long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
- 7461-RED Shocks, GTR long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
- 7461X Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
- 7462-GRAY Shocks, GTR xx-long (gray) (assembled) (2) (without springs)**
- 7462-STGRY Shocks, GTR xx-long (steel gray) (assembled, without springs) (2)
- 7462 Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
- 7462G Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
- 7462-ORNG Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
- 7462-PINK Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
- 7462-RED Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
- 7462X Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
- 8459 Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)**
- 8459-SLGRY Spring retainers, lower, slate gray (captured) (4)/ 2.5x10 CS (4)
- 7440 Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)**
- 7441 Spring, shock, white (GTR long) (0.653 rate green) (1 pair)**
- 7444 Spring, shock, white (GTR long) (0.767 rate black) (1 pair)**
- 7445 Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)**
- 7448 Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)**
- 7442 Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
- 7443 Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)**
- 7446 Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)**
- 7447 Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)**
- 7449 Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)
- 7474 Springs, shock (white) (GTR short) (0.58 rate) (1 pair)
- 7475 Springs, shock (white) (GTR short) (0.70 rate) (1 pair)**
- 7476 Springs, shock (white) (GTR short) (0.87 rate) (1 pair)**

Shocks (Pro-level Aluminum)

- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)**
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)**
- 2742X Rod ends, short (6)/ hollow balls (6)**
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)**
- 2362 Shock rebuild kit (for 2 shocks)**
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)**
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
- 1664 Shock shafts, steel, chrome finish (long) (2)**
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)**
- 1765 Silicone diaphragms (4)**
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**

- 5860 Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)**
- 5859 Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)**

Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin
- 5552A Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed
- 5640 Gear, 14-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw**
- 5643 Gear, 17-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
- 5644 Gear, 18-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw
- 9454 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
- 9456 Spur gear, 56-tooth (0.8 metric pitch, compatible with 32-pitch)**

Steering Components

- 9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
- 6845A Drag link, machined 6061-T6 aluminum (blue-anodized)**
- 6845G Drag link, machined 6061-T6 aluminum (green-anodized)**
- 6845T Drag link, machined 6061-T6 aluminum (orange-anodized)**
- 6845R Drag link, machined 6061-T6 aluminum (red-anodized)**
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 9196 Toe links (molded composite) (78mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**

Suspension Linkage

- 2537 3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
- 9195 Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
- 9194 Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)**
- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)**
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo® (large) with hollow balls (12)**
- 3739 Screw pin set (Rustler®/ Bandit®/ Stampede®)
- 3642 Shoulder screws, Ultra Shocks (3x12) (6)**
- 9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
- 3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)**
- 2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)**
- 2640 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
- 9196 Toe links (molded composite) (78mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)**

Page 6 Rustler® Brushless: TQi Sport 2.4 GHz Radio (Model 37454-4) Parts List

3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	6768X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)	6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	3772X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) (requires #2742 rod ends)	3771X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, ribbed tires, foam inserts) (electric front) (2)
3139	Turnbuckles (62mm) (front tie rods) (2)	3772R	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)	3771R	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, ribbed tires, foam inserts) (electric front) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	6774X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6773X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	6768	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6775	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	3797-BLK	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Sledgehammer® ST tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6774	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	6773	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	3796-BLK	Tires & wheels, assembled, glued (2.8") (RXT black wheels, tires, foam inserts) (electric front) (2)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	6768G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6775G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	6774G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	6773G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	6768A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
Team Traxxas Items			
9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)	6775A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
2514	Decal sheet, racing sponsors	6774A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)	6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	6774R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
9909	Traxxas® racing banner, red & black (3x7 feet)	6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
Tires & Wheels			
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3771A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Ribbed tires, foam inserts) (electric front) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	3773A	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)	3773	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)		
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)		
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)		
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)		
2754	Stub axle pins (4)		
3770A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM® rated)		
3776	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (rear) (2) (TSM® rated)		
3770	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2)		
3771	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Ribbed tires, foam inserts) (front) (2)		

Page 7 Rustler® Brushless: TQi Sport 2.4 GHz Radio (Model 37454-4) Parts List

6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
5563	Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm) 1/4" drive
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
1654R	Wheel hubs, hex (steel) (2)/ axle pins (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4) / axle pin (4) (Slash 2WD)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)		
5480X	Wheel wrench, splined, 17mm		
3672	Wheels, chrome (2.2") (rear) (2)		
3673	Wheels, chrome 2.2" (front) (2)		
3674	Wheels, dyeable nylon 2.2" (rear) (2)		
3675	Wheels, dyeable nylon 2.2 (front) (2)		

Transmission Components

4607	Ball bearings (5x11x4mm) (8)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
5478	Flat wrench, 8mm (blue anodized aluminum)
3790	Gear adapter, fixed
3691-BLK	Gearbox halves (left & right) (black) w/ idler gear shaft
3691-GRAY	Gearbox halves (left & right) (gray) w/ idler gear shaft
3691-SLGRY	Gearbox halves (left & right) (slate gray) w/ idler gear shaft
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
3696	Idler gear, steel (30-tooth)
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
2382R	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388R	Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
9495A	Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
5552A	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
3695X	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
3695X-SLGRY	Transmission, slate gray, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3425	Rubber pit mat, 16x24x0.28
3426	Rubber pit mat, 36x20
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive

Turnbuckles & Threaded Rods

2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
9195	Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
9194	Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
9196	Toe links (molded composite) (78mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
3139	Turnbuckles (62mm) (front tie rods) (2)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

Page 8 Rustler® Brushless: TQi Sport 2.4 GHz Radio (Model 37454-4) Parts List

- 3644 Turnbuckles, camber link, 39mm (69mm center to center)
(assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center)
(assembled with rod ends and hollow balls) (1 left, 1 right)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2)
(assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM