



## Revo® (Model 53097-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Air Filters

5262	Air filter and pre-filter inserts, foam (high-volume) (3) (pre-oiled, assembled) (use with #5266 filter body) (TRX® 2.5, 2.5R, 3.3)
5266	Air filter body (high-volume)/ filter support/ cap/ foam filter, pre-filter/ Revo® air filter base (angled)/ wire mount/ hardware (1 each) (TRX® Engines)
5263	Air filter oil

### Bearings & Bushings

4609	Ball bearings (5x10x4mm) (2) (metal shielded, for clutch bell)
4611	Ball bearings (5x11x4mm) (2) (metal shielded, for clutch bell)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5180	Ball bearings, blue rubber sealed (6x13x5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5115	Ball bearings, blue rubber shield (5x10x4mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
5121	Bearing, needle roller (6x10x8mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)

### Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body Clips (12) (standard size)
3934	Body clips, heavy duty (12)
5314	Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
4915	Body washers, foam adhesive (10)
5320	Body, Revo® (Platinum Edition) (clear, requires painting)/ decal sheet
5387	Body, Revo® 3.3 (clear, requires painting)/ window, lights, grille decal sheet
5387X	Body, Revo® 3.3, ProGraphix® (replacement for painted body. Graphics are printed, requires paint & final color application)/ decal sheet
2514	Decal sheet, racing sponsors
5313R	Decal sheets, Revo® 3.3
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
5413	Wing mount, center / wing washers (for Revo®)
5411	Wing mount, Revo® (complete minus wing, part #5412 or other)
5446	Wing, Revo® (black)/ decal sheet
5446G	Wing, Revo® (Exo-Carbon finish)/ decal sheet
5412	Wing, Revo® (white)/ decal sheet

### Brake Components

5388	Brake cam (1)/ sleeve (1)
5364X	Brake disc (high performance, vented)
5364	Brake disk (40mm steel)
5417A	Brake kit (dual disc rear for Revo®) (Requires center differential kit, part 5414)
5365A	Brake pad set (inner and outer calipers with bonded friction material)
5418	Linkage set, rear brake (Revo®) (Includes: brake lever/ rod (wire)/ brake spring/ brake adjustment dial/ rod guide bushing/ 2.5x5x0.75 MW)
5368	Linkage set, throttle & brake, Revo® (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo® brake bolts) (6)
5457	Yoke, brake (1)/ torque pins (2)/ Screw Pin 4x15(1)

### Bumpers & Skidplates

5335A	Bumper, front (chrome)/ bumper mount, front/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5336A	Bumper, rear (chrome)/ bumper mount, rear/ 4x10mm BCS (2)/ 3x25mm BCS (2)
5335X	Bumpers, front and rear (black chrome)
5315	Guards, steering servo (2)
5316	Roll hoop, plastic/ transmission skid guard, plastic
5337	Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
5473	Wheelie bar mount (1) (fits all Revo® trucks)
5472	Wheelie bar, assembled (fits all 1/10th scale Revo® trucks)
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar

5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)

### Chassis & Attachments

5314	Body mounts, front & rear/ body mount posts, front & rear/ 2.5x18mm screw pins (4)/ 4x10mm BCS (1)
5324X	Box, receiver & battery (2)/ cover/ foam pad & adhesive/ charge jack plug (rubber)/ hardware (accommodates either AA battery holder or RX flat pack)
5323	Bulkhead tie bars, front & rear (blue anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red anodized aluminum)
5330	Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)
5329	Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (2)
5361	Chassis Brace, Revo® (3mm 6061-T6 aluminum) (blue-anodized)/ 4x16mm BCS
5322X	Chassis, Revo® 3.3 (extended 30mm) (3mm 6061 T-6 aluminum) (anodized blue)
5326X	Cover plate, steering servo/ 3x8mm BCS (4)
5157	Cover plates and seals, forward only conversion (Revo®) (Optidrive® blank-out plate, Optidrive® sensor cover, shift fork cover)
5325X	Electronics box, left/ box cover
5324	Electronics box, right/ box cover/ charge jack plug (rubber)/ foam padding and adhesive (use with OptiDrive electronic shift module)
5315	Guards, steering servo (2)
5325R	Servo mount, throttle/ 4x10mm BCS (2)
5326	Servo mounts, steering (2)
5317	Shock mounts (front & Rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)
5337	Skid plate set, front (2 pieces, plastic)/ skid plate, rear (1 piece, plastic)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
5473	Wheelie bar mount (1) (fits all Revo® trucks)
5472	Wheelie bar, assembled (fits all 1/10th scale Revo® trucks)
4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)

### Clutch & Related Parts

4609	Ball bearings (5x10x4mm) (2) (metal shielded, for clutch bell)
4611	Ball bearings (5x11x4mm) (2)
5214	Clutch bell (14-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x10x4mm ball bearings part #4609) (1.0 metric pitch)
5215	Clutch bell (15-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611)
5216	Clutch bell (16-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611)
5217	Clutch bell (17-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)
4146X	Clutch shoes (2)/ spring
3281	Cone, split beveled
1633	E-clips/ C-rings
6542X	Flywheel (large, knurled for use with starter boxes)
5244	Flywheel nut (TRX® 2.5 and 2.5R)

6542 Flywheel with magnet (35mm)  
 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

### Differential Components

5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)  
 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)  
 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)  
**5417A Brake kit (dual disc rear for Revo®) (Requires center differential kit, part 5414)**  
 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW  
**5414 Differential kit, center (Complete for Revo®) (assembled with 100K oil) Includes forward-only conversion**  
**5136X Differential oil kit (1 each: 10K, 30K, 50K weights)**  
 5382X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft/ diff carrier support)  
**5414X Gear, center differential (Revo®)/ X-ring seals (2)/ gasket (1) (Replacement gear for 5414)**  
**5416 Gear, differential output (Revo® center diff, front or rear without rear brake kit (5417))**  
**5415 Gear, differential output (Revo® center diff, rear with rear brake kit (5417))**  
 5380 Housings, differential (front & rear)  
**5130 Oil, differential (100K wt) (0.7 oz (20cc))**  
**5135 Oil, differential (10K wt) (1.7 oz (50cc))**  
 5136 Oil, differential (30K wt) (1.7 oz (50cc))  
**5039 Oil, differential (500K wt) (0.7 oz (20cc))**  
**5137 Oil, differential (50K wt) (1.7 oz (50cc))**  
 5379X Ring gear, differential/ pinion gear, differential  
**5379R Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**  
**5381X Spool, differential (eliminates differential. Use off-road only) (Requires #5379 ring gear)**

### Driveline Components

5334R Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)  
 5459 Boots, driveshaft (rubber) (2)  
**5153R Drive cups, inner (2) Revo® (steel constant-velocity driveshafts)/screw pin, M4/15(2) (for use only with 5333R adjustable wheelbase rear suspension arms)**  
**5153 Drive cups, inner (2) Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx (steel constant-velocity driveshafts)/screw pin, M4/15 (2)**  
 5451X Driveshaft assembly (1), left or right (fully assembled, ready to install)/ 4x15mm screw pin (1)  
**5154 Driveshaft, steel constant-velocity, Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx (shaft only, 128.5mm)/ drive cup pin (1)**  
**5451R Driveshafts, Revo®/ E-Revo® (first generation)/ T-Maxx®/ E-Maxx (steel constant-velocity) (assembled w/inner & outer dust boots) (for models w/ 6mm axles) (4)**  
 5150 E-clips, 1.5mm (24)  
 5450 Half shaft set, left or right (plastic parts only) (internal splined half shaft/ external splined half shaft/ rubber boot) (assembled with glued boot) (2 assemblies)  
 5456 Half shafts, center (internal splined (2)/ external splined (2)) (plastic parts only)  
 5455 Half shafts, center front (internal splined (1)/ external splined (1)/ center rear (internal splined (1)/ external splined (1)) (plastic parts only)  
 4955 Pins, axle (2.5x12mm) (4)  
**5129 Rebuild kit (for Revo®/E-Revo® (first generation)/T-Maxx®/E-Maxx steel constant-velocity driveshafts) (includes pins, dustboots, & lube for 2 driveshafts assemblies)**  
 5145 Screw pin, 4x15mm (6)  
**5189 Screw pins, 4x13mm (with threadlock) (4)**  
 5454 Stub axle (steel) (2)  
**5166 Stub axle, (1)/ axle sleeve (1) Revo®/T-Maxx®/E-Maxx (steel constant-velocity driveshaft)**  
 5353X Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)  
**5353G Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)**  
**5353R Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)**  
 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)  
**5353A Wheel nuts, splined, 17mm (green-anodized) (4)**  
 5457 Yoke, brake (1)/ torque pins (2)/Screw Pin 4x15(1)  
 5458X Yokes, differential and transmission (2)/ 4x15mm screw pins (2)  
 5453 Yokes, stub axle (2)/ pins (2)

### Engine & Servo Mounts

**5360X Big block conversion kit (engine mount and required hardware, Forward Conversion Kit for Transmission)**  
 5361 Chassis Brace, Revo® (3mm 6061-T6 aluminum) (blue-anodized)/ 4x16mm BCS  
 5360 Engine mount (complete assembly)/ 3x28mm CS with washers (2)/ 3x10 CS with washers (10), ELW 3x6.5x.45 (3)  
 3159 Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench  
**5325R Servo mount, throttle/ 4x10mm BCS (2)**  
 5326 Servo mounts, steering (2)

### Engine Components

5238R Cooling head, PowerTune (machined aluminum, blue- anodized) (TRX® 3.3), head protector (1), 3x6mm CCS (5)  
 5270R EZ-Start® 2, complete system with controller, drive unit, wiring harness  
 3980 Glow plug wrench (Universal wrench)  
 3232X Glow plug, super-duty (long-medium)/gasket  
 5228 Head protector, cooling head (1)/3x6mm CCS (5) (TRX® 3.3)  
 5290 Piston/Sleeve (Matched Set), Wrist Pin Clips(2) (TRX® 3.3)  
 5211R Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX® 2.5, 2.5R, 3.3)  
 5277 Shaft, starter (TRX® 2.5 & 2.5R)  
**5170 Starter, recoil (complete with screws) (TRX® 2.5)**

### Exhaust

3155 Cable ties, medium black (6)  
 5346 Hanger, metal wire (for tuned pipe)/ 4mm GS (1)/ 4x10 BCS (1)  
**5254 Header spring/ gaskets (TRX® 2.5, 2.5R 3.3)**  
 5340 Header, exhaust (tubular aluminum, silver-anodized) (TRX 2.5, 2.5R, 3.3)  
**5340X Header, exhaust (tubular aluminum, silver-anodized)/ spring mount (TRX® 2.5, 2.5 R, 3.3)**  
 5256 O-ring, header 12.2x1mm (TRX® 2.5)  
**5245X Pipe coupler, molded (black)/ exhaust deflector (rubber, black)/ cable ties, long (2)/ cable ties, short (2)**  
 5245 Pipe coupler, molded (blue)/ Exhaust deflector (rubber, blue)/ cable ties, long (2)/ cable ties, short (2)  
 5142 Screws, 3x15mm caphead machine (hex drive) (with split and flat washers) (6)  
**5342 Tuned pipe, aluminum, blue anodized (dual chamber with pressure fitting)/ 4mm GS**  
 5493 Tuned pipe, Resonator®, R.O.A.R. legal (dual-chamber, enhances mid to high-rpm power) (for Revo® with TRX® Racing Engines)  
**5490 Tuned pipe, Resonator®, R.O.A.R. legal (single-chamber, enhances low to mid-rpm power) (for Revo® with TRX® Racing Engines)**

### EZ Start 2 & Related parts

4579X Connector, wiring harness (EZ-Start® and EZ-Start® 2)  
 5280 Control box (complete) (EZ-Start® 2)  
 5281 Control box battery cover w/ belt clip (EZ Start 2)  
 5273 Cush-drive elements (4) (EZ Start 2)  
 5270R EZ-Start® 2, complete system with controller, drive unit, wiring harness  
 5276 Gear set (complete) (EZ-Start® 2)  
**5148 Grease, white lithium**  
 5275 Housing set (inner, outer)/ 3x12mmBCS (5)/ 3x20BCS (1)/ motor bushing (EZ-Start® 2)  
 4581X Lead wire, glow plug (blue) (EZ-Start® and EZ-Start® 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)  
 5279 Motor (hi-torque)/ pinion gear/ motor bushing (EZ-Start® 2)  
 5211R Roller clutch/ 6x8x0.5 TW (1) (also called one-way bearing) (TRX® 2.5, 2.5R, 3.3)  
 5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)  
 5282 Screws, 3x12mm button-head machine (6) (Starter attachment screws w/ threadlock)  
 2578 Screws, 3x12mm button-head machine (hex drive) (6)  
 5277 Shaft, starter (TRX® 2.5 & 2.5R)  
 5317 Wire clips, chassis (4)/ wire clip (1)/ Shock mounts (front & Rear)/ 3x32mm CS (4)

### Front Suspension

5334R Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)  
 5323 Bulkhead tie bars, front & rear (blue anodized aluminum)  
**5323R Bulkhead tie bars, front & rear (red anodized aluminum)**  
 5330 Bulkhead, front (L&R halves)/ diff retainer/ 4x14mm BCS (4)  
 5134 Caster spacers (4)/ shims (4)  
**5339 Insert, threaded steel (Replacement Inserts For Tubes, Part 5338R) (Includes(1) Left And (1) Right Threaded insert)**

<b>5495</b>	<b>Linkage, front sway bar (Revo®) (3x70mm turnbuckle) (2) (assembled with rod ends, hollow balls and ball stud)</b>
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
<b>4933X</b>	<b>Pivot balls, hard anodized 7075 T-6 aluminum (4)/ pivot ball cap (4)</b>
<b>5319X</b>	<b>Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)</b>
<b>5318X</b>	<b>Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)</b>
<b>5319</b>	<b>Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)</b>
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5356	Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)
<b>5357</b>	<b>Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)</b>
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
<b>5359</b>	<b>Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)</b>
5354	Rocker Arm Stud
<b>5354X</b>	<b>Rocker Arm Stud Aluminum</b>
<b>5189</b>	<b>Screw pins, 4x13mm (with threadlock) (4)</b>
5133A	Spacer, pushrod (aluminum, blue) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
<b>5133</b>	<b>Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)</b>
5332	Suspension arm upper (1)/ suspension arm lower (1) (left front))
5331	Suspension arms upper (1)/ suspension arm lower (1) (right front)
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
<b>5498</b>	<b>Sway bar kit, Revo® (front and rear) (includes thick and thin sway bars and adjustable linkage) (requires part #5411 to install rear bumper)</b>
<b>5496</b>	<b>Sway bar mounts (front &amp; rear) (Revo®)/ sway bar wires (front &amp; rear) (4)/ drill guide/ spacers</b>
5338	Toe link, 5.0mm steel (front or rear) (2)
<b>5338R</b>	<b>Toe links, Revo® (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)</b>
<b>5338A</b>	<b>Toe links, Revo® (Tubes™ 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)</b>

### Fuel Tank & Line

3935	Body clip (mounting clip), angled, 90-degrees (10)
<b>3935A</b>	<b>Body clip (mounting clip), angled, 90-degrees (black) (10)</b>
3147X	Fuel line (610mm or 2ft)
5363X	Fuel tank, 150cc (complete)
3149A	Heat shield tubing, fiberglass (2) (black)
5362	O-ring, fuel tank cap, (Revo®) (2)
5367	Pull ring (2), fuel tank cap (1)/ engine shut-off clamp (1)
5376	Rebuild kit, fuel tank (includes: mounting post, grommets (2), tank guard, mounting clips (2), cap o-ring, cap o-ring retainer, cap pull ring (2), spring, hardware)

### Fuel, Lubricants & Supplies

<b>5263</b>	<b>Air filter oil</b>
5001	Bottle, Fuel filler (500cc)
<b>5136X</b>	<b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b>
3232X	Glow plug, super-duty (long-medium)/gasket
<b>5148</b>	<b>Grease, white lithium</b>
<b>5130</b>	<b>Oil, differential (100K wt) (0.7 oz (20cc))</b>
<b>5135</b>	<b>Oil, differential (10K wt) (1.7 oz (50cc))</b>
<b>5136</b>	<b>Oil, differential (30K wt) (1.7 oz (50cc))</b>
<b>5039</b>	<b>Oil, differential (500K wt) (0.7 oz (20cc))</b>
<b>5137</b>	<b>Oil, differential (50K wt) (1.7 oz (50cc))</b>
5001R	Rebuild kit, fuel filler bottle (includes bottle lid (1) and dispensing tube caps, rubber (2) (fits 8mm or 5/16" dispensing tube))
<b>5070</b>	<b>Top Fuel®, 20% Nitro (gallon)</b>
<b>5020</b>	<b>Top Fuel®, 20% Nitro (quart)</b>
<b>5080</b>	<b>Top Fuel®, 33% nitro (gallon)</b>
<b>5030</b>	<b>Top Fuel®, 33% nitro (quart)</b>

### Hardware

3935	Body clip (mounting clip), angled, 90-degrees (10)
<b>3935A</b>	<b>Body clip (mounting clip), angled, 90-degrees (black) (10)</b>
<b>1834</b>	<b>Body Clips (12) (standard size)</b>
3934	Body clips, heavy duty (12)
3182	Collars, screw (2)/ grub screws, 3mm (2)
5150	E-clips, 1.5mm (24)
5477	Flat wrench, 5mm (blue anodized aluminum)

5478	Flat wrench, 8mm (blue anodized aluminum)
3980	Glow plug wrench (Universal wrench)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
2745	Nuts, 3mm nylon locking (12)
4987	Rings, retainer (snap rings) (14mm) (2)
5144	Screw pin, 2.5x18mm (6)
5145	Screw pin, 4x15mm (6)
5189	Screw pins, 4x13mm (with threadlock) (4)
3236	Screws, 2.5x12mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
2674	Screws, 2x6mm roundhead self-tapping (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
3159	Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
5282	Screws, 3x12mm button-head machine (6) (Starter attachment screws w/ threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
5142	Screws, 3x15mm caphead machine (hex drive) (with split and flat washers) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
4978	Screws, 3x21mm button-head machine (hex drive) (partially threaded, Revo® brake bolts) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
3963	Screws, 3x28mm cap-head machine (hex drive) (6)/ 3x6mm ELW (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
3964	Screws, 3x32mm cap-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3936	Screws, 4x10mm button-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
3940	Screws, 4x4 button-head machine, aluminum (blue) (hex drive) (6)
3939	Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)

4897	Screws, set (grub) 4mm (6) (w/ threadlock)
2743	Set (grub) screws, 3mm hardened (12)
3966	Shoulder screws, 3x10mm (6) (with threadlock)
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
3982	Washer, PTFE-coated 6x8x0.5 (10)
5353X	Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)
<b>5353R</b>	<b>Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)</b>
4147	Wheel nuts, 5mm nylon locking (8)
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm

### Radio System, Batteries & Chargers

2919	1800mAh 7.2V 6-cell flat NiMH Battery, Power Cell
3028	Adapter, Molex to Traxxas® receiver battery pack (for charging) (1)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
<b>5526R</b>	<b>Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
<b>2914</b>	<b>Battery, Power Cell AA Alkaline (4)</b>
2977	Charger, D/C, 2 amp (Molex) (5 - 6 cell, 6.0 - 7.2 volt, NiMH)
<b>2978</b>	<b>Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)</b>
2053	Gear set (for 2055, 2056 servos)
<b>2072A</b>	<b>Gear set (for 2070, 2075 servos)</b>
<b>6556</b>	<b>Mount, telemetry expander (fits XO-1®, E-Revo®, Summit®, all T-Maxx®/E-Maxx® trucks, Revo® 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)</b>
6536	Mounts, RPM sensor (nitro engines)/ 3x10 CS with split and flat washers (2)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
<b>6526</b>	<b>Sensor, auto-detectable, temperature</b>
<b>6527</b>	<b>Sensor, auto-detectable, voltage</b>

6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2070	Servo, digital high-torque (ball bearing)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3035	Wiring harness for RX Power Pack, Revo® (includes on/off switch and charge jack)
2734	Zip Ties (small)

### Ready-To-Race Model

53097-3	Revo® 3.3: 1/10 Scale 4WD Nitro-Powered Monster Truck (with Telemetry Sensors) with TQi™ 2.4GHz Radio System, Traxxas Link™ Wireless Module, and Traxxas Stability Management (TSM)®
---------	--

### Rear Suspension

5334R	Axle carriers, left & right (1 each) (use with larger 6x13mm ball bearings)/ bearing adapters (for 6x12mm ball bearings) (2)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue anodized aluminum)
5323R	<b>Bulkhead tie bars, front &amp; rear (red anodized aluminum)</b>
5329	Bulkhead, rear (L&R halves)/ diff retainer, rear/ 4x14mm BCS (2)
5134	Caster spacers (4)/ shims (4)
5339	Insert, threaded steel (Replacement Inserts For Tubes, Part 5338R) (Includes(1) Left And (1) Right Threaded insert)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	<b>Pivot balls, hard anodized 7075 T-6 aluminum (4)/ pivot ball cap (4)</b>
5319X	<b>Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)</b>
5318X	<b>Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)</b>
5319	<b>Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)</b>
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5356	Rocker arm set, long travel (120-T) (use with #5318 or #5318X pushrod)
5357	<b>Rocker arm set, progressive-1 (90-T) (use with #5318 or #5318X pushrod)</b>
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
5359	<b>Rocker arm set, progressive-3 (90-T) (requires pushrods part #5319 or 5319X)</b>
5354	Rocker Arm Stud
5354X	<b>Rocker Arm Stud Aluminum</b>
5348	Rod ends, Revo® (large, for rear toe link only) (4)
5189	<b>Screw pins, 4x13mm (with threadlock) (4)</b>
5133	Spacer, pushrod (aluminum, red) (use with 5318 or 5318X pushrod and 5358 progressive 2 rockers) (8)
5333R	<b>Suspension arm set, adjustable wheelbase (lengthens wheelbase 10mm or 19mm) (suspension arm upper (2)/ suspension arm lower (2)/ bumper mount spacers (2)/ 4x16BCS (2))</b>
5333	Suspension arm upper (1)/ suspension arm lower (1) (rear, left or right)
5328	<b>Suspension arms, adjustable wheelbase left side (upper arm (1)/ lower arm (1))</b>
5327	<b>Suspension arms, adjustable wheelbase right side (upper arm (1)/ lower arm (1))</b>
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
5498	<b>Sway bar kit, Revo® (front and rear) (includes thick and thin sway bars and adjustable linkage) (requires part #5411 to install rear bumper)</b>
5496	<b>Sway bar mounts (front &amp; rear) (Revo®)/ sway bar wires (front &amp; rear) (4)/ drill guide/ spacers</b>

5338R	<b>Toe links, Revo® (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)</b>
5338A	<b>Toe links, Revo® (Tubes™ 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)</b>

### Recoil Starter

5277	Shaft, starter (TRX® 2.5 & 2.5R)
5170	<b>Starter, recoil (complete with screws) (TRX® 2.5)</b>

### Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

### Shocks (GTR)

5466R	Bodies, GTR shock (hard-anodized, PTFE-coated aluminum) (4), with TiN shafts (4) (bodies and shafts only)
5467A	<b>Body, GTR shock (aluminum, blue-anodized) (1)</b>
5466X	Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
5465	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469	Rod ends (GTR shocks)
5463	<b>Shaft, GTR shock (2) (stainless)</b>
5463T	Shaft, GTR shock TiN-coated (2)
5460	<b>Shocks, GTR (assembled) (2) (without springs)</b>
5460A	<b>Shocks, GTR aluminum, blue-anodized bodies with TiN shafts (fully assembled w/o springs) (4)</b>
5460R	<b>Shocks, GTR aluminum, red-anodized bodies with TiN shafts (fully assembled w/o springs) (4)</b>
5460X	Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)
5461	<b>Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)</b>

### Slipper Clutch Components

5478	Flat wrench, 8mm (blue anodized aluminum)
5366	Input shaft, transmission (slipper shaft)
5352T	<b>Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))</b>
5352A	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
5351	Slipper pressure plate and hub (alloy)

### Springs

5435	<b>Spring, shock (GTR) (2.6 rate Yellow)</b>
5438	Spring, shock (GTR) (3.5 rate green) (std. rear 90mm)
5439	<b>Spring, shock (GTR) (3.8 rate gold)</b>
5440	<b>Spring, shock (GTR) (4.1 rate tan)</b>
5441	<b>Spring, shock (GTR) (4.4 rate black)</b>
5442	Spring, shock (GTR) (4.9 rate silver) (std. front 120mm)
5443	<b>Spring, shock (GTR) (5.4 rate pink)</b>
5444	Spring, shock (GTR) (5.9 rate blue) (std. rear 120mm)
5445	<b>Spring, shock (GTR) (6.4 rate purple)</b>
5436	<b>Spring, shock (red) (GTR) (2.9 rate white) (1 pair)</b>
5437	Spring, shock (red) (GTR) (3.2 rate orange) (std. front 90mm) (1 pair)

### Spur Gears & Clutch Bells

5214	Clutch bell (14-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x10x4mm ball bearings part #4609) (1.0 metric pitch)
5215	<b>Clutch bell (15-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611)</b>
5216	<b>Clutch bell (16-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611)</b>
5217	<b>Clutch bell (17-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm e-clip (2) (requires 5x11x4mm ball bearings part #4611) (1.0 metric pitch)</b>
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3953	<b>Spur gear, 36-tooth (1.0 metric pitch)</b>

3954    Spur gear, 38-tooth (1.0 Module)  
**3955    Spur gear, 40-tooth (1.0 Module)**

### Steering Components

**2072A    Gear set (for 2070, 2075 servos)**  
**5355X    Hollow ball set, aluminum Revo® (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)**

5355    Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)

5341    Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)

5343X    Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops)

5469    Rod ends (GTR shocks)

5347    Rod ends, Revo® (large) with hollow balls (12)

5349    Rod ends, small, with hollow balls (6) (for Revo® steering linkage)

2074    Servo case/gaskets (for 2056 and 2075 waterproof servos)

5345X    Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))

5345R    Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)

**5344X    Servo saver spring, heavy duty (for use with metal-gear servos)**  
**2075R    Servo, digital high-speed, metal gear (ball bearing), waterproof**  
**2070    Servo, digital high-torque (ball bearing)**  
**2075    Servo, digital high-torque (ball bearing), waterproof**  
**2075X    Servo, digital high-torque, metal gear (ball bearing), waterproof**  
2056    Servo, high-torque, waterproof (blue case)

5338    Toe link, 5.0mm steel (front or rear) (2)

**5338R    Toe links, Revo® (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**

**5338A    Toe links, Revo® (Tubes™ 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)**

### Suspension Linkage

**5355X    Hollow ball set, aluminum Revo® (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)**

5355    Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)

5339    Insert, threaded steel (Replacement Inserts For Tubes, Part 5338R) (Includes (1) Left And (1) Right Threaded insert)

5341    Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)

**5319X    Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)**

**5318X    Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)**

**5319    Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)**

5318    Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)

5469    Rod ends (GTR shocks)

5347    Rod ends, Revo® (large) with hollow balls (12)

5348    Rod ends, Revo® (large, for rear toe link only) (4)

5345R    Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)

5321    Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)

5338    Toe link, 5.0mm steel (front or rear) (2)

5338R    Toe links, Revo® (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

**5338A    Toe links, Revo® (Tubes™ 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)**

### Team Traxxas Items

**2514    Decal sheet, racing sponsors**  
**9950    Official Team Traxxas® racing decal set(flag logo/ 6-color)**  
**9909    Traxxas® racing banner, red & black (3x7 feet)**

### Throttle & Brake Linkage

5388    Brake cam (1)/ sleeve (1)

3182    Collars, screw (2)/ grub screws, 3mm (2)

**5418    Linkage set, rear brake (Revo®) (Includes: brake lever/ rod (wire)/ brake spring/ brake adjustment dial/ rod guide bushing/ 2.5x5x0.75 MW)**

5368    Linkage set, throttle & brake, Revo® (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)

5392    Linkage, shift, Revo® (includes: ball collar, spring, ball cup, servo horn, linkage wire)

5341    Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)

**5345X    Servo horns, steering and throttle (for non-Traxxas® servos (Hitec, JR, KO, Airtronics))**

5345R    Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)

3966    Shoulder screws, 3x10mm (6) (with threadlock)

4046    Spring, throttle return (2) (Revo®/Slayer)

### Tires & Wheels

**4954    Hex wheel hubs (2)/ axle pins (2.5x12mm) (2)**  
**4954X    Hex wheel hubs, 6061 T-6 aluminum (blue) (4)/ axle pins (2.5x10mm) (4)**

**4954R    Hex wheel hubs, steel (2)/ axle pins (2.5x12mm) (2)**  
**4147X    Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)**  
**5147X    Nuts, 5mm flanged nylon locking (steel, serrated) (8)**  
**4955    Pins, axle (2.5x12mm) (4)**  
5189    Screw pins, 4x13mm (with threadlock) (4)

**3965    Screws, 2.5x8mm cap-head machine (6)**  
**5666    Sidewall protector, beadlock-style (blue) (2)/ 2.5x8mm CS (24)**  
**5664    Sidewall protector, beadlock-style (green) (2)/ 2.5x8mm CS (24)**  
**5667    Sidewall protector, beadlock-style (red) (2)/ 2.5x8mm CS (24)**  
**5374X    Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM® rated)**

**5374    Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (also fits Maxx® series)**

5674    Tires & wheels, assembled, glued (Geode chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)

**5672    Tires & wheels, assembled, glued (Geode chrome wheels, paddle tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM® rated)**

**4973R    Tires & wheels, assembled, glued (Hurricane chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (fits Revo®/T-Maxx®/E-Maxx with 6mm axle and 14mm hex)**

**5174A    Tires & wheels, assembled, glued (Split-Spoke satin-finish wheels, Talon tires, foam inserts) (2) (fits Maxx® w/sealed pivot ball suspension & Revo®)**

**4983A    Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx) (TSM rated)**

**5174    Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Maxx®/Revo® series)**

**5174R    Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (use w/17mm splined wheel hubs & nuts, part #5353X)**

**5375R    Tires & wheels, assembled, glued (white dished 3.8" wheels, Response Pro tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)**

**5670    Tires, Canyon AT 3.8" (2)/ foam inserts (2)**  
4973    Tires, Maxx® 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo®/T-Maxx®/E-Maxx)

**5375    Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)**

**5471    Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)**

**5171    Tires, T-Maxx® 3.8" (2) (fits Revo®/Maxx® series)**

**5370    Tires, Talon 3.8" (2), foam inserts (2)**

5353X    Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)

**5353R    Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)**

5353    Wheel nuts, splined, 17mm (blue-anodized) (4)

**5480X    Wheel wrench, splined, 17mm**

**5371    Wheels, dished 3.8" (white) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)**

**5372X    Wheels, Gemini 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)**

**5671    Wheels, Geode 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)**

**5373    Wheels, Hurricane 3.8" (chrome) (2) (also fits Maxx® series)**

**5172A    Wheels, SS (split spoke) 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx)**

**5172X    Wheels, SS (split spoke) 3.8" (chrome) (2) (fits Revo®/Maxx® series)**

## Transmission Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5388	Brake cam (1)/ sleeve (1)
5157	Cover plates and seals, forward only conversion (Revo®) (Optidrive® blank-out plate, Optidrive® sensor cover, shift fork cover)
5414	Differential kit, center (Complete for Revo®) (assembled with 100K oil) Includes forward-only conversion
5394X	Forward only conversion kit (eliminates reverse)
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
5386	Gear, 1st speed, 43T
5414X	Gear, center differential (Revo®)/ X-ring seals (2)/ gasket (1) (Replacement gear for 5414)
5416	Gear, differential output (Revo® center diff, front or rear without rear brake kit (5417))
5415	Gear, differential output (Revo® center diff, rear with rear brake kit (5417))
5377	Gear, idler/ idler gear support/ bearing (pressed in)
5391R	Gearbox halves (front & rear)/ rubber access plug/ shift detent ball/ spring/ 4mm GS/ shift shaft seal, glued
5366	Input shaft, transmission (slipper shaft)
5368	Linkage set, throttle & brake, Revo® (includes servo horns, rod guides, brake spring, brake adjustment dial, brake lever, rods (wires), bellcrank, throttle return spring, hardware)
5392	Linkage, shift, Revo® (includes: ball collar, spring, ball cup, servo horn, linkage wire)
5398	OptiDrive® electronic shift module
5397	OptiDrive® sensor assembly/ 2.5x6mm CS (2)
5395	Output gears, forward & reverse/ drive dog carrier
5369	Output shaft, transmission
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
5396X	Primary gears, forward and reverse/ 2x11.8mm pin/ pin retainer/ disc spring
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm PTFE-coated washer
5352T	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5395X	Reverse upgrade kit (includes all components to add mechanical reverse (no Optidrive®) to Revo®) (includes 2060 sub-micro servo)
5389X	Shift fork/ shaft
5491A	Transmission, complete (fits Revo® 3.3)
3982	Washer, PTFE-coated 6x8x0.5 (10)

## Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive

8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

## Turnbuckles & Threaded Rods

5477	Flat wrench, 5mm (blue anodized aluminum)
5339	Insert, threaded steel (Replacement Inserts For Tubes, Part 5338R) (Includes(1) Left And (1) Right Threaded insert)
5341	Linkage, steering (Revo® 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5319X	Push rod (aluminum) (assembled with rod ends) (2) (red) (use with #5359 progressive 3 rockers)
5318X	Push rod (aluminum) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5319	Push rod (steel) (assembled with rod ends) (2) (black) (use with #5359 progressive 3 rockers)
5318	Push rod (steel) (assembled with rod ends) (2) (use with long travel or #5357 progressive-1 rockers)
5338	Toe link, 5.0mm steel (front or rear) (2)
5338R	Toe links, Revo® (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
5338A	Toe links, Revo® (Tubes™ 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)

## Two-Speed Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5383	Gear set, 2-speed close ratio (2nd speed gear 40T, 13T-16T input gears, hardware)
5385	Gear set, 2-speed standard ratio (2nd speed gear 39T, 13T-17T input gears, hardware)
5384	Gear set, 2-speed wide ratio (2nd speed gear 38T, 13T-18T input gears, hardware)
5386	Gear, 1st speed, 43T
5390	Primary clutch assembly/ 2x9.8mm pin/ 6x8x0.5 TW (1)
5396X	Primary gears, forward and reverse/ 2x11.8mm pin/ pin retainer/ disc spring
5393	Primary shaft/ 1st speed hub/ one-way bearing/ snap ring/ 5x8mm PTFE-coated washer

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**