



Rustler® 4X4 Brushless (Model 67464-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
6720	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (4)
6719	Body support/ 3x12mm CS (4)
9077	Body, Rustler® 4X4 (clear, requires painting)/ window, grille, lights decal sheet/ body plastics
9077X	Body, Rustler® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet
2514	Decal sheet, racing sponsors
9083	Latch, body mount, front (1)/ rear (1) (for clipless body mounting) (attaches to #9077 body)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
6728X	Skid plate, roof (body) (blue)/ 3x12mm CS (4)
6728G	Skid plate, roof (body) (green)/ 3x12 CS (4)
6728T	Skid plate, roof (body) (orange)/ 3x12 CS (4)
6728R	Skid plate, roof (body) (red)/ 3x12mm CS (4)
6728	Skid plate, roof (body)/ 3x12mm CS (4)
6721-BLK	Wing, Rustler® (black)
6721-BLUE	Wing, Rustler® (blue)
6721-GRN	Wing, Rustler® (green)
6721-ORNG	Wing, Rustler® (orange)
6721-RED	Wing, Rustler® (red)

Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
7477	Cover, gear/ wire retainer
7477-SLGRY	Cover, gear/ wire retainer (slate gray)
6780	Differential kit, center (complete) (aluminum carrier)
6780A	Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6767X	Driveshaft, center, plastic (black)/ screw pin
6767X-BLUE	Driveshaft, center, plastic (blue)/ screw pin
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
6884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460R	Motor mount, 6061-T6 aluminum (blue-anodized)
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)
6842X	Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
6726X-SLGRY	Battery hold-down (3)/ battery clip/ hold-down post (slate gray)/ screw pin/ pivot post screw (fits #6723 chassis with 162mm long battery compartment)
6726X	Battery hold-down (3)/ battery clip/ hold-down post/ screw pin/ pivot post screw (fits #6723R chassis with 162mm long battery compartment)
6724	Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
6724-BLK	Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (5)/ 3x10mm CS (2)

6791	Bumper, front (assembled, LED lights installed) (fits 4WD Rustler®)
6736X	Bumper, front / bumper support (fits 4WD Rustler®) (for LED light kit installation)
6736-BLK	Bumper, front/ bumper support
6736	Bumper, front/ bumper support
6737X	Bumper, rear / bumper mount (fits 4WD Rustler®) (for LED light kit installation)
6737	Bumper, rear/ bumper mount, rear
6730X	Chassis brace kit, blue (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
6730G	Chassis brace kit, green (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
6730A	Chassis brace kit, orange (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
6730R	Chassis brace kit, red (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
6723-DGRY	Chassis w/ bearing support for center driveshaft, charcoal gray (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down) (requires #6724-BLK receiver box)
6723-GRAY	Chassis w/ bearing support for center driveshaft, gray (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down) (requires #6724-BLK receiver box)
6723-STGRY	Chassis w/ bearing support for center driveshaft, steel gray (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down) (requires #6724-BLK receiver box)
3965	Screws, 2.5x8mm cap-head machine (6)
6776	Wheelee bar

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6780	Differential kit, center (complete) (aluminum carrier)
6780A	Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)
5136X	Differential oil kit (1.7 oz (50cc) of 1 each: 10K, 30K, 50K weights)
6788	Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6789	Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
6881	Housings, differential, front
6880	Housings, differential, rear
5136	Oil, differential (30K wt) (1.7 oz (50cc))
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)

Driveline Components

9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9057X	Differential output shafts, steel-splined constant-velocity (2)
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)

Page 2 Rustler® 4X4 Brushless: TQi Sport 2.4GHz Radio (Model 67464-4) Parts List

9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6765	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)	9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6765G	Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)	9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6765A	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)	9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6765R	Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)	9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6767X	Driveshaft, center, plastic (black)/ screw pin	9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
6767X-BLUE	Driveshaft, center, plastic (blue)/ screw pin	9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9055X	Half shaft, external splined (steel-spline constant velocity) (1)	9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)	9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)	9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)	9080	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)	9080X	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue
9054	Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)	9080-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray
9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)	9080G	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green
5452X	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm headed pin (4)/ 4x15mm screw pin (2)/ hex pin (2)/ e-clips (10)/ 3x6x0.5 MW (8)) (metal parts for 2 driveshafts)	9080T	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange
9087-BLUE	Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)	9080R	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red
9087-GRAY	Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)	9043	Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)
9087-GRN	Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)	9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)
9087-ORNG	Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)	9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9087-RED	Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)	9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)	9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)
9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)
9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)
9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038-SLGRY	Shock tower, front, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
Extreme HD Upgrade Kit			
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
		9039-SLGRY	Shock tower, rear, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
		9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

Page 3 Rustler® 4X4 Brushless: TQi Sport 2.4GHz Radio (Model 67464-4) Parts List

9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9063-ORNG	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right (for use with #9080 upgrade kit)
9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9063-RED	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right (for use with #9080 upgrade kit)
9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)	9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)	9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)	9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)	9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9087-BLUE	Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)	6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
9087-GRAY	Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)	6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
9087-GRN	Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)	6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
9087-ORNG	Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)	6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
9087-RED	Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)	9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)	9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	7438	Linkage, steering
9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)
9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)
9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)	9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)
Front Suspension & Steering			
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)
9084	Body mount, front (1)/ rear (1) (for clipless body mounting) (attaches to #9077 body)	9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)	9038-SLGRY	Shock tower, front, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
6823-GRAY	Bulkhead tie bars, front & rear, aluminum (gray-anodized)	6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)	9064-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right (for use with #9080 upgrade kit)
6823-ORNG	Bulkhead tie bars, front & rear, aluminum (orange-anodized)	9064-GRAY	Steering blocks, 6061-T6 aluminum (gray-anodized), left & right (for use with #9080 upgrade kit)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)	9064-GRN	Steering blocks, 6061-T6 aluminum (green-anodized), left & right (for use with #9080 upgrade kit)
7430R	Bulkhead, front (for use only with #6723R chassis)	9064-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right (for use with #9080 upgrade kit)
7453	Camber links, front (molded composite) (79.6mm center to center) (2) (assembled with hollow balls)	9064-RED	Steering blocks, 6061-T6 aluminum (red-anodized), left & right (for use with #9080 upgrade kit)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9063-BLUE	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right (for use with #9080 upgrade kit)	9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9063-GRAY	Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right (for use with #9080 upgrade kit)	9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9063-GRN	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right (for use with #9080 upgrade kit)	9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
		9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
		3655-BLK	Suspension arms, black, front/rear (left & right), heavy duty (2)
		3655-BLUE	Suspension arms, blue, front/rear (left & right), heavy duty (2)
		3655-GRN	Suspension arms, green, front/rear (left & right), heavy duty (2)
		3655-ORNG	Suspension arms, orange, front/rear (left & right), heavy duty (2)

Page 4 Rustler® 4X4 Brushless: TQi Sport 2.4GHz Radio (Model 67464-4) Parts List

3655-RED	Suspension arms, red, front/rear (left & right), heavy duty (2)
3655-SLGRY	Suspension arms, slate gray, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
7452	Toe links (molded composite) (86.8mm center to center) (2) (assembled with hollow balls)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
9031	Turnbuckles, camber link, 91mm (80mm center to center) (assembled with rod ends and hollow balls) (2)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1589	Double-sided adhesive tape (25mm x 25mm)
2745	Nuts, 3mm nylon locking (12)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3936	Screws, 4x10mm button-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

LED Lights

6588X	Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)
6797	Bumper, front (with LED lights) (replacement for #6736 front bumper)
6541X	Connector, power tap (with cable)/ 2.6x8 BCS (2) (use #6549 power tap for telemetry voltage)
5893	LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
6795	LED light set, complete (includes bumper with LED lights, roof skid plate with LED lights, 3-volt accessory power supply, and power tap connector (with cable) (fits #6717 body)

6793	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 4WD Rustler®)
6796	Skid plate, roof (body) (with LED lights) (fits #6717 body)
2263	Y-harness, BEC to LED light set

Motors & Electronics

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3467-BLUE	Cooling fan, electronic speed control, Velineon® VX3™ (blue)
3467-GRAY	Cooling fan, electronic speed control, Velineon® VX3™ (gray)
3340	Cooling fan, electronic speed control, Velineon® VXL-3s, VXL-4s or BL-2s®
2053	Gear set (for 2055, 2056 servos)
2072A	Gear set (for 2070, 2075 servos)
2059	Gear set, metal (for 2057 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2287	Gear set, metal (for 2280 servo)
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7460R	Motor mount, 6061-T6 aluminum (blue-anodized)
3442	Motor, V3200™, brushless
7490	Plate, motor
7490G	Plate, motor, green
7490A	Plate, motor, orange
7490R	Plate, motor, red
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2280	Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
2057	Servo, metal gear, waterproof
3441	Velineon® VX3™ Brushless Power System, waterproof (includes VX3™ ESC & V3200™ motor)
3446	Velineon® VX3™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2827X	3000mah 7.4v 2-Cell LiPo Battery
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2832X	5000mah 11.1v 3-Cell 25C LiPo Battery
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2844R	5200mAh 7.4v 2-cell 35C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
2914	Battery, Power Cell AA Alkaline (4)
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))
2970-2SR	Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))
2991	Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
2985-2S	Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2972	Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification

2973	Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2053	Gear set (for 2055, 2056 servos)
2072A	Gear set (for 2070, 2075 servos)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6562	Mount, telemetry expander (requires #6730 chassis brace kit)
6535	Mount, temperature sensor (electric motors) wire tie/ thermal pad
2912	Power adapter, AC, USB-C (45W) (110 volt, North America only)
2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6568-3CH	Receiver, micro, TQi Sport, 2.4GHz with TSM® (3-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2056	Servo, high-torque, waterproof (blue case)
6842X	Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6505-2CH	Transmitter, TQi Sport Compact 2.4GHz, 2-channel (transmitter only)
6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module

Ready-To-Race Model

67464-4	Rustler® 4X4 Brushless: 1/10-scale 4WD Stadium Truck with TQi™ Sport 2.4GHz Radio System & Traxxas Stability Management (TSM)
---------	---

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823-GRAY	Bulkhead tie bars, front & rear, aluminum (gray-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823-ORNG	Bulkhead tie bars, front & rear, aluminum (orange-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
7429	Bulkhead, rear
7454	Camber links, rear (molded composite) (72.4mm center to center) (2) (assembled with hollow balls)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9065-RED	Carriers, stub axle, 6061-T6 aluminum, left & right (red-anodized) (for use with #9080 upgrade kit)
9065-BLUE	Carriers, stub axle, rear, 6061-T6 aluminum, left & right (blue-anodized) (for use with #9080 upgrade kit)
9065-GRAY	Carriers, stub axle, rear, 6061-T6 aluminum, left & right (gray-anodized) (for use with #9080 upgrade kit)
9065-GRN	Carriers, stub axle, rear, 6061-T6 aluminum, left & right (green-anodized) (for use with #9080 upgrade kit)
9065-ORNG	Carriers, stub axle, rear, 6061-T6 aluminum, left & right (orange-anodized) (for use with #9080 upgrade kit)
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
9039-SLGRY	Shock tower, rear, extreme heavy duty, slate gray (for use with #9080 upgrade kit)
9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
3655-BLK	Suspension arms, black, front/rear (left & right), heavy duty (2)
3655-BLUE	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655-GRN	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655-ORNG	Suspension arms, orange, front/rear (left & right), heavy duty (2)

Page 6 Rustler® 4X4 Brushless: TQi Sport 2.4GHz Radio (Model 67464-4) Parts List

3655-RED	Suspension arms, red, front/rear (left & right), heavy duty (2)
3655-SLGRY	Suspension arms, slate gray, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTR)

7466-XGRY	Body, GTR long (gray-anodized, PTFE-coated aluminum) (1)
7466-PINK	Body, GTR long (pink-anodized, PTFE-coated aluminum) (1)
7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G	Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7469-STGRY	Body, GTR long shock, steel gray (2)
7467-XGRY	Body, GTR xx-long (gray-anodized, PTFE-coated aluminum) (1)
7467-PINK	Body, GTR xx-long (pink-anodized, PTFE-coated aluminum) (1)
7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467A	Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7467R	Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7467-STGRY	Body, GTR xx-long shock, steel gray (2)
7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7468-SLGRY	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper & lower retainers (slate gray) (2 each))
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
5469	Rod ends (GTR shocks)
7464	Shaft, GTR long (steel, chrome finish) (2)
7464T	Shaft, GTR long, TiN-coated (2)
7465	Shaft, GTR xx-long (steel, chrome finish) (2)
7465T	Shaft, GTR xx-long, TiN-coated (2)
7461-STGRY	Shocks, GTR long (steel gray) (assembled, without springs) (2)
7461	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461-ORNG	Shocks, GTR long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461-PINK	Shocks, GTR long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461-RED	Shocks, GTR long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461X	Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7462-GRAY	Shocks, GTR xx-long (gray) (assembled) (2) (without springs)
7462-STGRY	Shocks, GTR xx-long (steel gray) (assembled, without springs) (2)
7462	Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-ORNG	Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)

7462-PINK	Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-RED	Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462X	Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7440	Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
7441	Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
7444	Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
7445	Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
7448	Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
7442	Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
7443	Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
7446	Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
7447	Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
7449	Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Shocks (Pro-level Aluminum)

5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)
2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
3759	Springs, front (2)
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
6858	Springs, rear (white) (progressive rate) (2)

Spur Gears & Pinion Gears

7477	Cover, gear/ wire retainer
7477-SLGRY	Cover, gear/ wire retainer (slate gray)
6790X	Gear adapters, fixed (fits Rustler® 4X4 or Slash® 4X4 models equipped with Low-CG chassis)
5641	Gear, 11-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5642	Gear, 13-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5640	Gear, 14-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw
5651	Gear, 15-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
5652	Gear, 16-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for Slash 4x4 center differential)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Steering Components

6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
7438	Linkage, steering
2742X	Rod ends, short (6)/ hollow balls (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

7453	Camber links, front (molded composite) (79.6mm center to center) (2) (assembled with hollow balls)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
7454	Camber links, rear (molded composite) (72.4mm center to center) (2) (assembled with hollow balls)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
6834	Suspension pin set, complete (front and rear)
7452	Toe links (molded composite) (86.8mm center to center) (2) (assembled with hollow balls)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)

Team Traxxas Items

9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514	Decal sheet, racing sponsors
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1748	Nuts, 4mm nylon locking, black (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2754	Stub axle pins (4)
6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)

6775	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6764	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Gravix® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
9170-BLK	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Sledgehammer® ST tires, foam inserts) (4WD front and rear, 2WD electric front only) (2) (TSM® rated)
6773	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6764-BLKCR	Tires & wheels, assembled, glued (2.8") (RXT charcoal gray & black chrome wheels, Gravix® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6775A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
9072	Tires & wheels, assembled, glued (black chrome 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
9072-GRAY	Tires & wheels, assembled, glued (charcoal gray 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
6769	Tires, Talon EXT 2.8" (2) foam inserts (2)
9087-BLUE	Wheel hub, splined, 17mm, short (blue-anodized) (1)/ wheel nut, splined, 17mm (blue-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-GRAY	Wheel hub, splined, 17mm, short (gray-anodized) (1)/ wheel nut, splined, 17mm (gray-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-GRN	Wheel hub, splined, 17mm, short (green-anodized) (1)/ wheel nut, splined, 17mm (green-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-ORNG	Wheel hub, splined, 17mm, short (orange-anodized) (1)/ wheel nut, splined, 17mm (orange-anodized) (1)/ hub retainer M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9087-RED	Wheel hub, splined, 17mm, short (red-anodized) (1)/ wheel nut, splined, 17mm (red-anodized) (1)/ hub retainer, M4 X 0.7 (1)/ axle pin (1) (for use with #9080 upgrade kit)
9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
6772	Wheels, RXT 2.8" (black) (2)
6772-BLKCR	Wheels, RXT 2.8" (charcoal gray & black chrome) (2)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3425	Rubber pit mat, 16x24x0.28
3426	Rubber pit mat, 36x20
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)

Page 8 Rustler® 4X4 Brushless: TQi Sport 2.4GHz Radio (Model 67464-4) Parts List

8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

7453	Camber links, front (molded composite) (79.6mm center to center) (2) (assembled with hollow balls)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
7454	Camber links, rear (molded composite) (72.4mm center to center) (2) (assembled with hollow balls)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
7452	Toe links (molded composite) (86.8mm center to center) (2) (assembled with hollow balls)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM