

## Factory Five '35 Hot Rod Truck (Model 93034-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

| Parts show     | wn in bold are optional accessories. Part categories and individual part listings a  | re arrange           |
|----------------|--|----------------------|
|                | Bearings & Bushings  | 8334G                |
| 5119           | Ball bearings, blue rubber sealed (10x15x4mm) (2)  | 8334R                |
| 5120           | Ball bearings, blue rubber sealed (12x18x4mm) (2)  | 00041                |
| 5116           | Ball bearings, blue rubber sealed (5x11x4mm) (2)   | 5347                 |
| 5114           | Ball bearings, blue rubber sealed (5x8x2.5mm) (2)  | 8345                 |
| 5105<br>5118   | Ball bearings, blue rubber sealed (6x10x3mm) (2)<br>Ball bearings, blue rubber sealed (8x16x5mm) (2)                                     | 8345G                |
| 0110           |  | 8345R                |
| 0005           | Body & Accessories   | 8344                 |
| 9335           | Body, Factory Five '35 Hot Rod Truck (clear, requires painting)/<br>foam pads (front)/ decal sheet (includes front grille, side mirrors, | 8343                 |
|                | headlights, tail lights, mounting hardware)  | 8337                 |
| 9335X          | Body, Factory Five '35 Hot Rod Truck, complete (graphite) (painted,  | 2754                 |
|                | decals applied) (includes front grille, side mirrors, headlights, tail   | 8354<br>9330         |
| 00050          | lights, foam pads)   | 9330<br>8340         |
| 9335R          | Body, Factory Five '35 Hot Rod Truck, complete (red) (painted,<br>decals applied) (includes front grille, side mirrors, headlights, tail | 8342                 |
|                | lights, foam pads)   | 8341X                |
| 9337           | Grille, Factory Five '35 Hot Rod Truck/ grille mount/ 2.6x8 BCS (5)  |                      |
| 9334           | Headlight housings (left & right)/ headlight lens (2)/ 2.6x8 BCS (2)/  |                      |
| 0000           | 1.6x7 BCS (self-tapping) (2) (fits #9333 or 9335 body)   | 8341G                |
| 9339           | Side mirrors (left & right)/ mounts (2)/ tail light lens (2)/ retainers (2)/<br>1.6x7 BCS (self-tapping) (6) (fits #9333 or 9335 body)   |                      |
|                | Brake Components   | 8341R                |
| 0007           |  |                      |
| 8367<br>8356   | Brake calipers (red), front (2)/ rear (2)<br>Wheel hubs, hex (disc brake rotors) (4)   |                      |
| 8330           |  |                      |
|                | Center Driveline   | 1834A                |
| 8381           | Housing, differential (front)  | 8347                 |
| 8380           | Housing, differential (rear)   | 5347<br>3229         |
|                | Chassis & Attachments  | 3229                 |
| 9324           | Battery hold-down/ battery clip/ hold-down post/ screw pin/ piv ot post  | 3215                 |
| 8315           | screw/ foam spacer<br>Body mounts, front & rear (2)  | 2577                 |
| 8317           | Body washers, foam   | 2587                 |
| 8924           | Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 2.5x10   | 2551                 |
|                | CS (2)/ 3x15 CCS (3)   | 4859<br>2578         |
| 9322           | Chassis (247mm)  | 2552                 |
| 8321           | Chassis brace (front)  | 2593                 |
| 8323<br>9338   | Gear cov er (rear chassis brace)/ wire retainer<br>Shock towers, front & rear  | 2579                 |
| 9323           | Skidplate, front/ serv o mounts, steering (2)  | 2553                 |
|                | Differential Components  | 8356                 |
| 5381           | Carrier, differential/x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW  |                      |
| 5136X          | Differential oil kit (1 each: 10K, 30K, 50K weights)   | 9385                 |
| 8381           | Housing, differential (front)  |                      |
| 8380           | Housing, differential (rear)   | 2260                 |
| 8379           | Housing, spool / spool shaft/ bushing  | 2072A                |
| 6879R          | Ring gear, differential/ pinion gear, differential (machined, spiral   | 3354R                |
| 6879           | <b>cut) (rear)</b><br>Ring gear, differential/ pinion gear, differential (rear)  | 3785                 |
|                | Driveline Components   | 8390<br>2074         |
|                |  | 2074<br>8345         |
| 8353X          | Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw<br>pins (2)   | 8345G                |
| 8353           | Drive cups, inner (2)/ screw pins (2)  |                      |
| 9356           | Driv eshaft, center, steel (278mm)/ pin/ support, center driv eshaft/  | 8345R                |
|                | 5x11x4 bearing   | 8344                 |
| 8350           | Driveshaft, front (2)  | <b>2075R</b><br>2075 |
| 8351           | Driveshaft, rear (2)   | 2075X                |
| 8350X<br>8351X | Driveshafts, steel constant-velocity (assembled), front (2)<br>Driveshafts, steel constant-velocity (assembled), rear (2)                | 3350R                |
| 8382           | O-rings (12)   |                      |
| 2754           | Stub axle pins (4)   |                      |
| 8354           | Stub axles (front or rear) (2)   | 3355R                |
| 8356           | Wheel hubs, hex (disc brake rotors) (4)  | 3018R                |
|                | Front Suspension & Steering  |                      |
| 8330           | Bulkhead, front  |                      |
| 8341           | Camber link/toe link set (plastic/ non-adjustable) (front & rear)  | 2842X                |
| 8332           | Caster blocks (c-hubs) (2)/ kingpin bushings (4)   | 2842X<br>2843X       |
| 8334           | Mounts, suspension arms (front & rear)/ hinge pin retainers (4)  | 2869X                |
| 8334X          | Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)                                  | 2976                 |
|                | ······································   |                      |

| arranged alp  | phabetically.   |
|---------------|---|
| 3334G         | Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)                      |
| 3334R         | Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)                        |
| 5347          | Rod ends, Revo® (large) with hollow balls (12)  |
| 3345          | Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))   |
|               |   |
| 3345G         | Servo saver nuts, aluminum, green-anodized (hex (1), serrated   |
| 345R          | (1))<br>Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))  |
| 3344<br>3344  | Servo saver / servo saver spring/ servo horn, steering  |
| 3343          | Steering bellcranks/ hardware   |
| 3337          | Steering block (2)  |
| 2754          | Stub axle pins (4)  |
| 3354          | Stub axles (front or rear) (2)  |
| 9330          | Suspension arms, front (2)  |
| 3340          | Suspension pin set, complete (front & rear)   |
|               |   |
| 3342<br>3341X | Toe links, steel (34mm) (2)   |
| JJ41A         | Turnbuckles, aluminum (blue-anodized), camber links, 32mm<br>(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ |
|               | aluminum wrench   |
| 3341G         | Turnbuckles, aluminum (green-anodized), camber links, 32mm  |
|               | (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/  |
|               | aluminum wrench   |
| 3341R         | Turnbuckles, aluminum (red-anodized), camber links, 32mm<br>(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/  |
|               | aluminum wrench   |
|               | Hardware  |
| 1834A         | Body clips, black (12) (standard size)  |
| 3347          | Nuts, 4mm f langed ny lon locking, serrated (black) (10)  |
| 5347          | Rod ends, Revo® (large) with hollow balls (12)  |
| 3229          | Screws, 2.5x10mm cap-head machine (hex drive) (6)   |
|               |   |
| 3236<br>3215  | Screws, 2.5x12mm cap-head machine (6)   |
| 2577          | Screws, 2.5x6mm cap-head machine (hex drive)(6)<br>Screws, 3x10mm button-head machine (hex drive)(6)                          |
| 2587          | Screws, 3x10mm cap-head machine (6) (no washer)   |
| 2551          |   |
| 1859          | Screws, 3x10mm countersunk machine (6) (hex drive)  |
|               | Screws, 3x10mm flat-head machine (hex drive) (4)  |
| 2578<br>2552  | Screws, 3x12mm button-head machine (hex drive) (6)  |
| 2593          | Screws, 3x12mm countersunk machine (6) (hex drive)<br>Screws, 3x14mm button-head machine (hex drive) (6)                      |
| 2579          | Screws, 3x15mm button-head machine (hex drive) (6)  |
| 2553          | Screws, 3x15mm countersunk machine (6) (hex drive) (0)  |
| 3356          | Wheel hubs, hex (disc brake rotors) (4)   |
|               |   |
|               | LED Lights  |
| 9385          | LED light harness/ power harness/ zip ties (9)/ mounts (2)  |
|               | Motors & Electronics  |
| 2260          | BEC assembly (complete)   |
| 2072A         | Gear set (for 2070, 2075 servos)  |
| 3354R         | Motor cover, endbell (Velineon® 3500)   |
| 3785          | Motor, Titan® 12T (12-Turn, 550 size)   |
| 3390          | Plate, motor  |
| 2074          | Serv o case/gaskets (for 2056 and 2075 waterproof servos)   |
| 3345          | Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))   |
| 345G          | Servo saver nuts, aluminum, green-anodized (hex (1), serrated   |
|               | (1))  |
| 345R          | Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))  |
| 3344          | Serv o sav er/ serv o sav er spring/ serv o horn, steering  |
| 2075R<br>2075 | Servo, digital high-speed, metal gear (ball bearing), waterproof<br>Servo, digital high-torque (ball bearing), waterproof     |
| 2075X         | Servo, digital high-torque, metal gear (ball bearing), waterproof   |
| 3350R         | Velineon® VXL-3s Brushless Power System, waterproof   |
| 5501          | (includes VXL-3s waterproof ESC, Velineon 3500 motor, and   |
| 2550          | speed control mounting plate (part #3725R))   |
| 3355R         | Velineon® VXL-3s Electronic Speed Control, waterproof<br>(brushless) (fwd/rev/brake)  |
| 3018R         | XL-5 Electronic Speed Control, waterproof (land version, low-voltage  |
|               | detection, fwd/rev/brake)   |
|               |   |
|               | Radio System, Batteries & Chargers  |
| 2842X         | 5000mAh 7.4v 2-Cell 25C LiPo Battery  |
| 2843X         | 5800mAh 7.4v 2-Cell 25C LiPo Battery  |
| 2869X         | 7600mAh 7.4v 2-Cell 25C LiPo Battery  |
| 2976          | AC to DC converter, 40W   |

AC to DC converter, 40W

## Page 2 Factory Five '35 Hot Rod Truck: TQ 2.4GHz Radio (Model 93034-4) Parts List

| Page 2       | Factory Five 35 Hot Rou Truck: TQ 2.40H2 Radio (W   |
|--------------|---|
| 2938X        | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)  |
| 2943         | Battery charge indicators (green (4), blue (4), gray (4))   |
| 6548         | Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)  |
| 2914         | Battery, Power Cell AA Alkaline (4)   |
| 2923X        | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)   |
| 2940X        | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)  |
| 2950X        | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)  |
| 2960X        | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)  |
| 2983         | Battery/charger completer pack (includes #2969 2-amp NiMH   |
| 2303         | peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH a battery (1))   |
| 2992         | Battery/charger completer pack (includes #2970 iD® charger (1),<br>#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))                   |
| 2260         | BEC assembly (complete)   |
| 2969         | Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only)  |
| 2975         | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)   |
| 2972         | Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery<br>Identification   |
| 2973         | Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto<br>Battery Identification  |
| 2971         | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification  |
| 2970         | Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto<br>Battery Identification  |
| 6525         | Communication link, telemetry expander  |
| 6512         | Cover plate, Traxxas Link™ Wireless Module  |
| 2978         | Fuse, charger, 5A (2) (for #2974, 2975, 2977)   |
| 2072A        | Gear set (for 2070, 2075 servos)  |
| 2968X        | LiPo cell voltage checker/balancer (includes #2938X adapter for   |
| 2968         | Traxxas® iD® batteries)<br>LiPo cell voltage checker/balancer (requires #2938X adapter for  |
|              | Traxxas® iD® batteries)   |
| 6560         | Mount, telemetry expander (fits 4-Tec® 2.0)   |
| 6535         | Mount, temperature sensor (electric motors)/ wire tie/ thermal<br>pad   |
| 6519         | Receiver, micro, TQ 2.4GHz (3-channel)  |
| 6533         | Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)  |
| 6552         | Seal kit, expander box (includes o-ring, seals, and silicone  |
| 6526         | grease)<br>Sensor, auto-detectable, temperature   |
| 6527         | Sensor, auto-detectable, voltage  |
| 6521         | Sensor, temperature and voltage (long)  |
| 2074         | Servo case/gaskets (for 2056 and 2075 waterproof servos)  |
| 8345         | Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))   |
| 8345G        |   |
|              | Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))  |
| 8345R        | Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))  |
| 8344         | Serv o sav er/serv o sav er spring/serv o horn, steering  |
| 2075R        | Servo, digital high-speed, metal gear (ball bearing), waterproof  |
| 2075         | Serv o, digital high-torque (ball bearing), waterproof  |
| 2075X        | Servo, digital high-torque, metal gear (ball bearing), waterproof   |
| 6553X        | Telemetry expander 2.0 and GPS module 2.0, TQi radio system   |
| 6550X        | Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)  |
| 6551X        | Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)  |
| 6509R        | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas<br>Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)                |
| 6507R        | TQI 2.4 GHz High Output radio system, 4-channel with Traxxas<br>Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro<br>receiver) |
| 6516         | Transmitter, TQ 2.4GHz, 2-channel (transmitter only)  |
| 6528         | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-  |
| 0020         | channel (transmitter only)  |
| 6529         | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-  |
| 6520         | channel (transmitter only)  |
| 6530         | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-<br>channel (transmitter only)  |
| 6511         | Traxxas Link™ Wireless Module   |
| 3018R        | XL-5 Electronic Speed Control, waterproof (land version, low-voltage  |
|              | detection, fwd/rev/brake)   |
|              | Ready-To-Race Model   |
| 93034-4      | Factory Five '35 Hot Rod Truck: 1/10 Scale AWD Electric Truck with TQ 2.4GHz radio system   |
|              | Rear Suspension   |
| 0220         |   |
| 8329<br>8352 | Bulkhead, rear  |

- 8352 8334
- Carriers, stub axle (left & right) Mounts, suspension arms (front & rear)/ hinge pin retainers (4)

| •      |  |
|--------|--|
| 8334X  | Mounts, suspension arms, aluminum (blue-anodized) (front &   |
|        | rear)/ hinge pin retainers (12)/ inserts (6)   |
| 8334G  | Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)   |
| 8334R  | Mounts, suspension arms, aluminum (red-anodized) (front &  |
| 5047   | rear)/ hinge pin retainers (12)/ inserts (6)   |
| 5347   | Rod ends, Revo® (large) with hollow balls (12)   |
| 2754   | Stub axle pins (4)   |
| 8354   | Stub axles (front or rear) (2)   |
| 9331   | Suspension arms, rear (2)  |
| 8340   | Suspension pin set, complete (front & rear)  |
| 8341X  | Turnbuckles, aluminum (blue-anodized), camber links, 32mm  |
|        | (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/<br>aluminum wrench  |
| 8341G  | Turnbuckles, aluminum (green-anodized), camber links, 32mm<br>(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/<br>aluminum wrench  |
| 8341R  | Turnbuckles, aluminum (red-anodized), camber links, 32mm<br>(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/<br>aluminum wrench  |
|        | Shock Oil  |
|        |  |
| 5031   | Oil, shock (20 wt, 200 cSt, 60cc) (silicone)   |
| 5032   | Oil, shock (30 wt, 350 cSt, 60cc) (silicone)   |
| 5033   | Oil, shock (40 wt, 500 cSt, 60cc) (silicone)   |
| 5034   | Oil, shock (50 wt, 600 cSt, 60cc) (silicone)   |
| 5035   | Oil, shock (60 wt, 700 cSt, 60cc) (silicone)   |
| 5036   | Oil, shock (70 wt, 900 cSt, 60cc) (silicone)   |
| 5037   | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)   |
| 5029   | Shock oil bottle (60cc) (for mixing shock oil)   |
| 5038X  | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &  |
| 30307  | 80 wt premium shock oils with spinning carousel rack)  |
| 1667   |  |
|        | Silicone shock oil (30 wt), 60cc<br>Spinning carousel rack   |
| 5038   |  |
|        | Shocks (GTR)   |
| 7065   | Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls  |
|        | (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))   |
| 7028   | Hollow balls (20)  |
| 7028X  | Hollow balls, steel (machined)   |
| 7067   | Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)  |
| 7062   | Rebuild kit, GTR composite shocks (x-rings, bladders, pistons,   |
|        | e-clips, shock rod ends, hollow balls) (renews 2 shocks)   |
| 6961   | Shaft, GTR shock, steel (2)  |
| 6961T  | Shaft, GTR shock, TiN-coated (2)   |
| 9360   | Shocks, GTR composite, front or rear (assembled, without springs)  |
| 5000   | (2)  |
|        |  |
|        | Springs  |
| 9361   | Springs, shock (red) (1.029 rate) (2)  |
|        | Spur Gears & Pinion Gears  |
|        |  |
| 2728   | Ball bearings (5x8x2.5mm)(2)   |
| 8323   | Gear cover (rear chassis brace)/ wire retainer   |
| 1918   | Gear, 18-T pinion (48-pitch) / set screw   |
| 2419   | Gear, 19-T pinion (48-pitch) / set screw   |
| 2421   | Gear, 21-T pinion (48-pitch) / set screw   |
| 2422   | Gear, 22-T pinion (48-pitch) / set screw   |
| 2423   | Gear, 23-T pinion (48-pitch) / set screw   |
| 2424   | Gear, 24-T pinion (48-pitch) / set screw   |
| 2426   | Gear, 26-T pinion (48-pitch)/set screw   |
| 4725   | Gear, pinion (25-tooth) (48-pitch) / set screw   |
|        |  |
| 4728   | Gear, pinion (28-tooth) (48-pitch)/ set screw  |
| 8359   | Spur gear, 62-tooth  |
| 8357   | Spur gear, 70-tooth  |
| 8368   | Spur gear, 72-tooth (48 pitch)   |
|        | Steering Components  |
| 8345   | Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))  |
| 8345G  |  |
| 03430  | Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))   |
| 024ED  |  |
| 8345R  | Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))   |
| 8344   | Serv o saver/serv o saver spring/serv o horn, steering   |
| 8343   | Steering bellcranks/ hardware  |
| 8342   | Toe links, steel (34mm) (2)  |
|        | Suspension Linkage   |
| 8341   |  |
| ().)44 |  |
|        | Camber link/toe link set (plastic/ non-adjustable) (front & rear)  |
| 5347   | Camber link/toe link set (plastic/ non-adjustable) (front & rear)<br>Rod ends, Rev o® (large) with hollow balls (12)   |
|        | Camber link/toe link set (plastic/ non-adjustable) (front & rear)<br>Rod ends, Rev o® (large) with hollow balls (12)<br>Turnbuckles, aluminum (blue-anodized), camber links, 32mm  |
| 5347   | Camber link/toe link set (plastic/ non-adjustable) (front & rear)<br>Rod ends, Revo® (large) with hollow balls (12)<br>Turnbuckles, aluminum (blue-anodized), camber links, 32mm<br>(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ |
| 5347   | Camber link/toe link set (plastic/ non-adjustable) (front & rear)<br>Rod ends, Rev o® (large) with hollow balls (12)<br>Turnbuckles, aluminum (blue-anodized), camber links, 32mm  |

## Page 3 Factory Five '35 Hot Rod Truck: TQ 2.4GHz Radio (Model 93034-4) Parts List

| Fage J        | Factory Five 35 Hot Kou Truck. To 2.40H2 Kaulo (   |
|---------------|--|
| 8341G         | Turnbuckles, aluminum (green-anodized), camber links, 32mm<br>(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/<br>aluminum wrench  |
| 8341R         | Turnbuckles, aluminum (red-anodized), camber links, 32mm<br>(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/   |
|               | aluminum wrench  |
|               | Team Traxxas Items   |
| 2514          | Decal sheet, racing sponsors   |
| 9950<br>9909  | Official Team Traxxas® racing decal set (flag logo/ 6-color)<br>Traxxas® racing banner, red & black (3x7 feet)   |
|               | Tires & Wheels   |
| 0272          |  |
| 9372          | Tires and wheels, assembled, glued (black with chrome wheels, 1.9"<br>Response tires) (front) (2)  |
| 9373          | Tires and wheels, assembled, glued (black with chrome wheels, 1.9"<br>Response tires) (extra wide, rear) (2)   |
|               | Traxxas Tools  |
| 3433X         | Body reamer (aluminum handle)  |
| 3433          | Body reamer (plastic handle)   |
| 3436          | Cap, body reamer   |
| 3432          | Scissors, curved tip   |
| 3431          | Scissors, straight tip   |
| 8712          | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes<br>premium handle (medium), travel pouch, hex drivers (straight:<br>1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,<br>and 8.0mm), 1/4" drive   |
| 8721<br>8720  | Speed bit handle, medium (one piece)   |
| 8720          | Speed bit handle, premium, large (rubber overmold)<br>Speed bit handle, premium, medium (rubber overmold)  |
| 8710          | Speed Bit Master Set, hex and nut driver, 13-piece, includes<br>premium handle (medium), travel pouch, hex drivers (straight:<br>1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,<br>3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,                     |
| 8711          | 7.00mm, 8.00mm),<br>Speed Bit Master Set, hex driver, 7-piece straight and ball end,<br>includes premium handle (medium), travel pouch, hex drivers<br>(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,<br>2.5mm, 3.0mm), 1/4" drive                           |
| 8719          | Speed Bit Master Set, nut driver, 6-piece, includes premium<br>handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,<br>5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive  |
| 8716          | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"<br>drive  |
| 8716X<br>8715 | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,<br>3.0mm), 1/4" drive   |
| 0/15          | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive  |
| 8715X         | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive   |
| 3415          | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,<br>3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut<br>drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,<br>#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/<br>driver handle |
|               | Turnbuckles & Threaded Rods  |
| 8341          | Camber link/toe link set (plastic/ non-adjustable) (front & rear)  |
| 8342          | Toe links, steel (34mm) (2)  |
| 8341X         | Turnbuckles, aluminum (blue-anodized), camber links, 32mm<br>(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/<br>aluminum wrench   |
| 8341G         | Turnbuckles, aluminum (green-anodized), camber links, 32mm<br>(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/<br>aluminum wrench  |
| 8341R         | Turnbuckles, aluminum (red-anodized), camber links, 32mm<br>(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/<br>aluminum wrench  |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS (1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com