

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier 1.1

> Fusion Powder **Product Name**

Product Description AD19

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) A powder component used with liquid to form adhesive for modelling

Uses advised against None known

1.3 Details of the supplier of the safety data sheet

Deluxe Materials Ltd., Unit 12 & 13, Cufaude Business Park, Cufaude Lane, Bramley, Hampshire,

RG26 5DL, United KIngdom

Email john@deluxematerials.com

Emergency telephone number

+44 (0) 1256 883944 Mon-Friday office hours only

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

2.2 Label elements

Not applicable.

2.3 Other hazards

Not classified as PBT or vPvB. Respirable dust hazard. Combustible but not readily ignited. May form explosible dust clouds in air.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances 3.1

Mixtures

Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below.

According to Regulation (EC) No. 1272/2008 (CLP).

Hazardous Ingredient(s)	%W/W	EC No.	REACH Registration No.	Hazard Class and	Hazard
				Category Code(s)	statement
					Code(s)
No classifiable hazardous ingredient(s).					

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. **Eye Contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Ingestion IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Obtain medical attention if ill effects occur.

Revision Dated:18 October 2022 Page: 1 / 6 Revision: 5



4.2 Most important symptoms and effects, both acute and delayed

Not applicable.

4.3 Indication of any immediate medical attention and special treatment needed

None necessary.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media Water spray, foam, dry powder or CO₂

Unsuitable Extinguishing Media Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Combustible but not readily ignited. Combustion or thermal decomposition will evolve toxic, irritant and flammable vapours. May form flammable dust clouds in air. This product can form flammable dust clouds at elevated temperatures. The minimum ignition temperature of a dust cloud of a similar polymer has been measured at approximately 480°C (IEC 1241-2-1).

5.3 Advice for firefighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Caution - spillages may be slippery.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Collect in containers for disposal using approved dust respirator.

6.4 Reference to other sections

See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Do not eat, drink or smoke at the work place.

Product as supplied: Avoid contact with skin and eyes. Unlikely to represent a dust hazard under normal handling conditions. Dental resins are usually processed in conjunction with reactive monomers and this may require the use of a higher level of PPE than that necessary for the polymer itself. Please also see the advice in Sections 8 and 11.

7.2 Conditions for safe storage, including any incompatibilities

Acrylic polymers are supplied in either bags or bulk containers. Keep containers in a clean, cool and dry area away from heat sources. Natural ventilation is adequate.

Storage temperature (°C): Store at temperatures not exceeding 25°C.

Incompatible materials: Polymer contains residual benzoyl peroxide. This may react with oxidising agents, reducing agents,

acids, bases and amines leading to decomposition.

7.3 Specific end use(s)

Repair systems for dental materials. Not intended for thermal processing.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Substance	CAS No.	LTEL ppm (8Hr TWA)	LTEL mg/m³ (8Hr TWA)	STEL ppm	STEL mg/m³	Notes
Dust (total inhalable dust)		,	10	,,,	<u>_</u>	
(respirable dust)			4			
Dibenzoyl peroxide	000094-36-0		5			WEL

Revision Dated:18 October 2022 Revision: 5 Page: 1 / 6



8.2 Exposure controls

Appropriate engineering controls

Do not eat, drink or smoke at the work place. Provide adequate ventilation, including appropriate local extraction, to ensure that the occupational exposure limit is not exceeded. Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required. The following information is given as general quidance.

Individual protection measures, such as personal protective equipment (PPE) Eye/face protection



Wear eye/face protection. Safety spectacles/goggles/full face shield.

Skin protection



Wear suitable gloves.

Suitable materials: Butyl; EN 374.

Suitability of gloves should be confirmed with glove manufacturer. Change gloves, if contamination occurs or duration of activity exceeds breakthrough time. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Respiratory protection



NOTE: Respiratory protective equipment should not be used as a substitute for dust control. A suitable dust mask or dust respirator with filter type P3 or FFP3 (EN143 or EN149) may be appropriate. In the unlikely event of formation of particularly high levels of dust a self contained breathing apparatus may be appropriate.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Fine beads. White.

Odour Typically methacrylate.

pH (Value) Not applicable. Boiling Point (°C) Not applicable. Flash Point (°C) Not available. Relative Evaporation Rate (Ether = 1) Not applicable.

Flammable Limits Not applicable. Vapour pressure (Pascal) Not applicable. Vapour Density (Air=1) Not applicable. Solubility (Water) Negligible. Solubility (Other) Not available. Partition Coefficient (n-Octanol/water) Not applicable. Auto Ignition Temperature (°C) Not available. Viscosity (mPa. s) Not available.

Explosive properties Weakly to moderately explosible.

Oxidising properties Not applicable. Density (g/ml) 1.1-1.18 0.55 - 0.75Bulk Density (g/ml)

9.2 Other information

St Class 1

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Non-reactive material.

10.2 Chemical stability

Stable under normal conditions.

Revision Dated:18 October 2022 Page: 1 / 6 Revision: 5



10.3 Possibility of hazardous reactions

None known.

10.4 Conditions to avoid

Avoid dust generation.

10.5 Incompatible materials

Polymer contains residual benzoyl peroxide. This may react with oxidising agents, reducing agents, acids, bases and amines leading to decomposition.

10.6 Hazardous decomposition products

Methyl methacrylate, Styrene, Dibenzoyl peroxide, Carbon dioxide, Carbon monoxide.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion Low oral toxicity.

Inhalation Unlikely to be hazardous by inhalation.

Note: This product contains low levels of respirable particles.

Skin Contact Unlikely to cause skin irritation.

Eye Contact Dust may cause irritation.

Sensitisation It is not a skin sensitiser in animal tests.

Contains: (Methyl methacrylate, Dibenzoyl peroxide). During normal handling this will not constitute a hazard. If the polymer matrix is destroyed e.g. when the product is dissolved in organic solvent, chemical residues will be released from the polymer matrix. Under these conditions, they may produce an allergic reaction in persons

already sensitised.

Chronic exposure The excessive accumulation of any dust in the lungs could produce lung damage

with inflammation and eventually fibrosis (scar tissue).

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

NOEL (Pseudokirchnerella subcapitata)(72 hour)(static) 100 mg/l

12.2 Persistence and degradability

The product is non-biodegradable in soil. There is no evidence of degradation in soil and water.

12.3 Bioaccumulative potential

The product has low potential for bioaccumulation.

12.4 Mobility in soil

The product is predicted to have low mobility in soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

The waste is considered to be non hazardous. Clean scrap may be reprocessed. Certain packages are returnable. Please consult your local office for further details. Ensure that all packaging is disposed of safely.

13.1 Waste treatment methods

Dispose of contents/container to hazardous waste in accordance with local, state or national legislation. Incineration may be used to recover energy value. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Revision Dated:18 October 2022 Revision: 5 Page: 1 / 6



SECTION 14: TRANSPORT INFORMATION

Not Classified as Dangerous for Transport.

14.1 **UN number**

Not applicable.

UN Proper Shipping Name 14.2

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 **Environmental hazards**

> Environmentally hazardous substance Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

15. **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1272/2008 (Classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006).

15.2 **Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this substance/mixture. Not applicable.

SECTION 16: OTHER INFORMATION

This Safety Data Sheet was prepared in accordance with EC Regulation (EC) No. 453/2010.

10 -February- 2016 Date of preparation:

The following sections contain revisions or new 2, 3, 4, 6, 7, 8, 11, 12, 13, 14, 15, 16

statements:

Inventory Status

European Union To the best of our knowledge all chemicals in this product comply with REACH regulations.

United States (TSCA) Listed in TSCA Canada (DSL/NDSL) Listed in DSL Listed in ENCS Japan (ENCS) Listed in PICCS Philippines (PICCS) Australia (AICS) Listed in AICS South Korea (KECI) Listed in KECI China (IECSC) Listed in IECSC Taiwan (TCSI) Listed in TCSI New Zealand (NZIoC) Listed in NZIoC

Compliance with other Regulatory Chemical Inventories cannot be assumed, please contact supplier for further information.

LEGEND

Revision Dated:18 October 2022 Page: 1 / 6 Revision: 5



Note: Not all of the following are necessarily contained in this Safety Data Sheet:

IOELV: Indicative Occupational Exposure Limit Value WEL: Workplace Exposure Limit (UK HSE EH40) Bmgv: Biological Monitoring Guidance Value Sen: Capable of causing respiratory sensitisation

Sk: Can be absorbed through skin

Carc: Capable of causing cancer and/or heritable genetic damage

CHAN: Chemical Hazard Alert Notice

COM: The company aims to control exposure in its workplace to this limit

LTEL: Long Term Exposure Limit STEL: Short Term Exposure Limit TWA: Time Weighted Average

STOT SE: Specific Target Organ Toxicity - Single Exposure

Repr.: Reproductive toxicity

Aquatic acute/chronic: Hazardous to the aquatic environment

IMPORTANT: USE IN THE MANUFACTURE OF MEDICAL DEVICES AND RELATED PRODUCTS.

Deluxe Materials has performed no clinical testing on the use of this product in any medical application. Deluxe Materials has no data to support the use of this product in any medical application. This product has been manufactured to a specification according to high standards of manufacturing practice. Deluxe Materials supplies this product on the specific understanding that it is the sole responsibility of the medical device manufacturer to ensure that the medical device is both safe and fit for the intended purpose and that this product is suitable for use in its manufacture.

It is the responsibility of the end-product manufacturer to identify all market and use-specific regulations and to ensure compliance with these regulations.

Subject to the exclusions and limitations set out below the Information contained in this publication or as otherwise supplied to the User is believed to be accurate and has been given in good faith. It is for the User to use the Information contained in this publication or as otherwise supplied to the User with care and satisfy itself of the suitability of the product for their intended use and the applicability of the advice given. Except to the extent that exclusion is prevented by applicable law Deluxe Materials gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded and accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Revision Dated:18 October 2022 Revision: 5 Page: 1 / 6