

Page: 1/12

Deluxe Materials data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

from time to time.

Date / Revised: 15.02.2022 Version: 7.0

Date previous version: 09.11.2020 Previous version: 6.0

Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

# **Ballast Magic**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Fine powder modelling adhesive

1.3. Details of the supplier of the safety data sheet

<u>Company:</u> <u>Contact address:</u> Deluxe Materials Ltd.,

Unit 12 & 13, Cufaude Business Park, Cufaude Lane, Bramley, Hampshire, RG26 5DL, United KIngdom

Telephone: +44 (0)1256 883944

E-mail address: john@deluxematerials.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +44 (0)1256 883944 (Mon-Friday office hours only)

#### **SECTION 2: Hazards Identification**

# 2.1. Classification of the substance or mixture



Page: 2/12

Deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577

as amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0
Date previous version: 09.11.2020 Previous version: 6.0

Date previous version: 09.11.2020 Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

#### According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

No need for classification according to GHS criteria for this product.

#### 2.2. Label elements

#### Globally Harmonized System, EU (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

#### 2.3. Other hazards

#### According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

The product is under certain conditions capable of dust explosion. The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

### **SECTION 3: Composition/Information on Ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

#### Chemical nature

2-Pyrrolidinone, 1-ethenyl-, homopolymer

#### **SECTION 4: First-Aid Measures**

#### 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water



Page: 3/12

Deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as

amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0
Date previous version: 09.11.2020 Previous version: 6.0

Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Seek medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

# **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

#### 5.2. Special hazards arising from the substance or mixture

Endangering substances: Carbon dioxide, nitrogen oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

#### 5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Information regarding personal protective measures, see section 8.

#### 6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

### 6.3. Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up. For large amounts: Sweep/shovel up.

Dispose of absorbed material in accordance with regulations. Avoid raising dust.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.



Page: 4/12

Deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as

amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0
Date previous version: 09.11.2020 Previous version: 6.0

Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

# **SECTION 7: Handling and Storage**

### 7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation.

Protection against fire and explosion:

The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry.

# 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

#### 8.2. Exposure controls

#### Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure.

#### General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Hands and/or face should be washed before breaks and at the end of the shift.



Page: 5/12

Deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI

2020/1577 as amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0 Date previous version: 09.11.2020 Previous version: 6.0

Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

# **SECTION 9: Physical and Chemical Properties**

### 9.1. Information on basic physical and chemical properties

Form: powder Colour: white to cream Odour: almost odourless

Odour threshold:

not determined

pH value: 3 - 5

(10 %(m), 20 °C)

>= 130 °C melting range:

The substance / product

decomposes.

Boiling point:

not applicable

Flash point:

not applicable, the product is a solid

Evaporation rate:

The product is a non-volatile solid.

not highly flammable (VDI 2263, sheet 1, 1.1) Flammability:

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Vapour pressure:

dropped

Solubility in water: fully soluble

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow):

not determined

Thermal decomposition: 400 °C

It is not a self-decompositionable substance.

Explosion hazard: Product is not explosive, however a

dust explosion could result from an

air / dust mixture.

Fire promoting properties: not fire-propagating

#### 9.2. Other information

Self heating ability: It is a substance capable of

> spontaneous heating according to UN transport regulations class 4.2. Based on test results packaging <

3m3 are exempted from the

classification.

SADT: Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

Deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as

amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0
Date previous version: 09.11.2020 Previous version: 6.0

Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

(VDI 2263, sheet 1, 2.5)

Date of print 04.03.2022

Minimum ignition energy: 10 - 30 mJ

(1,013 hPa, 20 °C) Inductivity: 1 mH

The product is capable of dust

explosion.

Bulk density: 400 - 600 kg/m3 Hygroscopy: hygroscopic

# **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### 10.3. Possibility of hazardous reactions

Dust explosion hazard.

### 10.4. Conditions to avoid

Avoid dust formation. Avoid electro-static charge.

### 10.5. Incompatible materials

Substances to avoid: strong alkalies

# 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

#### **SECTION 11: Toxicological Information**

#### 11.1. Information on toxicological effects

### **Acute toxicity**

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (BASF-Test)



Page: 7/12

Deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as

amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0
Date previous version: 09.11.2020 Previous version: 6.0

Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

LC50 rat (by inhalation): > 5.2 mg/l 4 h (OECD Guideline 403)

#### Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (Draize test)

Serious eye damage/irritation rabbit: non-irritant (Draize test)

#### Respiratory/Skin sensitization

No data available.

#### Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in studies with mammals.

#### Carcinogenicity

Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

#### Reproductive toxicity

Assessment of reproduction toxicity:

No data available.

#### **Developmental toxicity**

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

#### Specific target organ toxicity (single exposure)

No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No data available.

## Aspiration hazard



Page: 8/12

Deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as

amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0
Date previous version: 09.11.2020 Previous version: 6.0

Date previous version: 09.11.2020 Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

No data available.

# **SECTION 12: Ecological Information**

# 12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

#### Toxicity to fish:

LC50 (96 h) > 10,000 mg/l, Leuciscus idus (DIN 38412 Part 15, static)

#### Microorganisms/Effect on activated sludge:

EC20 (0.5 h) > 1,995 mg/l, activated sludge, industrial (OECD Guideline 209, aerobic)

#### 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Poorly eliminated from water.

#### Elimination information:

< 10 % DOC reduction (15 d) (OECD Guideline 302 B) (aerobic, activated sludge, industrial) Poorly eliminated from water.

#### 12.3. Bioaccumulative potential

### Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

#### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: No data available.

### 12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Self classification

#### 12.6. Other adverse effects

Deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI

2020/1577 as amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0
Date previous version: 09.11.2020 Previous version: 6.0

Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Observe national and local legal requirements.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

# **SECTION 14: Transport Information**

#### Land transport

ADR

UN number or ID number: UN3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (contains 1-ETHENYL-

2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2 Packing group: III Environmental hazards: no

Special precautions for Tunnel code: E

user: Not dangerous goods of class 4.2 in packages up to 3000 litres

capacity.

RID

UN number or ID number: UN3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (contains 1-ETHENYL-

2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2 Packing group: III Environmental hazards: no

Special precautions for Not dangerous goods of class 4.2 in packages up to 3000 litres

user: capacity.

#### **Inland waterway transport**

ADN

UN number or ID number: UN3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (contains 1-ETHENYL-

2-PYRROLIDINONE, HOMOPOLYMER)



Page: 10/12

deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI

2020/1577 as amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0
Date previous version: 09.11.2020 Previous version: 6.0

Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

Transport hazard class(es): 4.2 Packing group: III Environmental hazards: no

Special precautions for Not dangerous goods of class 4.2 in packages up to 3000 litres

user: capacity.

Transport in inland waterway vessel

Not evaluated

Sea transport

**IMDG** 

UN number or ID number: UN 3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (contains 1-ETHENYL-

2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2 Packing group: III Environmental hazards: no

Marine pollutant: NO

Special precautions for Not dangerous goods of class 4.2 in packages up to 3000 litres

user: capacity.

Air transport

IATA/ICAO

UN number or ID number: UN 3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (contains 1-ETHENYL-

2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2 Packing group: III

Environmental hazards: No Mark as dangerous for the environment is needed

Special precautions for Not dangerous goods of class 4.2 in packages up to 3000 litres

user: capacity.

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name



Page: 11/12

Deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI

2020/1577 as amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0
Date previous version: 09.11.2020 Previous version: 6.0

Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

## 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

#### Further information

Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

### **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

## **SECTION 16: Other Information**



Page: 12/12

Deluxe Materials Safety data sheet according to Regulation UK SI 2019/758 and UK SI

2020/1577 as amended from time to time.

Date / Revised: 15.02.2022 Version: 7.0
Date previous version: 09.11.2020 Previous version: 6.0

Date / First version: 08.05.2003

Product: Ballast Magic

(ID no. 30786356/SDS\_GEN\_GB/EN)

Date of print 04.03.2022

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

#### **Abbreviations**

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.