



# AD85 Rokat Odourless 3g

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3/2/2020 Revision date: 8/5/2021 Supersedes version of: 8/2/2020 Version: 3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

|                 |                       |
|-----------------|-----------------------|
| Product form    | : Mixture             |
| Product name    | : Rokat Odourless     |
| UFI             | : US30-G030-0008-KSEW |
| Type of product | : adhesive            |
| Product group   | : AD85                |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

|                              |                                  |
|------------------------------|----------------------------------|
| Intended for general public  |                                  |
| Main use category            | : Professional use, Consumer use |
| Use of the substance/mixture | : Adhesive                       |
| Function or use category     | : Modelling Adhesive             |

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Deluxe Materials Ltd  
Unit 13, Cufau de Business Park  
Cufau de Lane, Bramley  
Hampshire RG26 5DL England  
T +44 (0)1256 883944  
[john@deluxematerials.com](mailto:john@deluxematerials.com)

#### 1.4. Emergency telephone number

|                  |                                                   |
|------------------|---------------------------------------------------|
| Emergency number | : +44 (0)1256 883944<br>Office hours 0900-1700hrs |
|------------------|---------------------------------------------------|

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

|                                |                                                                                                      |
|--------------------------------|------------------------------------------------------------------------------------------------------|
| Precautionary statements (CLP) | : P102 - Keep out of reach of children.                                                              |
| EUH-statements                 | : EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. |

#### 2.3. Other hazards

|                                                     |                                 |
|-----------------------------------------------------|---------------------------------|
| Other hazards which do not result in classification | : None under normal conditions. |
| vPvB: not relevant – no registration required       |                                 |



# AD85 Rokat Odourless 3g

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3/2/2020 Revision date: 8/5/2021 Supersedes version of: 8/2/2020 Version: 3

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name                       | Product identifier                                                        | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|----------------------------|---------------------------------------------------------------------------|---------|-----------------------------------------------------------------|
| METHOXYETHYL CYANOACRYLATE | (CAS-No.) 27816-23-5<br>(EC-No.) 248-670-5<br>(REACH-no) 01-2120070891-53 | 90 – 95 | Not classified                                                  |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |                                                                                                                                                                                       |
|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.                                                                                                                      |
| First-aid measures after skin contact | : Wash skin with plenty of water. Exothermic reaction with water. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.                                                                                                                                              |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.                                                                                                                                |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |                                                                                            |
|-------------------------------------|--------------------------------------------------------------------------------------------|
| Symptoms/effects                    | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/effects after inhalation   | : None under normal use.                                                                   |
| Symptoms/effects after skin contact | : None under normal conditions.                                                            |
| Symptoms/effects after eye contact  | : None under normal conditions.                                                            |
| Symptoms/effects after ingestion    | : None under normal conditions.                                                            |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                              |                                                  |
|------------------------------|--------------------------------------------------|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--------------------------------------------------|

#### 5.2. Special hazards arising from the substance or mixture

|                                                  |                                |
|--------------------------------------------------|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--------------------------------------------------|--------------------------------|

#### 5.3. Advice for firefighters

|                                |                                                                                                                                          |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |                                                                                       |
|------------------|---------------------------------------------------------------------------------------|
| General measures | : Clean up any spills as soon as possible, using an absorbent material to collect it. |
|------------------|---------------------------------------------------------------------------------------|

##### 6.1.1. For non-emergency personnel

|                      |                                                   |
|----------------------|---------------------------------------------------|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area.                        |



# AD85 Rokat Odourless 3g

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3/2/2020 Revision date: 8/5/2021 Supersedes version of: 8/2/2020 Version: 3

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.  
Emergency procedures : Evacuate unnecessary personnel.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Do not allow contact with water.  
Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in tightly closed, leak-proof containers.  
Storage conditions : Store in a well-ventilated place. Keep cool.  
Incompatible products : Strong bases.  
Incompatible materials : Water.

### 7.3. Specific end use(s)

adhesives.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| AD85 Rokat Odourless                    |                                                                                                                                                                     |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Belgium - Occupational Exposure Limits  |                                                                                                                                                                     |
| Local name                              | Hydroquinone # Hydrochinon                                                                                                                                          |
| OEL TWA                                 | 1 mg/m <sup>3</sup>                                                                                                                                                 |
| Regulatory reference                    | Koninklijk besluit/Arrêté royal 02/09/2018                                                                                                                          |
| Bulgaria - Occupational Exposure Limits |                                                                                                                                                                     |
| Local name                              | Хидрохинон                                                                                                                                                          |
| OEL TWA                                 | 2 mg/m <sup>3</sup>                                                                                                                                                 |
| Regulatory reference                    | Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.73 от 4 септември 2018 г.) |
| Croatia - Occupational Exposure Limits  |                                                                                                                                                                     |
| Local name                              | Hidrokinon; 1,4-dihidroksibenzen; kinol                                                                                                                             |



# AD85 Rokat Odourless 3g

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3/2/2020 Revision date: 8/5/2021 Supersedes version of: 8/2/2020 Version: 3

| AD85 Rokat Odourless                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GVI (OEL TWA) [1]                      | 0.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Naznake (HR)                           | Alergen koža (tvar koja može izazvati alergijsku reakciju na koži (H317))                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Regulatory reference                   | Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Denmark - Occupational Exposure Limits |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Local name                             | Hydroquinon (p-Benzendiol)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| OEL Ceiling                            | 2 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Anmærkninger (DK)                      | L (markerer, at grænseværdien er en loftværdi, som ikke på noget tidspunkt må overskrides); K (betyder, at stoffet anses for at kunne være kræftfremkaldende)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Regulatory reference                   | BEK nr 655 af 31/05/2018                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Estonia - Occupational Exposure Limits |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Local name                             | Hüdrokinoon (1,4-benseendiol)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| OEL TWA                                | 0.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| OEL STEL                               | 1.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Remark (ET)                            | S (Sensibiliseerivad ained), 5 (Kinoon võib redutseeruda hüdrokinooniks, mis muutub õhuhapniku toimel kergesti p-bensokinooniks)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Regulatory reference                   | Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293 (RT I, 30.11.2011, 5)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Finland - Occupational Exposure Limits |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Local name                             | Hydrokinoni                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| HTP (OEL TWA) [1]                      | 0.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| HTP (OEL STEL)                         | 2 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Regulatory reference                   | HTP-ARVOT 2018 (Sosiaali- ja terveysministeriö)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| France - Occupational Exposure Limits  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Local name                             | Hydroquinone                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| VME (OEL TWA)                          | 2 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Note (FR)                              | Valeurs recommandées/admises; substance classée cancérogène de catégorie 2 et mutagène de catégorie 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Regulatory reference                   | Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Greece - Occupational Exposure Limits  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Local name                             | Υδροκινόνη                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| OEL TWA                                | 2 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| OEL STEL                               | 4 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Regulatory reference                   | Π.Δ. 90/1999                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Ireland - Occupational Exposure Limits |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Local name                             | Hydroquinone                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| OEL TWA [1]                            | 0.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Notes (IE)                             | Sens. (In the workplace respiratory or dermal exposures to sensitising agents may occur. Sensitizers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The notation does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitizers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE)) |



# AD85 Rokat Odourless 3g

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3/2/2020 Revision date: 8/5/2021 Supersedes version of: 8/2/2020 Version: 3

| AD85 Rokat Odourless                            |                                                                                                                                                                                                                                                               |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Regulatory reference                            | Code of Practice for the Chemical Agents Regulations 2018                                                                                                                                                                                                     |
| <b>Lithuania - Occupational Exposure Limits</b> |                                                                                                                                                                                                                                                               |
| Local name                                      | Hidrochinonas                                                                                                                                                                                                                                                 |
| IPRV (OEL TWA)                                  | 0.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                         |
| TPRV (OEL STEL)                                 | 1.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                         |
| Remark (LT)                                     | K (kancerogeninis poveikis); M (mutageninis poveikis); J (jautrinantis poveikis); p-benzchinonas (chinonas) yra oksiduojanti medžiaga, kuri redukuojasi į hidrochinoną. Hidrochinonas vėl lengvai virsta p-benzchinonu, pvz., veikiamas atmosferos deguonies. |
| Regulatory reference                            | LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)                                                                                                                                                                                             |
| <b>Poland - Occupational Exposure Limits</b>    |                                                                                                                                                                                                                                                               |
| Local name                                      | Hydrochinon                                                                                                                                                                                                                                                   |
| NDS (OEL TWA)                                   | 1 mg/m <sup>3</sup>                                                                                                                                                                                                                                           |
| NDSch (OEL STEL)                                | 2 mg/m <sup>3</sup>                                                                                                                                                                                                                                           |
| Regulatory reference                            | Dz. U. 2018 poz. 1286                                                                                                                                                                                                                                         |
| <b>Portugal - Occupational Exposure Limits</b>  |                                                                                                                                                                                                                                                               |
| Local name                                      | Hidroquinona                                                                                                                                                                                                                                                  |
| OEL TWA                                         | 1 mg/m <sup>3</sup>                                                                                                                                                                                                                                           |
| Regulatory reference                            | Norma Portuguesa NP 1796:2014                                                                                                                                                                                                                                 |
| <b>Romania - Occupational Exposure Limits</b>   |                                                                                                                                                                                                                                                               |
| Local name                                      | 1,4-dihidroxibenzen/Hidrochinonă                                                                                                                                                                                                                              |
| OEL TWA                                         | 1 mg/m <sup>3</sup>                                                                                                                                                                                                                                           |
| OEL STEL                                        | 2 mg/m <sup>3</sup>                                                                                                                                                                                                                                           |
| Regulatory reference                            | Hotărârea nr. 584/2018                                                                                                                                                                                                                                        |
| <b>Slovakia - Occupational Exposure Limits</b>  |                                                                                                                                                                                                                                                               |
| Local name                                      | Hydrochinón (benzén-1,4-diol)                                                                                                                                                                                                                                 |
| NPHV (OEL TWA) [1]                              | 2 mg/m <sup>3</sup>                                                                                                                                                                                                                                           |
| Upozornenie (SK)                                | K - znamená, že faktor môže byť ľahko absorbovaný kožou                                                                                                                                                                                                       |
| Regulatory reference                            | Nariadenie vlády č. 33/2018 Z.z.                                                                                                                                                                                                                              |
| <b>Spain - Occupational Exposure Limits</b>     |                                                                                                                                                                                                                                                               |
| Local name                                      | Hidroquinona                                                                                                                                                                                                                                                  |
| VLA-ED (OEL TWA) [1]                            | 2 mg/m <sup>3</sup>                                                                                                                                                                                                                                           |
| Notes                                           | Sen (Sensibilizante).                                                                                                                                                                                                                                         |
| Regulatory reference                            | Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT                                                                                                                                                                                 |
| <b>Sweden - Occupational Exposure Limits</b>    |                                                                                                                                                                                                                                                               |
| Local name                                      | Hydrokinon                                                                                                                                                                                                                                                    |
| NGV (OEL TWA)                                   | 0.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                         |
| KTV (OEL STEL)                                  | 1.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                         |



# AD85 Raket Odourless 3g

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3/2/2020 Revision date: 8/5/2021 Supersedes version of: 8/2/2020 Version: 3

| AD85 Raket Odourless                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Anmärkning (SE)                               | S (Ämnet är sensibiliserande. Sensibiliserande ämnen kan ge allergi eller annan överkänslighet. Överkänslighetsbesvären drabbar främst huden eller andningsorganen. Överkänslighet innebär att man reagerar vid kontakt med ämnen som normalt inte ger besvär. Allergi är en undergrupp av överkänslighet som orsakas av reaktioner i kroppens immunsystem. Särskilt låga gränsvärden har fastställts för ämnen med mer uttalat luftvägssensibiliserande egenskaper. Några ämnen med starkt sensibiliserande egenskaper får endast hanteras efter tillstånd från Arbetsmiljöverket, se föreskrifterna om kemiska arbetsmiljörisker. Dessa ämnen har inga gränsvärden men i vissa fall riktvärden); V (Vägleddande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas); 10 (p-Bensokinon, kinon, kan genom reduktion övergå till hydrokinon. Hydrokinon kan lätt återbildas till p-bensokinon genom luftoxidation) |
| Regulatory reference                          | Hygieniska gränsvärden (AFS 2018:1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| United Kingdom - Occupational Exposure Limits |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Local name                                    | Hydroquinone                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| WEL TWA [1]                                   | 0.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Regulatory reference                          | EH40/2005 (Third edition, 2018). HSE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Iceland - Occupational Exposure Limits        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Local name                                    | Hýdrókínón (p-bensendíól)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| OEL TWA                                       | 0.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| OEL STEL                                      | 2 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Notes (IS)                                    | O (efnið er ofnæmisvaldandi)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Regulatory reference                          | Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 1296/2012)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Norway - Occupational Exposure Limits         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Local name                                    | Hydrokinon                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Grenseverdi (OEL TWA) [1]                     | 0.5 mg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Merknader (NO)                                | A (Kjemikalier som skal betraktes som at de fremkaller allergi eller annen overfølsomhet i øynene eller luftveier, eller som skal betraktes som at de fremkaller allergi ved hudkontakt); K (Kjemikalier som skal betraktes som kreftfremkallende)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Regulatory reference                          | FOR-2018-08-21-1255                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Switzerland - Occupational Exposure Limits    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Local name                                    | Hydroquinone / 1,4-Dihydroxybenzol [Hydrochinon]                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| MAK (OEL TWA) [1]                             | 2 mg/m <sup>3</sup> (i) / (e)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| KZGW (OEL STEL)                               | 2 mg/m <sup>3</sup> (i) / (e)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Critical toxicity                             | Yeux / Auge                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Notation                                      | R, S, C2, M2 / H, S, C2, M2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Remark                                        | NIOSH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Regulatory reference                          | www.suva.ch, 01.07.2019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves.

#### Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

### 8.2.2.2. Skin protection

#### Hand protection:

Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training

### 8.2.2.3. Respiratory protection

No additional information available

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                            |                                          |
|--------------------------------------------|------------------------------------------|
| Physical state                             | : Liquid                                 |
| Appearance                                 | : Clear, colorless liquid.               |
| Colour                                     | : Colourless. Pale yellow.               |
| Odour                                      | : odourless. Barely perceptible odour.   |
| Odour threshold                            | : No data available<br>No data available |
| pH                                         | : Not applicable                         |
| Relative evaporation rate (butylacetate=1) | : No data available                      |
| Relative evaporation rate (ether=1)        | : No data available                      |
| Melting point                              | : Not applicable                         |
| Freezing point                             | : No data available                      |
| Boiling point                              | : No data available                      |
| Flash point                                | : $\geq 80$ °C                           |
| Critical temperature                       | : No data available                      |
| Auto-ignition temperature                  | : No data available                      |
| Decomposition temperature                  | : No data available                      |
| Flammability (solid, gas)                  | : Not applicable.<br>Not applicable      |
| Vapour pressure                            | : No data available                      |



# AD85 Rokat Odourless 3g

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3/2/2020 Revision date: 8/5/2021 Supersedes version of: 8/2/2020 Version: 3

|                                                 |                                           |
|-------------------------------------------------|-------------------------------------------|
| Vapour pressure at 50 °C                        | : No data available                       |
| Critical pressure                               | : No data available                       |
| Relative vapour density at 20 °C                | : No data available                       |
| Relative density                                | : ≈ 1                                     |
| Relative density of saturated gas/air mixture   | : No data available                       |
| Density                                         | : ≈ 1 g/cm <sup>3</sup> No data available |
| Relative gas density                            | : No data available                       |
| Solubility                                      | : No data available.                      |
| Partition coefficient n-octanol/water (Log Pow) | : No data available                       |
| Viscosity, kinematic                            | : ≈ 100 mm <sup>2</sup> /s                |
| Viscosity, dynamic                              | : ≈ 100 mPa·s                             |
| Explosive properties                            | : No data available.                      |
| Oxidising properties                            | : No data available.                      |
| Explosive limits                                | : No data available                       |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

|                                   |                                        |
|-----------------------------------|----------------------------------------|
| Acute toxicity (oral)             | : Not classified                       |
| Acute toxicity (dermal)           | : Not classified                       |
| Acute toxicity (inhalation)       | : Not classified                       |
| Skin corrosion/irritation         | : Not classified<br>pH: Not applicable |
| Serious eye damage/irritation     | : Not classified<br>pH: Not applicable |
| Respiratory or skin sensitisation | : Not classified                       |
| Germ cell mutagenicity            | : Not classified                       |
| Carcinogenicity                   | : Not classified                       |
| Reproductive toxicity             | : Not classified                       |
| STOT-single exposure              | : Not classified                       |





# AD85 Rokat Odourless 3g

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3/2/2020 Revision date: 8/5/2021 Supersedes version of: 8/2/2020 Version: 3

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

### AD85 Rokat Odourless

Viscosity, kinematic  $\approx 100 \text{ mm}^2/\text{s}$

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Not rapidly degradable

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### AD85 Rokat Odourless

vPvB: not relevant – no registration required

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

European List of Waste (LoW) code : 08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                  | IMDG          | IATA                                              | ADN           | RID           |
|--------------------------------------|---------------|---------------------------------------------------|---------------|---------------|
| <b>14.1. UN number</b>               |               |                                                   |               |               |
| Not regulated                        | Not regulated | UN 3334                                           | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b> |               |                                                   |               |               |
| Not regulated                        | Not regulated | Aviation regulated liquid, n.o.s. (Cyanoacrylate) | Not regulated | Not regulated |



# AD85 Rokat Odourless 3g

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3/2/2020 Revision date: 8/5/2021 Supersedes version of: 8/2/2020 Version: 3

| Transport document description         |               |                                                                                   |               |               |
|----------------------------------------|---------------|-----------------------------------------------------------------------------------|---------------|---------------|
| Not regulated                          | Not regulated | UN 3334 Aviation regulated liquid, n.o.s. (Cyanoacrylate), 9, III                 | Not regulated | Not regulated |
| 14.3. Transport hazard class(es)       |               |                                                                                   |               |               |
| Not regulated                          | Not regulated | 9                                                                                 | Not regulated | Not regulated |
| Not regulated                          | Not regulated |  | Not regulated | Not regulated |
| 14.4. Packing group                    |               |                                                                                   |               |               |
| Not regulated                          | Not regulated | III                                                                               | Not regulated | Not regulated |
| 14.5. Environmental hazards            |               |                                                                                   |               |               |
| Not regulated                          | Not regulated | Dangerous for the environment : No                                                | Not regulated | Not regulated |
| No supplementary information available |               |                                                                                   |               |               |

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 100L  
CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 220L  
Special provisions (IATA) : A27  
ERG code (IATA) : 9A

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants



# AD85 Rokat Odourless 3g

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3/2/2020 Revision date: 8/5/2021 Supersedes version of: 8/2/2020 Version: 3

### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed  
SZW-lijst van mutagene stoffen : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

#### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed  
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

#### Full text of H- and EUH-statements:

|        |                                                                                           |
|--------|-------------------------------------------------------------------------------------------|
| EUH202 | Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. |
|--------|-------------------------------------------------------------------------------------------|

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.